

# TEST REPORT No.: 399/20

Page: 2/2

Parameter	SOP	Unit	CEVIT Active Herap Body Ester
CBD	SOP 7.18.1	w/w %	0,090 ±0,0180
CBDA	SOP 7.18.1	w/w %	n.d.
CBD total	SOP 7.18.1	w/w %	0,090 ±0,0180
delta-9-THC	SOP 7.18.1	w/w %	n.d.
THCA	SOP 7.18.1	w/w %	n.d.
delta-9-THC total	SOP 7.18.1	w/w %	n.d.
CBG	SOP 7.18.1	w/w %	n.d.
CBG total	SOP 7.18.1	w/w %	n.d.
CBC	SOP 7.18.1	w/w %	n.d.
CBN	SOP 7.18.1	w/w %	n.d.

## Used methods

Parameter	SOP	Method	A/N
CBD	SOP 7.18.1	UNODC Manual, 2009	A
CBDA	SOP 7.18.1	UNODC Manual, 2009	A
CBD total	SOP 7.18.1	UNODC Manual, 2009	A
delta-9-THC	SOP 7.18.1	UNODC Manual, 2009	A
THCA	SOP 7.18.1	UNODC Manual, 2009	A
delta-9-THC total	SOP 7.18.1	UNODC Manual, 2009	A
CBG	SOP 7.18.1	UNODC Manual, 2009	A
CBG total	SOP 7.18.1	UNODC Manual, 2009	A
CBC	SOP 7.18.1	UNODC Manual, 2009	AF
CBN	SOP 7.18.1	UNODC Manual, 2009	A

U - Uncertainty of measurement is expressed as double the standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%.  
This uncertainty does not include sampling uncertainty and is not stated for results below the detection level.

A - accredited method


AF (Flexible scope of accreditation): The laboratory is allowed to make a change of the test method regarding the scope of parameters tested, subjects of tests and method performance in the given fields of accreditation provided that the measurement principle is the same.

Information on specific test conditions or deviations from, additions to, or exclusions from the test method :

n.d. = <0,005 w/w %

Approved on behalf of the laboratory :  
Manager quality - Ing. Olga Jačaninová

Done in Prague : 29.1.2020



*Jačaninová*



-----END OF THE RESULT PART OF TEST REPORT-----