

TECHNICAL INFORMATION & WARRANTY




Product Description

Chavalets elegance brings an instantly recognisable signature of quality and refined design to kitchens & bathrooms, instantly drawing toward helping to create a point of congregation around which good times unfold. Manufactured in Europe to ensure both production and design authenticity are maintained, attention to detail is evident at all levels.

Solid brass body construction safely houses the latest Ceramic disc technology, delivering longevity and the signature firm yet gliding lever action associated with all Renaissance products.

Chavalet is available with porcelain, metal and cross handle control, three distinct spouts, English, French and Deco and a range of finishes, including, chrome, nickel, brushed nickel, European Gold and Rubbed Bronze.

For further information about Renaissance faucets and ceramic disc technology please contact your Country and State Distribution Partner. Details of which are listed on your Renaissance product box.



- I. Spout
- 2. Bells Lever (x2)
- 3. Hot Cartridge
- 4. Cold Cartridge
- 5. Brass cartridge nuts (x4)
- 6. Flex hoses (x2)
- 7. Horse show rod connection kit
- 8. Pop up waste kit

SPECIFICATIONS

The installation, commissioning and maintenance must be carried out in accordance with AS/ NZS 3500 instructions supplied and be installed by qualified and competent plumber.

 $In stall at ions \ must \ comply \ with \ all \ Local \ and \ National \ Water \ Authority \ Regulations, \ and \ Building \ and \ Plumbing \ Regulations.$

TEMPERATURE CONTROL

Minimum cold water supply temperature: 5°C

Maximum cold water supply temperature: 20°C

Maximum hot water supply temperature: 50°C

Note! A Suitable approved tempering valve should be installed to limit temperatures to no more than 50 degrees or to comply with local regulations.

OPERATING LIMITS

Minimum dynamic pressure (gravity): 0.2 bar (20 kPa) or 2 metre head of water

Maximum dynamic pressure (mains): 5.0 bar (500 kPa)

Maximum static pressure: 8 bar (800kPa)

Maximum pressure differential: 5: I (either supply) eg. Cold I bar (100 kPa): Hot 0.2 bar (20 kPa)

For optimum performance, supply pressures should be equal.

Note! A suitable pressure control device should be installed to reduce supply pressures exceeding the above maximum pressure specification

STANDARDS

Complies With Australian Standards

Number AS 3718

Complies With Wel Regulations License Number T20498

5 Star Rated. 5 Liters Per Minute


FLOW PERFORMANCE FLOW PERFORMANCE Flow rates stated are without flow limiters installed.

FLOW PERFORMANCE

Flow rates stated are with flow limiters installed.


Dynamic Flow Pressure (bar)	1.5	2.5	3.5	5	
Dynamic Flow Pressure (kPa)	150	250	350	500	
Average Flow Rate (litres/minute)	4.3	4.8	4.8	4.8	

DIMENSIONS



INSTALLATION INSTRUCTIONS

- 1. Identify all components and check for completeness, particularly before arranging installation
- 2. Fit spout to spout base
- 3. Identify hot and cold cartridge
- 4. Screw nut onto lower part of cartridge, place cartridge through basin hole
- 5. Place Cartridge nut over top of cartridge and wind down so that cartridge is secure
- 6. Place bell over cartridge and tighten down, if necessary loosen nut on cartridge to relocate cartridge so that bell sits properly
- 7. Take spout and screw hoses and threaded rod into base
- 8. Feed threaded rod and hoses through hole
- 9. Place horseshoe retaining nut over threaded rod and secure using nut supplied
- 10. Connect flex hoses to cartridge bodies





Commissioning

There is no internal temperature or flow adjustment for this product.

CLEANING RECOMMENDATIONS

Your fitting has a high quality finish and should be treated with care to preserve the visible surfaces. All finishes will wear if not cleaned correctly. The only safe way to clean your product is to wipe with a soft damp cloth. Stains can be removed using washing up liquid. All bathroom cleaning product (powders and liquids) will damage the surface of your fitting, even the non-scratch cleaners.

NOTE: Never use abrasive detergents or disinfectants or those containing alcohol, hydrochloric or phosphoric acid.

IMPORTANT

Residues of liquid soaps, shampoos, and faucet foams can also cause damage, so rinse with clean water after using.

Please note: if the surface is already damaged, the effect of cleaning materials will cause further damage. Components with damaged surfaces must be replaced or injury could result.


Damage caused by improper treatment is not covered under the warranty.

Spare Parts

If you require replacement parts for your Renaissance product, please contact your local vendor alternatively e:mail service@renaissancebathrooms.com.au. Alternatively you can order spare parts online at http://spares.renaissancebathrooms.com.au. Delivery Fees will apply to spares orders sent from Australia internationally.

- I. Spout S 1213501121
- 2. Aerator RE 60 AERATOR
- 3. Base \$2533300010
- 4. Spout fixing kit RE 60 FXKIT
- 5. Bell assembly RE 60 BELL

- 6. Porcelain lever SPH RE 60
- 7. Hot cartridge assembly SAS59500001
- 8. Cold cartridge assembly SAD59500001
- 9. Flex hose RE 60 FLX HOSE PAIR
- 10. Pop up waste kit (Complete)\$ 1021201121



TROUBLE SHOOTING & FAULT FINDING

In case of failure please consider the following solutions. If the issue persists please contact our service department or your preferred plumber.

MAINTENANCE

All valve types: - If the fitting begins to drip

- 1. Turn off the water supply.
- 2. Remove fitting handle and valve.
- 3. Carefully clean seating and rubber washer.
- 4. Replace valve and turn on the water supply.
- 5. Contact your local vendor if problem persists.

Warranty Information

CONDITIONS

Your Renaissance product is manufactured to the highest quality and Carries a 15 year repair or replacement warranty covering parts only, warranties do not extend to electroplated finish, this can be effected by cleaning cycles – please reference the care and maintenance section for further details on how to clean your Renaissance product. This warranty extends to the original consumer purchaser only. This warranty is non-transferable. This warranty covers only your Renaissance manufactured product and not the Installation. The warranty is held by your territory distributer who will repair at no charge for parts only or, at its option, replace any product or part of the product that proves defective because of improper workmanship and/or material, under normal installation, use, service and maintenance. If the territory Renaissance distributer is unable to provide a replacement and repair is not practical or cannot be timely made, they may elect to replace the product with an item of similar specification.

EXCLUSIONS

- A. Conditions, malfunctions or damage not resulting from defects in material or workmanship.
- B. Conditions, malfunctions or damage resulting from (1) normal wear and tear, improper installation, improper maintenance, misuse, abuse, negligence, accident or alteration, or (2) the use of abrasive or caustic cleaning agents or "no-rinse" cleaning products, or the use of the product in any manner contrary to the product instructions. (3) Conditions in the home such as excessive water pressure or corrosion.
- C. Labor or other expenses for the disconnection, deinstallation, or return of the product for warranty service, or for installation or reinstallation of the product (including but not limited to proper packaging and shipping costs), or for installation or reinstallation of the product.
- D. Accessories, connected materials and products, or related products not manufactured by Renaissance.
- E. Your local Country or State consumer rights remain

WARRANTY OR SERVICE REQUEST

In requesting warranty service, you will need to

Provide sales receipt or other evidence of the date and place of purchase.

A completed service request form with accompanying pictures. The form can be
obtained by contacting your country and state distribution partner or place of
purchase. For assistance locating please e-mail
service@renaissancebathrooms.com.au

Unit 4, 37 Northlink PL Virginia QLD 4014 Ph. +61 7 3266 5222 Fx. +61 7 3266 5233

www.renaissancebathrooms.com.au sales@renaissancebathrooms.com.au

In view of the Renaissance Groups policy of continuous improvement, the right is reserved to change the specification, finish or price of products illistrated and described in this publication without notice.

