

acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name AP120 Metal Prep

Product code(s) 40020

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

e-mail (competent person) support@porproducts.com

1.3 Details of the supplier of the safety data sheet

Manufacturer: Supplier of Product: HGLB Holdings Limited

P.O.R. Products:

38 Portman Road:

New Rochelle:

NY 10801:

United States:

Registered Office
69 Rutherford Street
Lower Hutt 5010
Sales@por15nz.com
021-446682

support@porproducts.com: 021-44000

www.porproducts.com:

1.4 Emergency telephone number

New Zealand ((Mon - Fri, 09:00-17:00 NZST)

NZ Poisons Information Center: 0800 764 766 or

+(64) 3 474 7000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling not required

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

New Zealand: en Page: 1 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
water	CAS No 7732-18-5	≥90	
Dissolvine H-40	CAS No N/A	5 – < 10	
2-butoxyethanol	CAS No 111-76-2	0.1 - < 1	Flam. Liq. 4 / H227 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319
METSO PENTABEAD® 20	CAS No N/A	0.1 - < 1	
	CAS No 68411-31-4	0.1 - < 1	
	CAS No 7376-31-0	0 - < 0.1	
2-[2-(2-butoxyethoxy)ethoxy]ethan- ol	CAS No 143-22-6	0 - < 0.1	Acute Tox. 5 / H313 Eye Dam. 1 / H318
2-(2-butoxyethoxy)ethanol	CAS No 112-34-5	0 - < 0.1	Acute Tox. 5 / H303 Acute Tox. 5 / H313 Eye Irrit. 2 / H319
2-(2-Ethoxyethoxy)ethanol	CAS No 111-90-0	0-<0.1	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

New Zealand: en Page: 2 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

New Zealand: en Page: 3 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-butoxyethanol	111-76-2	DNEL	98 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
2-butoxyethanol	111-76-2	DNEL	1,091 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
2-butoxyethanol	111-76-2	DNEL	246 mg/m³	human, inhalatory	worker (industry)	acute - local effects
2-butoxyethanol	111-76-2	DNEL	125 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

New Zealand: en Page: 4 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
2-butoxyethanol	111-76-2	DNEL	89 mg/kg bw/ day	human, dermal	worker (industry)	acute - systemic ef- fects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	101.2 mg/m³	human, inhalatory	worker (industry)	acute - local effects
2-(2-butoxyethoxy)eth- anol	112-34-5	DNEL	83 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic ef- fects
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	DNEL	195 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	DNEL	208 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects
2-(2-Ethoxyethoxy)eth- anol	111-90-0	DNEL	61 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
2-(2-Ethoxyethoxy)eth- anol	111-90-0	DNEL	30 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
2-(2-Ethoxyethoxy)eth- anol	111-90-0	DNEL	83 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic ef- fects

Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
2-butoxyethanol	111-76-2	PNEC	8.8 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	0.88 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	463 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	34.6 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
2-butoxyethanol	111-76-2	PNEC	3.46 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
2-butoxyethanol	111-76-2	PNEC	2.33 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	1.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)

New Zealand: en Page: 5 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

Relevant PNECs of components

	component					
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.11 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	4.4 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
2-(2-butoxyethoxy)eth- anol	112-34-5	PNEC	0.32 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	PNEC	2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	PNEC	0.2 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	PNEC	200 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	PNEC	7.7 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	PNEC	0.77 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
2-[2-(2- butoxyethoxy)ethoxy]e thanol	143-22-6	PNEC	0.47 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)
2-(2-Ethoxyethoxy)eth- anol	111-90-0	PNEC	1.98 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
2-(2-Ethoxyethoxy)eth- anol	111-90-0	PNEC	0.198 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
2-(2-Ethoxyethoxy)eth- anol	111-90-0	PNEC	500 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
2-(2-Ethoxyethoxy)eth- anol	111-90-0	PNEC	7.32 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
2-(2-Ethoxyethoxy)eth- anol	111-90-0	PNEC	0.732 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
2-(2-Ethoxyethoxy)eth- anol	111-90-0	PNEC	0.34 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

New Zealand: en Page: 6 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant

New Zealand: en Page: 7 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant			
Other safety characteristics				
Solid content	0 %			

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

New Zealand: en Page: 8 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
2-butoxyethanol	111-76-2	oral	1,414 ^{mg} / _{kg}
2-butoxyethanol	111-76-2	inhalation: vapour	11 ^{mg} / _l /4h
2-(2-butoxyethoxy)ethanol	112-34-5	oral	2,410 ^{mg} / _{kg}
2-(2-butoxyethoxy)ethanol	112-34-5	dermal	2,764 ^{mg} / _{kg}
2-[2-(2-butoxyethoxy)ethoxy]ethanol	143-22-6	dermal	3,540 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

New Zealand: en Page: 9 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

New Zealand: en Page: 10 / 11



acc. to GHS-NZ

AP120 Metal Prep

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-04-10 (GHS 2)

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations (New Zealand)

New Zealand Inventory of Chemicals (NZIoC)

NZIoC			
Name of substance	CAS No	Approval status	
2-(2-butoxyethoxy)ethanol	112-34-5	HSNO Approval: HSR001075	

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

New Zealand: en Page: 11 / 11