

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014

Reviewed on 8/3/2018

1 Identification

- Product identifier
- · Trade name: Trichloroethylene
- · CAS Number:

79-01-6

· EC number:

201-167-4

· Index number:

602-027-00-9

- · Product description Synonyms: Trichloroethane, TCE, Acetylene Trichloride, Ethinyl Trichloride
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GreenChem

222 Clematis St, Suite 207 West Palm Beach, FL 33401 Office: (561) 659-2236 www.greenchemindustries.com

Fax: (561) 659-2237

· Emergency telephone number: Chemtrec 800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Muta. 2

H341 Suspected of causing genetic defects.

Carc. 1B

H350 May cause cancer.



GHS07

Skin Irrit. 2

H315 Causes skin irritation.

Eye Irrit. 2

H319 Causes serious eye irritation.

STOT SE 3

H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetylene Trichloride (Trichloroethylene)

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Reviewed on 8/3/2018 Printing date 01/13/2014

Trade name: Trichloroethylene

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Obtain special instructions before use. P201

P202 Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray. P261

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

Use personal protective equipment as required. P281 P302+P352 IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for P304+P340

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305+P351+

and easy to do. Continue rinsing. P338

P308+P313 IF exposed or concerned: Get medical advice/attention.

Call a POISON CENTER or doctor/physician if you feel unwell. P312

Specific treatment (see on this label). P321

If skin irritation occurs: Get medical advice/attention. P332+P313 If eye irritation persists: Get medical advice/attention. P337+P313 Take off contaminated clothing and wash before reuse. P362 Store in a well-ventilated place. Keep container tightly closed. P403+P233

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*2 Health = *2 Fire = 0

REACTIVITY Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

79-01-6 Acetylene Trichloride (Trichloroethylene)

- Identification number(s)
- · EC number: 201-167-4
- · Index number: 602-027-00-9
- · SVHC

79-01-6 Acetylene Trichloride (Trichloroethylene)

4 First-aid measures

- Description of first aid measures
- After inhalation: In case of unconsciousness, place patient securely in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014 Reviewed on 8/3/2018

Trade name: Trichloroethylene

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Give large amounts of water. If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Ensure good ventilation/exhaustion at the

workplace. Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014 Reviewed on 8/3/2018

Trade name: Trichloroethylene

(Contd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

79-01-6 Acetylene Trichloride (Trichloroethylene)

PEL Short-term value: C 200; 300* ppm Long-term value: 100 ppm *5-min

peak in any 2 hrs

REL See Pocket Guide Apps. A and C TLV Short-term value: 135 mg/m³, 25 ppm Long-term value: 54 mg/m³, 10 ppm

BEI

· Ingredients with biological limit values:

79-01-6 Acetylene Trichloride (Trichloroethylene

) BEI 15 mg/L

urine

end of shift at end of workweek

Trichloroacetic acid (nonspecific)

0.5 mg/L

blood

end of shift at end of workweek

Trichloroethanol without hydrolysis (nonspecific)

-

blood

end of shift at end of workweek

Trichloroethylene (semi-quantitative)

-

end-exhaled air

end of shift at end of workweek

Trichloroethylene (semi-quantitative)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures: Keep

away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash

hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014 Reviewed on 8/3/2018

Trade name: Trichloroethylene

(Contd. of page 4)

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection: Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Fluid Colorless

Odor: Like chlorine

Odour threshold: Not determined.

pH-value: Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Flash point:
Flammability (solid, gaseous):
Ignition temperature:
Decomposition temperature:
Auto igniting:

-86.4 °C (-124 °F)

87 °C (189 °F)

Not applicable.

410 °C (770 °F)

Not determined.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 7.9 Vol %

 Upper:
 90 Vol %

· Vapor pressure @ 20 °C (68 °F): 77 hPa (58 mm Hg)

• **Density @ 20 °C (68 °F):** 1.464 g/cm³ (12.217 lbs/gal)

· Relative density Not determined.

· Vapour density @ 20 °C (68 °F) 4.5 g/cm³ (37.553 lbs/gal)

• Evaporation rate Not determined.

· Solubility in / Miscibility with

Water @ 20 °C (68 °F): 1 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined. Organic solvents: 100.0 %

VOC content: 100.0 %

• Other information No further relevant information available.

(Contd. on page 6)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014 Reviewed on 8/3/2018

Trade name: Trichloroethylene

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

79-01-6 Acetylene Trichloride (Trichloroethylene)

Oral LD50 2402 mg/kg (mouse)

Dermal LD50 3450 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

IARC (International Agency for Research on Cancer)

79-01-6 Acetylene Trichloride (Trichloroethylene)

2A

· NTP (National Toxicology Program)

79-01-6 Acetylene Trichloride (Trichloroethylene)

R

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes: Harmful to aquatic organisms
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014 Reviewed on 8/3/2018

Trade name: Trichloroethylene

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· **DOT, ADR, IMDG, IATA** UN1710

· UN proper shipping name

· **DOT** Trichloroethylene

ADR
 IMDG, IATA
 UN1710 Trichloroethylene
 TRICHLOROETHYLENE

· Transport hazard class(es)

· DOT



Class 6.1 Label 6.1

· ADR, IMDG, IATA



ClassLabelPacking group

· DOT, ADR, IMDG, IATA · Environmental hazards:

· Marine pollutant: No

Special precautions for userEMS Number:Not applicable.F-A,S-A

Segregation groups
 Liquid halogenated hydrocarbons

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

· Remarks: ERG Guide Number: 160

· UN "Model Regulation": UN1710, Trichloroethylene, 6.1, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical

listings): Substance is listed.

(Contd. on page 8)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014 Reviewed on 8/3/2018

Trade name: Trichloroethylene

(Contd. of page 7)

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

California Prop 65: WARNING: This product can expose you to chemical Trichloroethylene, which is known to the State of California to cause Cancer and Reproductive Harm. For more information go to www.P65Warnings.ca.gov.

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

79-01-6 Acetylene Trichloride (Trichloroethylene)

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

Acetylene Trichloride (Trichloroethylene)

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P273 Avoid release to the environment.

(Contd. on page 9)

OSHA Haz Com Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 01/13/2014 Reviewed on 8/3/2018

Trade name: Trichloroethylene

(Contd. of page 8)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash before reuse.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention. P332+P313 If skin irritation occurs: Get medical advice/attention.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

Substance is not listed.

State Right to Know

Substance is not listed.

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 01/23/2018 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent