
CHAPMAN & BOSE



NUDE BAR PULL
PRODUCT SHEET

THREE STANDOFFS TWO STANDOFFS

PRODUCT DETAILS

MATERIALS

Solid wood: Walnut, White Oak, Ash

DIMENSIONS

Offered lengths: 8", 10", 12", 18", 24", 30", 36"

Diameters: 3/4" Slim, 1" Mid, 1.25" Wide

Projection: 1-9/16" Slim, 2-1/16" Mid, 2-5/16" Wide

Custom sizing available. Please inquire at info@chapmanbose.com

WOOD FINISH OPTIONS



WALNUT



BLEACHED ASH



BLACKENED OAK



NATURAL WHITE OAK



SOFT WHITE OAK



WHITE WASH OAK



NUDE BAR PULL | PRODUCT DIMENSIONS

Diameter: 3/4" - SLIM 1" - MID 1-1/4 - WIDE"

PRODUCT	LENGTH	CENTER TO CENTER LENGTH	PROJECTION
NUDE Bar Pull Slim Two Standoffs	8" (203mm) 10" (254mm) 12" (305mm) 18" (457mm) 24" (610mm)	5.5" (140mm) 7.5" (190mm) 9.5" (241mm) 15.5" (394mm) 21.5" (546mm)	1-9/16"" (40mm)
NUDE Bar Pull Slim Three Standoffs	18" (457mm) 24" (610mm)	7.75" (197mm) 10.75" (273mm)	
NUDE Bar Pull Mid Two Standoffs	18" (457mm) 24" (610mm) 30" (762mm) 36" (914mm)	15.5" (394mm) 21.5" (546mm) 27.5" (699mm) 33.5" (851mm)	2-1/16"" (52mm)
NUDE Bar Pull Mid Three Standoffs	24" (610mm) 30" (762mm) 36" (914mm)	21.5" (546mm) 27.5" (699mm) 33.5" (851mm)	
NUDE Bar Pull Wide Two Standoffs	24" (610mm) 30" (762mm) 36" (914mm)	21.5" (546mm) 27.5" (699mm) 33.5" (851mm)	2-5/16"" (59mm)
NUDE Bar Pull Wide Three Standoffs	24" (610mm) 30" (762mm) 36" (914mm)	21.5" (546mm) 27.5" (699mm) 33.5" (851mm)	

WOOD FINISH OPTIONS















WALNUT


WHITE WASH OAK

BLACKENED OAK


NATURAL WHITE OAK

SOFT WHITE OAK


BLEACHED ASH




















CHAPMAN & BOSE

MATERIAL & CARE

METALS

All metal finishes are supplied with a protective coating, unless specified as "raw" or "unlacquered". Suggested care and maintenance is listed below:

- · Clean with a soft, damp cloth and mild soap if needed.
- · Avoid use of abrasive cleaners or aggressive scrubbing.

As with any natural material, metal finishes will patina over time with use

Unlacquered and raw metal finishes are designed to naturally age and will change in appearance more dramatically over time. The same methods of care should be followed as other metals, however our unlacquered and raw finishes should be kept dry to avoid staining or severe discolouration.

WOOD

All wood finishes are supplied with a protective coating. As with any natural material, wood will patina over time with use. Suggested care and maintenance is listed below:

- Clean regularly with a soft, damp cloth to avoid dust build up. Use mild soap if needed.
- Dry thoroughly after cleaning and avoid prolonged exposure to moisture.
- Avoid use of abrasive cleaners or aggressive scrubbing.

The wood portion of our handles may be periodically conditioned with a natural wax. Always patch test products before applying to a large surface. For handles with wood and leather, be careful to avoid exposing the leather to any wax that may cause discolouration.

Solid woods have natural colour variations and unique grain patterns that characterize the natural beauty of the material.

LEATHER

All of our products are made from high quality, full-grain leather. The leather has a smooth, matte surface and is available in a range of deep, rich colours. With proper use and care, leather ages gracefully. With regular use, it will naturally soften and darken slightly, developing patina as it ages.

Clean gently with a soft, dry cloth. You may periodically nourish the leather with a wax/silicone-free conditioner. Always perform a patch test before full application as it may alter the leather's colour.

Contact with oily substances may discolour or change the appearance of the leather.

Due to the natural variation of leather hides and the finishing processes, slight colour variations may occur from batch to batch. To ensure consistency, we suggest ordering all handles for a project at the same time. If viewing online, colours may appear differently from screen to screen. Leather swatch sets can be purchased from our online store.

INSTALLATION

Our Bar Pulls are supplied with mounting hardware designed for use on $3/4^{\prime\prime}$ thick doors. Please contact us for custom sizing and hardware.

Please Note

Please note that Bar Pull standoffs are shipped with a short screw to maintain a pressure fitting. These screws should be left in place until installation. The longer screws provided should be used for installation. We suggest using a screwdriver to tighten the screws rather than a drill.

