


Canon

CANON SOLUTIONS AMERICA

Instant Productivity at Your Fingertips



Océ PlotWave 500 printing system

Cloud integrated, advanced large format
technical document management



Instant Productivity at Your Fingertips

- NEW! Single-footprint multifunction system
- NEW! Fast print speed of 10 ppm (D-size/A1)
- NEW! Enhanced project collaboration through integrated cloud printing and scanning
- NEW! Avoid expensive errors with on screen zoom preview capability



Océ PlotWave 500 printing system

Cloud integrated, advanced large format technical document management

Take control of document costs and project workflows with the instant productivity of the Océ PlotWave® 500 large format printer, copier, and scanner. Printing and collating documents inefficiently can be costly and eat up the valuable time of knowledge workers. With this black & white, large format workhorse in your office, you can easily print an amazing ten D-size/A1 prints per minute, with virtually no warm-up delay. That's a whopping 600 sheets an hour — the power you need to print faster, share faster, and finish projects faster.

Just like the Océ PlotWave 340/360 printing system, walk-up users interact with this printer like a smartphone/tablet thanks to the 10.4" color LCD touchscreen interface with multi-touch.

That means CAD professionals are already familiar with the Océ ClearConnect user interface from the onset. And true to its name, Océ ClearConnect makes the right connections to get the job done. Print on the way to your next meeting or from a job site — to keep work moving even when you can't get to the printer.

Many of today's architectural, engineering, and construction firms across the globe have been built using Océ technical document systems. CAD professionals in a variety of technical industries can react faster and work more efficiently thanks to our productive, innovative, and easy-to-use printing systems, making the Océ PlotWave 500 printer an effective solution for today's technical document workflow challenges.

Océ PlotWave 500 printing system

GET A COMPACT SINGLE-FOOTPRINT WORKHORSE

The Océ PlotWave 500 printing system is built for fast production — at an impressive ten D-size/A1 drawings per minute and up to four rolls of media. That's up to 600 prints per hour! It starts printing from sleep mode in less than 17 seconds thanks to Océ Radiant Fusing technology, compared to a slow start-up of four minutes for some conventional printers. That can easily save you an hour or more just in printing delays. And while printing, there is no need to wait to scan. You can print and scan concurrently.

ENJOY WORKFLOW WITHOUT THE WORK

Being able to submit files to your large format printer from anywhere can give you a big advantage when time is tight and deadlines are looming. The Océ ClearConnect software suite gives you more flexible ways to submit files to the printer. Print from your desktop via Océ Publisher Select™ software to manage complex document sets. With Océ Publisher Mobile, print from your smartphone or tablet when you are rushing to a meeting. Knowing you can print when you need to, can take some of the stress out of your work day.



WITH OPTIONAL SCANNER EXPRESS II
(MULTIFUNCTION SYSTEM)



MULTIFUNCTION SYSTEM WITH OPTIONAL OCÉ
DELIVERY TRAY AND OPTIONAL MEDIA DRAWER



MULTIFUNCTION SYSTEM WITH
OPTIONAL OCÉ 4312 FULLFOLD



MULTIFUNCTION SYSTEM WITH
OPTIONAL OCÉ 2400 FANFOLD



Large format printer with instant-on productivity and flexible printing options

1 FAST AND EASY WITH OCÉ CLEARCONNECT PANEL

Works like a tablet. Easily control the printer with your fingertips using the simple screen movements you are used to. Swipe, spread and zoom in on details of a drawing. Check that documents are correctly positioned using the live preview to avoid errors.

2 NEAT DOCUMENT DELIVERY

Get neatly collated and stacked documents of up to 100 E-size/A0 plots on the top delivery tray thanks to air separation technology. No extra space needed for a folding table. Or choose from finishing options to save you valuable time with higher capacity stacking or without hand folding documents. Get quality folded documents ready to go.

3 GET BETTER COPY AND COLOR SCANNING RESULTS

Océ Color Image Logic® technology automatically compensates for wrinkles and light colors to produce superior results. Originals are inserted face-up and paper width is detected automatically.

4 INSTANT PRODUCTIVITY WITH OCÉ RADIANT FUSING

Get instant start-up and use half the energy of comparable systems. With a remarkable print speed of 10 D-size/A1 prints per minute. Increase your productivity even more with the 4 roll option for unattended printing. Even scan while printing.

5 EFFORTLESS ROLL CHANGING

Save time and effort. Place the roll on the built-in roll loading station, and paper is fed into the printer, cut and sized — completely automatically.

6 RELIABLE QUALITY AND PERFORMANCE

Take advantage of better print quality with high resolution Pico Printing at 600 × 1200 dpi. Océ Image Logic® technology automatically detects the width of images to ensure “first time right” results. Enjoy a long productive system lifetime thanks to robust and durable construction.

7 ECO FRIENDLY SYSTEM

This system has very low ozone emissions, very low heat output and a very low sound level under 25 dB while in standby and sleep modes. It runs very quietly, so it can be comfortably placed in an office environment. The toner system is completely closed and within easy reach.

8 FLEXIBLE WORKFLOW

This system is designed to make it easier to prepare, produce and manage complex technical documents and sets of drawings. Advanced tools make it easy to get documents where you need them, when you need them.

Do all of that without wasting time training on a complicated system thanks to the Océ ClearConnect user panel. It works like a tablet or a smartphone so there is a minimal learning curve. The simple layout, smart kick-starts and detailed preview functions helps you get your prints faster, without errors, even when they are stored in the cloud or have just arrived in an email on your mobile phone. Everything from media roll placement, toner loading to print job management has been carefully designed to be ergonomically correct and intuitive.

OFFICE FRIENDLY

Designed to work side-by-side with CAD professionals, the Océ PlotWave 500 printer is a people-friendly and planet-friendly choice. It produces very low ozone emissions, very low

levels of noise and low levels of heat. In fact, this system generates only 55 dB(A) of sound when printing. That means you can place this system within an office or workgroup, knowing people can work comfortably nearby. The Océ PlotWave 500 printer also provides the lowest energy usage in its class which, thanks to Océ Radiant Fusing technology, can cut energy consumption in half.

PROVEN TECHNOLOGY

The Océ PlotWave 500 printer is based on proven Océ technology found in large format printing systems worldwide. Constructed of durable and hard-wearing parts, it ensures you get dependable uptime. It is also surprisingly easy to operate.



OCÉ PLOTWAVE 500 PRINTER HIGHLIGHTS

Incredibly fast print out
Virtually silent* in Standby and Sleep (*under 25 dB)
Accelerated first print out from standby mode (D-size/A1)
Average print from sleep mode (D-size/A1)
Effortless roll changing
High capacity document delivery
Effortless job submission
Océ ClearConnect multi-touch user interface (standard)
High print quality
Future proof connectivity

SYSTEM CONFIGURATIONS

2 Rolls printing system (standard)
Productive scanning system (optional)
Folding systems (optional)
Stacking system (standard)
Stacking system (optional)
Media capacity upgrade (optional)
Workflow software (standard)
Workflow software (optional)
Hardware optionals
Starter kit included

GENERAL

User interface
Imaging technology
Fusing technology
Toner/ type
Speed (print and copy):
First copy output time from standby mode (D-size/A1)
Resolution
Size main engine (W x D x H)
Weight main engine

MEDIA HANDLING


Media capacity
Paper cutting
Maximum paper capacity
Media sizes
Media weight (min. / max.)
Roll width (min. / max.)
Minimum printed length
Maximum printed length

Print speed of 10 ppm (D-size/A1)
1-click printing from USB, 1-click printing from Océ Smart Inbox or last send job (Océ SmartAccess)
Instant start-up with Océ Radiant Fusing technology
Océ Radiant Fusing technology eliminates noise
16 seconds
30 seconds
Simple and easy, motor fed media loading, one media cutter per drawer, automatic media width detection
Double capacity (100 E-size/A0) Top Delivery Tray supporting longer runs and higher productivity
Green button design: what you see is what you print resulting in first time right result
Consistent look and feel from every angle of your workflow, standard including Océ Smart Inbox, Océ SmartAccess, and Océ Live Preview
Océ Pico printing and Océ Image Logic technology enables the best print quality possible
Cloud connected and Smartdevice enabled system

Productive large format B&W printer with Océ ClearConnect multi-touch user interface
Océ Scanner Express II with Océ Image Logic technology
Océ 4312 FullFold, Océ 2400 FanFold
Integrated Top Delivery Tray, 100 sheets capacity (100 E-size/A0)
Océ Delivery Tray (up to 150 sheets)
Additional 2 rolls media drawer to increase media capacity
Océ Large Format Printer Driver 2.0 for Microsoft® Windows®, Océ PostScript® 3™ driver, Océ Mobile WebTools for iOS®, Android® and BlackBerry®, Océ Publisher Mobile for iOS and Android, Océ Publisher Express, Océ Publisher Select
Océ View Station, Océ Client Tools™ software, Adobe® PostScript 3/PDF file interpreter, Océ Repro Desk® software, Océ Account Center
Media drawer with standard 2 rolls, Scanner Express II, Océ 2400 FanFold, Océ 4312 FullFold, high capacity Océ Delivery Tray
1 bottle toner 450 gr., 1 bottle developer 1750 gr., 1 roll 36" media bond (20 lb.)

Océ ClearConnect with multi-touch, LiveView and Preview on the Océ ClearConnect user panel, 1-click printing by Océ SmartAccess
Electrophotography (LED) with Organic photoconductor (OPC), Océ Radiant Fusing Technology with instant warm up, clean toner refill system, virtually no ozone emission
Océ Radiant Fusing technology
Océ black toner: 450 grams per bottle
10 D-size/A1 ppm, 5 E-size/A0 ppm
19 seconds
600 x 1200 dpi
Compact design: 60.1" x 31.6" x 58.9" (1527 x 803 x 1495 mm) (including top delivery tray)
585 lbs. (265 kg.)

2 or 4 rolls (i.e. 1 or 2 media drawers)
Cutters included in drawers for fast and easy media switching
2 roll: 3,900 sq. ft. (365 m²) 4 roll: 7,800 sq. ft. (730 m²)
ARCH: B, C, D, E, E1, 30", 21", 15" ANSI: B, C, D, E ISO: A3, A2, A1, A0, B2, B1, B2_700, B1_700
16 – 28 lb. (60 – 110 g/m²)
11" – 36" (279 – 914 mm)
11" (279 mm)
577' (176 meters)



MEDIA HANDLING CONTINUED	
Output delivery	
Media Type (www.csa.canon.com)	
USER INTERFACE	
Description	
Size (W × D × H)	
Resolution	
Number of colors	
Technology	
Operation	
Interface design	
Features	
CONTROLLER	
Description	
Processor	
Memory	
Video	
Hard disk	
Interface	
Page description language	
Printing protocol:	
Back Channel Protocol:	
Security	
Cloud support	
Transformations	
SCANNER	
Description	
Scan resolution	
Scan speed	
Scan formats	
Scan destination	
Scan naming	
Original width (min. / max.)	
Original length (min. / max.)	
Original thickness	
Zoom	
Preset modes	
Size scanner (W × D × H)	
Weight scanner	

Top (default): Top Delivery Tray (100 E-size/A0)	
Rear (optional): rear output to Océ Delivery Tray, Océ 4312 FullFold, or Océ 2400 FanFold	
Paper, Engineering Bond, Vellum, Recycled Bond, Tinted Bond, Film: Polyester 3.5 mil	
Océ ClearConnect multi-touch user interface	
11.8" × 8.7" × 1.6" (300 × 220 × 40 mm) Touch screen: 10.4" (diag.) Color LCD (264 mm diag.)	
800 × 600 pixels	
16.2 Million	
Projective capacitive touch	
Three hard buttons: [Wake-up], [Stop, interrupt, abort], [Home]	
Multi-touch functions: tap, double tap, pinch, swipe, flick, and spread	
IF design award: distinctive user interface and intuitive navigation and clearly defined levels of operation	
View optimization: Tilt (-4 to +45 degrees) and turn (-45 to +180 degrees)	
Status light (red, orange, green)	
USB 2.0 interface with indication light	
Océ PowerM® controller with Windows 7 Embedded Standard (WES7), 32 bits	
Dual-Core G540 @ 2.50GHz	
4 GB DDR3 (standard)	
Intel HD Graphics, 1GHz	
500 GB, 7200 rpm	
Ethernet 100 Mbps/s, 1 Gbit/s	
TCP/IP: DHCP, IPv4, IPv6, https	
Discovery: APIPA, WSD	
TIFF, JPEG, HPGL, HPGL2, DWF, C4, Calcomp 906/907/951, CALS, NIRS, NIFF, PS/PDF (optional)	
LPR, FTP, WebDav, WSD print	
SNMP printer MIB, Océ Wave interface 1.2, WSD	
E-shredding, IPsec, HTTPS, extended security protection for administrator, audit logging. User authentication on local UI for FTP, SMB and WebDav. Configure HTTPS Certificates.	
Unlimited user and/or Administrator authenticated cloud support via WebDav and/or third party provider: e.g. Microsoft SharePoint®, Dropbox®, Box.com, box.net, Google® Drive®, Microsoft SkyDrive®, Amazon®, CloudSafe®, MyDisk®.	
Scaling: Scaling (scale-to-fit page, reduce when image too large to avoid clipping or to custom factor, scale page size to standard size), Rotation, Shift (automatic or user defined), Adding/removing trailing/leading edge, Mirror, Black intensity in poster mode, Print optimization (standard, lines/text, poster). Color Highlight and Dark Original.	
Contact Image Sensor (CIS) Color scanner with Océ Image Logic technology	
600 × 600 dpi	
Up to 47.9 ft./min (14.6 m/min) Black & White scanning	
Up to 31.8 ft./min (9.7 m/min) Copying	
Up to 15.7 ft./min (4.8 m/min) Color scanning	
TIFF, PDF, PDF/A, JPEG, CALS, multi-page PDF, multi-page PDF/A and multi-page TIFF	
Local USB flash drive, FTP, SMB, Controller, mobile device via Océ Mobile WebTools, WebDav Cloud	
Preset naming with auto numbering for productive scanning or file name on the Océ ClearConnect user panel keyboard	
8.2" – 36" (208 – 914 mm)	
8.2" – 52.5' (208 mm – 16 m)	
Maximum 0.03" (0.8 mm) non-rigid documents	
1:1, Scale to media size, Scale to standard format, Custom: 10 – 1000%	
Lines & text, Lines & text draft, Folded lines & text, Photo, Colored, Dark original, Blueprint, Color Highlight	
43" × 12" × 5.5" (1,097 × 308 × 140 mm)	
46 lbs. (21 kg.)	



ENVIRONMENTAL	
Sound power level	
Ozone concentration	
Heat emission	
Power requirements	
Power consumption	
Safety/EMC marks & environmental labels	
Recyclables	

Standby and Sleep modes: less than 25 dB
Print mode: less than 55 dB
<0.001 mg/m ³ (0.05% of permitted limit value)
Ready: 72 W, Active: 1.6 kW
90 – 240 V, 50/60 Hz
Sleep Mode: 1 W
Ready Mode: 88 W
Active Mode: 1.5 kW
CE, TUV GS, CETECOM, C-UL-US, Energy Star 2.0, FEMP
Printer: made of steel or highly recyclable plastics: up to 95% of the engine can either be upcycled or recycled. Remaining 5% are non toxic waste.
Toner: bottles made of highly recyclable HDPE (High Density Polyethylene)

OCÉ WORKFLOW SOFTWARE	
Job submission	
Queue Management	
Print management	
Scan to file	
OCé ClearConnect	

Create, retrieve and/or send jobs from drivers (OCé Large Format Printer Driver 2.0 for Microsoft Windows, OCé PostScript 3 driver), external locations (SMB, FTP, LPR, WebDav), Mobile devices via OCé Express WebTools and OCé Publisher Mobile, USB flash drive, Cloud services.
1-click printing from USB, 1-click printing of last send jobs by Print SmartAccess on OCé ClearConnect user panel. Smart Inbox on OCé ClearConnect user panel enables job preview, swipe between your jobs for print selection and preview. Pan to view the image in detail (zoom).
Multiple files and originals are supported. Print multiple times, and sort by page or set. Media saving automatically rotates originals to optimize media usage.
Full support of Adobe PostScript 3.
Spool memory provides a queuing system for print or copy jobs. This allows multiple users to send print and copy jobs at the same time. Customize priority settings for copy and print jobs in the queue.
Queue overview gives access to job names, owners and status including required media. Jobs can be paused, deleted and placed on top of the queue.
View counter history at preferred time periods, per job or total overview.
View, create, edit and delete stamp templates.
OCé Scanner Express II offers full hybrid performance with its scan-to-file functionality. Send files, via SMB, FTP, LPR, WebDAV, to various locations such as local drives, personal Smart Inboxes, or the cloud application of your choice.
Scan to USB or use OCé Mobile WebTools and OCé Publisher Mobile to scan to mobile device.
Custom scan file naming to any location. Checkplot functionality.
OCé ClearConnect supports Live Preview of the scanning process on the user panel.
Full support of Adobe PostScript 3.
OCé ClearConnect enables a consistent view on your workflow from every possible angle, and job management is made easy. Default jobs can be performed by single clicking the green button (OCé SmartAccess for Print, Scan and Copy). Behavior is customizable via OCé Express WebTools. Edit the most common used job settings for copy, scan, and print jobs. Presets can be predefined in OCé Express WebTools.
The Smart Inbox supports multi-user environments and 1-click printing via OCé SmartAccess for all users.
The OCé Express WebTools controller application supports customizable workflows. Separate work spaces give you a complete overview and full control over print and scan job management. Tasks you can manage are: Settings and configuration management, Network connectivity management, Queue management, License management, System monitoring, Scan retrieval, and Print job submission. You can access the integrated OCé Express WebTools controller application from any networked workstation.
Job view to check the printer status, available wherever you are with a single click.
OCé ClearConnect includes context sensitive, online help. Easy language switching on the OCé ClearConnect user panel.
Use the Smart Inbox to view all jobs with status, job name and owner. Actions to print, print all, edit, send to..., delete and save. Custom sorting of jobs in list or group view.
What you see is what you print on Large Format Printer Driver.
Open API for 3rd party and/or own developed applications integrated with OCé ClearConnect user panel.
Configurable accounting (optional).



OCÉ WORKFLOW SOFTWARE

Mobile and cloud

Concurrency

Printer drivers

Job submission

Job management

Accounting

Print from and scan to the cloud application of your choice. With the help of mobile applications such as Océ Mobile WebTools and Océ Publisher Mobile, the printer can be easily accessed and used from any location.

Concurrent print, copy and scan of single documents or sets

Océ Large Format Printer Driver 2.0 for Microsoft Windows, Océ PostScript 3 driver

USB flash drive, Océ Mobile WebTools for iOS, Android and BlackBerry, Océ Publisher Mobile for iOS and Android, Océ Publisher Express, Océ Publisher Select, Océ Direct Print Manager

Personalized Smart Inbox with history, Manage queue, Océ Express WebTools, Secured controller access, remote shutdown and restart

Option: Océ Account Center



Creating global leadership in printing

Canon and Océ join forces to create the global leader in the printing industry. For our customers this combines Canon and Océ technology with the support of the Océ direct sales and service organizations. Look to the new Canon-Océ combination for:

- Enterprise printing in the office and corporate printroom
- Large format printing of technical documentation, signage and display graphics
- Production printing for marketing service bureaus and graphic arts
- Business services for document process outsourcing

For information and services, visit us at:

www.csa.canon.com

Canon

CANON SOLUTIONS AMERICA

Large Format Solutions

100 Park Boulevard
Itasca, IL 60143

1-800-714-4427 | 1-630-250-6550

email: us.info@csa.canon.com

LFS-51313 DS 6/14 CC1/PDF

The Océ logo, Océ, Océ PlotWave, Océ Image Logic, Océ Color Image Logic, Océ Repro Desk and Océ PowerM are registered trademarks of Océ-Technologies B.V. Océ Publisher Select and Océ Client Tools are trademarks of Océ-Technologies B.V. CANON is a registered trademark of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged.
©2014 Canon Solutions America, Inc. All rights reserved.