


# **Touch the New Way of Printing**







# Cloud integrated, advanced large format technical document management

Touch the new way of printing with the Océ PlotWave® 340/360 printing system. The Océ ClearConnect color touchscreen interface supports multi-touch gestures for intuitive control. It's ideal for decentralized printing environments featuring workgroups of CAD professionals who require both productivity and ease of use.

# **CONNECTS WITH YOUR WORLD**

Now printing is as clear and easy as using a tablet with the new Océ ClearConnect multi-touch user panel. You can pan, zoom, swipe, spread and much more. Pull up a document, zoom and pan to different areas. See the orientation of documents with a live preview while scanning or copying to avoid errors. Save time with easy shortcuts.

# **GET ACCESS TO THE CLOUD**

You can access your projects documents directly at the printer using the Océ ClearConnect multi-touch user panel. Are your files on a USB stick, on a network location or in the cloud? Just browse and swipe to your files and print them. In addition, you can scan directly to virtual unlimited destinations in the cloud or your Intranet. When you have a file on your iPad® mobile device, just use the WiFi infrastructure of your company to access the Océ PlotWave 340/360 printer and print via the Océ Publisher Mobile app. Or print from your desktop PC via Océ Publisher Select™ software to manage more complex document sets.

# HIGH EFFECTIVE SPEED WITH INSTANT PRINTING

Work faster by minimizing waiting time and using less energy. Print up to 4/6 D-size/A1 plots in 1 minute, with virtually no warm-up time. From cold sleep to print in hand — in less than 40 seconds. Compared to a slow 4 minutes with conventional printers, this easily saves you an hour a day in printing delays, increasing your effective speed up to 300%. No trade off between energy consumption and getting a fast first print thanks to the energy efficient Océ Radiant Fusing technology.







#### **TECHNOLOGY**

Description

Imaging technology

Toner

Speed

Resolution

#### **GENERAL**

Configuration

Warm-up time

First print time

Size main engine (W  $\times$  D  $\times$  H)

Weight main engine

Certifications

#### **PAPER HANDLING**

Paper rolls

Maximum paper capacity

Paper weight

Roll width

Output length

Output delivery

Media type

### CONTROLLER

Description

Client Operating System Support

Processor

Memory

Hard disk Interface

Page description language

Security

Options

Cloud

Black & white all-in-one large format print/copy/scan system with color scanner

Electrophotography (LED), organic photoconductor (OPC), clean closed toner system, Océ Radiant Fusing technology

Océ black toner: 400 grams per bottle

Black & white: Océ PlotWave 340: 4ppm (D-size/A1)

Océ PlotWave 360: 6ppm (D-size/A1)

600 × 1200 dpi

Multifunctional or printer only

Less than 1 second, thanks to Océ Radiant Fusing technology

31 seconds (D-size/A1)

From sleep mode: 40 seconds (D-size/A1)

 $60.6" \times 31.5" \times 58.9"$  (1,527 × 800 × 1,495 mm) including top delivery tray

397 lbs. (180 kg)

EPA ENERGY STAR\*, FEMP, TüV GS, CETECOM, CE, UL, cUL, CB, FCC Class A, RoHS

1 or 2 rolls

Up to 1,300 ft., 650 ft. on a roll (up to 400 m, 200 m per roll)

18 - 28 lb. Bond; 60 - 110 g/m<sup>2</sup>

11" - 36" (297 - 914 mm)

16.5" – 577.4 ft. (419 mm – 176 m)

Top delivery tray with air separation technology; up to  $50\ E/A0$ -size plots collated

Paper: Plain paper, Transparencies, Recycled paper, Colored paper

Film: Polyester, Antistatic, Contrast

Océ PowerM<sup>®</sup> controller with Windows<sup>®</sup> Embedded Standard 7

Océ print driver for Windows 7 (32 & 64-bit)/Windows Vista\* (32 & 64-bit)/Windows XP\*/Windows Server 2003\*/ Windows Terminal Server\*, Citrix\* Metaframe and Presentation Server

Adobe\* Postscript\* 3™ driver for Windows XP\* and Server 2003\*, Mac\* OS v9, OSX (only Adobe\* Postscript\* 3/ PDF driver supported)

Intel Celeron T3100 @1.90GHz

4 gв DDR2

500 gb

Ethernet 100 Mbits/s, 1 Gbit/s

TIFF, JPEG, HP-GL, HP-GL/2, DWF, Calcomp 906/907/951, CALS, NIRS, NIFF, ASCII, C4

 $\hbox{E-shredding, IPSec, HTTPS, extended security protection for administrator, audit logging}$ 

Adobe PostScript 3/PDF file interpreter

WebDAV





C	21	IVI	IVI	Е	

Description

Scan resolution

Scan speed

Scan format

Scan destination

Original width

Original length

Original thickness

Zoom

Preset modes

Size scanner (W  $\times$  D  $\times$  H)

Weight scanner

#### WORKFLOW

Description

Printer drivers

Job submission

Job management

Accounting

### **OPTIONS**

Hardware

Software

Contact Image Sensor (CIS) with Océ Color Image Logic™ technology

600 × 600 dpi

Copying: Up to 31.8 ft./min. (9.7 m/min.)

Black & white scanning: Up to 47.9 ft./min. (14.6 m/min.)

Color scanning: Up to 15.7 ft./min. (4.8 m/min.)

TIFF, PDF, PDF/A, JPEG, CALS, multi-page PDF, multi-page PDF/A and multi-page TIFF

Local USB flash drive, FTP, SMB, Controller, mobile device via Océ Mobile WebTools

8.2" - 36" (208 - 914 mm)

8.2" - 52.5 ft. (208 mm - 16 m)

Maximum 0.03" (0.8 mm) non-rigid documents

Scale to standard format

Custom: 10 - 1,000%

Lines & text, Lines & text draft, Folded lines & text, Photo, Colored, Dark original, Blueprint

43" × 12" × 5.5" (1,097 × 308 × 140 mm)

54 lbs. (24.5 kg)

Concurrent print, copy and scan of single documents or sets

Microsoft® certified Windows® driver 2.0, Adobe® Postscript 3™ driver

USB flash drive, Océ Mobile WebTools for iOS, Android, Symbian and BlackBerry\*, Océ Publisher Mobile for iPad, Océ Publisher Express, Océ Publisher Select software

Personalized Smart Inbox with history, Manage queue, Océ Express WebTools, Secure controller access, remote shutdown and restart

Option: Océ Account Center

Océ Scanner Express II, second roll unit, front original tray, Océ Estefold 2400 fanfold, Océ 4312 Estefold fullfold with Extended Stacker, Removable Hard Drive Kit with optional additional Hard Drive, and Rear Delivery Tray

Océ View Station, Océ Client Tools™ software, Adobe® Postscript 3/PDF file interpreter, Océ Repro Desk® Studio, Océ Repro Desk Web Client, Océ Repro Desk Professional



# Creating global leadership in printing

Canon and Océ join forces to create the global leader in the printing industry. For our customers this combines Canon and Océ technology with the support of sales and service organizations. Look to the new Canon-Océ combination for:

- Enterprise printing in the office and corporate printroom
- Large format printing of technical documentation, signage and display graphics
- Production printing for marketing service bureaus and graphic arts
- Business services for document process outsourcing

For information and services, visit us at: www.cla.canon.com



### www.cla.canon.com

Canon U.S.A., Inc. One Canon Park Melville, NY 11747

The Océ logo, Océ, Océ PowerM, Océ PlatWave, and Océ Repro Desk are registered trademarks of Océ-Technologies B.V. Océ Color Image Logic, Océ Publisher Select, and Océ Cilent Tools are trademarks of Océ-Technologies B.V. CANON is a registered trademark of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. @2014 Canon U.S.A., Inc. All rights reserved.