
© design by Dirk Wynants

## Hopper shade

Concrete base	240
Floor fastening	300
Assembly with Hopper picnic	360
To Hopper legs	




Hopper shade



## extremis<sup>®</sup>

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet 20170925



Box 4

Box

Assembly to Hopper legs

49,21

12,40

2,75

8,66

1,96

4,33

1

1

total:

0,35

1,05

0,35

10,42

44,26

18,03

6,02

38,76

17,37

4,40

5,50

0,66



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV colour fastness	Flame retarding
		inch	micron					
High-tech polyester screen fabric	<ul> <li>High UV protection factor</li> <li>High tear strength</li> <li>Unique Schmitz nano clean coating</li> </ul>	0,02	n.a.	10,93 oz/ft²	Outdoor & indoor	The fabric has a water column of 350mm (EN 20811)	7-8/8 (ISO 105-B02)	NEN-EN 13501-1 A1*
Stainless steel poles	<ul><li>High rusting resistance</li><li>Periodical maintenance required</li></ul>	0,07 - 0,31	n.a.	0,49 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1*
Concrete base	<ul> <li>Self-consolidating concrete</li> <li>Higher strength</li> <li>Very smooth finish</li> </ul>	6,29	n.a.	0,14 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1*
Cover	<ul> <li>100% polyester</li> <li>Polyuréthane coating</li> <li>Breathable, so not 100% waterproof</li> </ul>	0,02	n.a.	8,46 oz/ft²	Outdoor & indoor	One side very water- proof, one side breath- able	6-8/8 (ISO 105-B02)	1

\* NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

IN CASE OF STRONG WINDS OR IF IT IS NOT BEING USED, CLOSE THE SHADE AND TILT THE LATCHES DOWNWARDS. PUT THE PROTECTIVE COVER OVER THE SHADE TO PREVENT IT FROM BLOWING OPEN OR GETTING DIRTY.

FOR VENTILATION PURPOSES, THE COVER IS NOT 100% WATER PROOF.

STORE THE PARASOL WHEN NOT IN USE FOR A LONG TIME AS FOLLOWS: COMPLETELY DRY AND IN A DRY ENVIRONMENT.

ALWAYS MAKE SURE THAT NO OBSTACLES ARE SITUATED BETWEEN THE SHADE AND THE TABLE WHEN CLOSING THE SHADE. DO NOT LEAVE CLOSED IF NOT COMPLETELY DRY. DO NOT LEAVE THE PARASOL CLOSED FOR A LONG TIME WHEN THE PARASOL FABRIC IS STILL DAMP OR WET.

DO NOT LEAVE THE SHADE UNATTENDED WHEN OPENED.


#### **Applications**

Residential: with or without Hopper, on your terraces, patio, courtyard ... Project: hotels, company terraces, near the sea, ..

#### Important

shade.

- Never try to open the shade by pulling only one pole towards you.Always make sure that both sides are open to prevent any damage to the
- Hopper shade AISI 316 is advised for use near the sea or swimming pools.



#### F.a.q.

- *Q*: *What to do in case of strong wind?*
- A: Tests in a wind tunnel have shown that the shade withstands wind speeds up to 6 on the Beaufort scale. Still, it is best to close it sooner.
- *Q: What will happen to the shade if it is rolled out during a heavy downpour?* A: As the ground is never 100% level, the water on the shade will first run to the centre of the shade and will then run off one side. A small amount of water may remain in the centre of the shade, but when you close the shade, it will also run off.

#### Maintenance

Find maintenance instructions at the downloads section of extremis.com for:

- STAINLESS STEEL
- Clean regularly with a dry cloth and some stainless steel cleaner.

#### PARASOL FABRIC

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

#### Website

www.extremis.com/hoppershade

# 3

### Good to know

Floor fastening

fastening set.

Hopper Shade comes with an optional floor

- Hopper shade combines perfectly with Hopper picnic, combo & table.
- If you combine Hopper shade on concrete base with Hopper, keep in mind that the Hopper should be 1 size smaller, otherwise the table won't fit between the concrete base.
- 'Hopper' stands for 'hop picker', because the range is inspired by hops gardens, and harvest and beer fests. The slanted poles of the shade clearly resemble the poles of a hops garden.



inspired by beer & hops

