


# Hopper table


© design by Dirk Wynants



180  
240  
300  
360

Galvanised version  
Powder-coated version

## Hopper table



Dimensions (inch)	L	W	H	w <sub>1</sub>
Hopper table 180	70,07	48,62	29,13	32,75
Hopper table 240	93,70	48,62	29,13	32,75
Hopper table 300	117,32	48,62	29,13	32,75
Hopper table 360	140,94	48,62	29,13	32,75

BOX 1: TABLETOP



BOX 2: 4 LEGS



Box dimensions (inch)		L	W	H	Qty (#)	Volume (ft <sup>3</sup> )	Gross weight (lb)	Net weight (lb)	Packaging weight (lb)
Hopper table 180 galvanised	Box 1	72,44	34,44	6,29	1	9,18	122,57	105,38	17,19
	Box 2	36,22	11,29	4,05	2	1,76	135,09	129,94	5,15
	<b>total:</b>					<b>10,94</b>	<b>257,66</b>	<b>235,32</b>	<b>22,34</b>
Hopper table 180 powder-coated	Box 1	71,65	34,44	6,29	1	9,18	122,57	105,38	17,19
	Box 2	36,22	11,29	4,05	2	1,76	134,65	129,50	5,15
	<b>total:</b>					<b>10,94</b>	<b>257,22</b>	<b>234,88</b>	<b>22,34</b>
Hopper table 240 galvanised	Box 1	96,06	34,44	6,29	1	12,00	154,78	136,49	18,29
	Box 2	36,22	11,29	4,05	2	1,76	135,09	129,94	5,15
	<b>total:</b>					<b>13,76</b>	<b>289,87</b>	<b>266,43</b>	<b>23,44</b>
Hopper table 240 powder-coated	Box 1	96,06	34,44	6,29	1	12,00	154,78	136,49	18,29
	Box 2	36,22	11,29	4,05	2	1,76	134,65	129,50	5,15
	<b>total:</b>					<b>13,76</b>	<b>289,43</b>	<b>265,99</b>	<b>23,44</b>
Hopper table 300 galvanised	Box 1	119,68	34,44	6,29	1	15,18	190,21	170,79	19,42
	Box 2	36,22	11,29	4,05	2	1,76	135,09	129,94	5,15
	<b>total:</b>					<b>16,94</b>	<b>325,30</b>	<b>300,73</b>	<b>24,57</b>
Hopper table 300 powder-coated	Box 1	119,68	34,44	6,29	1	15,18	190,21	170,79	19,42
	Box 2	36,22	11,29	4,05	2	1,76	134,65	129,50	5,15
	<b>total:</b>					<b>16,94</b>	<b>324,86</b>	<b>300,29</b>	<b>24,57</b>
Hopper table 360 galvanised	Box 1	146,45	34,44	6,29	1	18,36	219,29	198,75	20,54
	Box 2	36,22	11,29	4,05	2	1,76	135,09	129,94	5,15
	<b>total:</b>					<b>20,12</b>	<b>354,38</b>	<b>328,69</b>	<b>25,69</b>
Hopper table 360 powder-coated	Box 1	146,45	34,44	6,29	1	18,36	219,29	198,75	20,54
	Box 2	36,22	11,29	4,05	2	1,76	134,65	129,50	5,15
	<b>total:</b>					<b>20,12</b>	<b>353,94</b>	<b>328,25</b>	<b>25,69</b>


**extremis®**






The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech sheet**  
20170925




## Materials & colours



<b>Tabletop</b>		
	Iroko hardwood*	Hellwood*
<b>Frame</b>		
	Galvanised steel	
<b>Legs</b>		
	Galvanised steel	Structured powder-coating*

\*Subject to change, check price list or [www.extremis.com](http://www.extremis.com)

Materials	Key facts	Thickness inch	Layer thickness micron	Density	In/outdoor	Water	UV colour fastness	Flame retarding
Iroko tabletop	<ul style="list-style-type: none"> <li>• Durability CLASS 1</li> <li>• Feels comfortable in all weather conditions</li> <li>• Advisable to oil the wood</li> </ul>	1,18	n.a.	37 à 44 lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop	<ul style="list-style-type: none"> <li>• Durability CLASS 1</li> <li>• Carries the PEFC™ label for durable forestry</li> <li>• Feels comfortable in all weather conditions</li> <li>• Advisable to oil the wood</li> </ul>	1,18	n.a.	37 lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
 Powder-coated aluminium legs	<ul style="list-style-type: none"> <li>• A technique of applying dry paint to a part</li> <li>• Electrostatically charged and sprayed onto the object</li> <li>• Scratch-resistant</li> </ul>	0,39	50 - 100	0,17 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good: colour can fade to some extent when exposed to UV	NEN- EN13501-1 A2-s1 **
Hot dip galvanised steel legs	<ul style="list-style-type: none"> <li>• Most durable method for protecting metal from rusting</li> <li>• Protective layer</li> <li>• Very long life span</li> <li>• 100% recyclable</li> <li>• Cradle to Cradle Certified™</li> </ul>	0,31	50 - 100	0,47 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good, galvanisation will however become less shiny when used outdoors	NEN- EN13501-1 A1 *
Hot dip galvanised steel frame	<ul style="list-style-type: none"> <li>• Very rigid galvanised frame</li> <li>• Ensures stability</li> <li>• Extremely long lifespan</li> <li>• 100% recyclable</li> <li>• Cradle to Cradle Certified™</li> </ul>	0,07 - 0,23	50 - 100	0,47 10 <sup>3</sup> lb/ft <sup>3</sup>	Outdoor & indoor	n.a.	Very good, galvanisation will however become less shiny when used outdoors	NEN- EN13501-1 A1 *

\* NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.


\*\* NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

## Applications

**Residential:** with optional Hopper shade. Indoor or outdoor, as a kitchen table or as an eye-catching garden set-up.

**Project:** ideal to place several tables next to each other and create a long row. Educational projects, hospitality, ...



## Maintenance

Find maintenance instructions at the downloads section of [extremis.com](http://extremis.com) for:

### POWDER-COATED PARTS

- White powder-coating requires more maintenance obviously
- Cleaning stains with a magic eraser

### GALVANISED PARTS




- How to repair a damaged zinc layer

### WOOD

- Cleaning regularly with mild detergent
- Thorough cleaning with Extremis Wood Cleaner
- Oiling the wood with Extremis Wood Protector. We recommend oiling the wood once or twice a year. 1x before the summer and 1x after the summer as protection for the winter.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 80 grit sanding paper or a sanding pad.


### USAGE ADVISE

- For Extremis Wood Protector:

	5 to 7 wood care treatments for Hopper table 180 3 to 5 wood care treatments for Hopper table 240 2 to 4 wood care treatments for Hopper table 300 2 to 3 wood care treatments for Hopper table 360
	2 to 4 wood care treatments for Hopper table 180 1 to 3 wood care treatments for Hopper table 240 1 to 2 wood care treatments for Hopper table 300 1 to 2 wood care treatments for Hopper table 360
	150 - 250 ml for one Hopper table 180 200 - 300 ml for one Hopper table 240 250 - 350 ml for one Hopper table 300 300 - 400 ml for one Hopper table 360

## Good to know

- ‘Hopper’ stands for ‘Hop Picker’, because the range is inspired by hops gardens, and harvest and beer fests.
- PEFC™ certified wood originates from sustainably managed forests.
- In combination with Hopper shade, only possible to combine with HSB-HP, not with HSB-HO.
- The Hopper legs are cut out of an aluminium sheet nearly without any loss of material.



eco plate mapping



inspired by beer & hops

## Awards



## F.a.q.

**Q: Do you need to oil the wood?**

**A:** Just like other types of wood, Iroko will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

**Q: Won't those wide boards curl up after a while?**

**A:** Iroko hardwood & Hellwood are very stable types of wood and Class I. Nevertheless, the tabletop is completely supported by a galvanised frame to which each board is attached separately. The wood has no structural function.

## Website

[www.extremis.com/hoppertable](http://www.extremis.com/hoppertable)