

INSTALLATION INSTRUCTIONS JK TRUCKTOP REAR TOP AND SIDE PANELS

Fit on:

Jeep Wrangler JKU 4 Doors 2007 - 2019
Part n. JKTKBK4



ⓘ **IMPORTANT** CHECK ALL INSTRUCTIONS BEFORE INSTALLING THE PRODUCT

This product is designed to protect from ordinary weather conditions. It's not in any case a protection from falling objects, or in event of an accident. This product is not a retaining system for vehicle occupants and for loaded material.

WEAR SEAT BELTS AT ALL TIMES

Failure in product installation could place occupants of the vehicle and other people in possibly dangerous situations.




CHECK AND FOLLOW FITTING INSTRUCTIONS PROPERLY

This product should be installed not below 70°F (21°C). Below this temperature fabric can contract for 1" (2/3 cm) or more and installation become harder with a risk of breaks. Few days after fitting fabric will relax losing the packaging wrinkles.

ⓘ **CAUTION** Safety glasses should be worn at all times installing this products.

COMPONENT LIST:

- n. 1 Trucktop window and Roll cage covers (L & R)
- n. 2 Alu door panel
- n. 2 Panel channel
- n. 10 Allen Bolt M5 x 20 mm
- n. 10 Nut M5
- n. 2 Allen Bolt M6
- n. 2 Panel bracket
- n. 1 Cargo Bar
- n. 1 Center bar
- n. 1 Tailgate Velcro
- n. 2 Door velcro



1 remove rear doors leaving the hinges on the car



2 remove rear door hooks




3 fix the panel brackets with OEM bolts



4 fix panels on hinges



5 bolt the panel channels with M5x20



6 insert center bar




7 insert side positioners in the bar




8 wrap roll cage covers




9 insert cargo bar in the pocket and position the top on the car




10 stick velcro on vertical struts of front door (clean it before)



11 position cargo bar under the body



12 stick velcro on tailgate (clean it before)



13 cut velcro at the correct size



14 slide in plastic strip on the sides



15 close upper parts over the roll cage



16 check all top tension for a perfect fitting