

GILTGRIP 777
Revision Number 1.01

Revision Date 28-May-2018 Supersedes Date: 01-Jun-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name GILTGRIP 777
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Aspiration toxicity	Category 1 (6.1E ^g)
Skin Corrosion/Irritation	Category 2 (6.3A)
Reproductive toxicity	Category 2 (6.8B)
STOT - Single Exposure	Category 3 (f)
Acute aquatic toxicity	Category 2 (9.1D)
Chronic aquatic toxicity	Category 2 (9.1B)
Flammable Liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

ERMA Group HSR002662

2.2. Label Elements



Signal Word

DANGER

Hazard statements

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

H361 - Suspected of damaging fertility or the unborn child

GILTGRIP 777 Revision Date 28-May-2018
Revision Number 1.01 Supersedes Date: 01-Jun-2017

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H225 - Highly flammable liquid and vapor

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P264 - Wash face, hands and any exposed skin thoroughly after handling

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P235 - Keep cool

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P331 - Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Spill

P391 - Collect spillage

Precautionary Statements - Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Cyclohexane	110-82-7	10 - <20
Methylcyclohexane	108-87-2	5 - <10
Hexane	110-54-3	1 - <5
Toluene	108-88-3	1 - <3
Acetone	67-64-1	1 - <3

^{***} Any remaining ingredients are not hazardous

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

GILTGRIP 777 Revision Date 28-May-2018
Revision Number 1.01 Supersedes Date: 01-Jun-2017

General Advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

Skin Contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/

attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

entry to unnecessary and unprotected personnel.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media Use CO2, dry chemical, or foam. Move containers from fire area if you can do it without

risk.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising from the Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Chemical

5.3. Advice for firefighters

Special Protective Equipment for Wear self contained breathing apparatus for fire fighting if necessary.

Fire-fighters

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation, especially in confined areas.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

entry to unnecessary and unprotected personnel.

6.2. Environmental precautions

Environmental Precautions Do not empty into drains, dispose of this material and its container at hazardous or

special waste collection point.

GILTGRIP 777 Revision Date 28-May-2018 Supersedes Date: 01-Jun-2017

•

6.3. Methods and material for containment and cleaning up

Methods for Containment Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect

spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

(see Section 13). Protect from moisture.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill for later

disposal.

6.4. Reference to other sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION

Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take

precautionary measures against static charges. Use explosion-proof electrical/

ventilating/ lighting/ equipment.

7.2. Conditions for safe storage, including any incompatibilities

General Hygiene Considerations Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

Storage Conditions Keep only in the original container/package in a cool well-ventilated place. Protect from

moisture. Protect from direct contact with water or excessive moisture.

Incompatible Materials Strong acids and bases

7.3. Specific end use(s)

Other Information No information available.

7.4. References to Other Sections

Reference to other sections See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND

STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical Name	New Zealand	Australia	European Union
Cyclohexane	TWA: 100 ppm	100 ppm TWA	TWA: 200 ppm
110-82-7	TWA: 350 mg/m ³	350 mg/m ³ TWA	TWA: 700 mg/m ³
	STEL: 300 ppm	300 ppm STEL	
	STEL: 1050 mg/m ³	1050 mg/m ³ STEL	
Methylcyclohexane	TWA: 400 ppm	400 ppm TWA	-
108-87-2	TWA: 1610 mg/m ³	1610 mg/m ³ TWA	
Hexane	TWA: 20 ppm	20 ppm TWA	TWA: 20 ppm
110-54-3	TWA: 72 mg/m ³	72 mg/m³ TWA	TWA: 72 mg/m ³
Toluene	TWA: 50 ppm	50 ppm TWA	TWA: 50 ppm
108-88-3	TWA: 188 mg/m ³	191 mg/m³ TWA	TWA: 192 mg/m ³
	Skin	150 ppm STEL	STEL: 100ppm
		574 mg/m ³ STEL	STEL: 384mg/m ³
		_	S*
Acetone	TWA: 500 ppm	500 ppm TWA	TWA: 500 ppm

GILTGRIP 777 Revision Date 28-May-2018
Revision Number 1.01 Supersedes Date: 01-Jun-2017

67-64-1	TWA: 1185 mg/m ³	1185 mg/m³ TWA	TWA: 1210 mg/m ³
	STEL: 1000 ppm	1000 ppm STEL	_
	STEL: 2375 mg/m ³	2375 mg/m ³ STEL	

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cyclohexane	TWA: 100 ppm	IDLH: 1300 ppm	TWA: 300 ppm
110-82-7		TWA: 300 ppm	TWA: 1050 mg/m ³
		TWA: 1050 mg/m ³	
Methylcyclohexane	TWA: 400 ppm	IDLH: 1200 ppm	TWA: 500 ppm
108-87-2		TWA: 400 ppm	TWA: 2000 mg/m ³
		TWA: 1600 mg/m ³	
Hexane	TWA: 50 ppm	IDLH: 1100 ppm	TWA: 500 ppm
110-54-3	S*	TWA: 50 ppm	TWA: 1800 mg/m ³
		TWA: 180 mg/m ³	
Toluene	TWA: 20 ppm	IDLH: 500 ppm	TWA: 200 ppm
108-88-3		TWA: 100 ppm	Ceiling: 300 ppm
		TWA: 375 mg/m ³	
		STEL: 150 ppm	
		STEL: 560 mg/m ³	
Acetone	STEL: 500 ppm	IDLH: 2500 ppm	TWA: 1000 ppm
67-64-1	TWA: 250 ppm	TWA: 250 ppm	TWA: 2400 mg/m ³
		TWA: 590 mg/m ³	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

OTHER INFORMATION No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

PPE - Personal Protection Equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Hand Protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Respiratory Protection No protective equipment is needed under normal use conditions. Respiratory protection

required in insufficiently ventilated working areas and during spraying. An air-fed mask,

or for short periods of work, a combination of professional filter is recommended.

General Hygiene Do not eat, drink or smoke when using this product. Wash hands thoroughly after

Considerations handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Paste Viscous
Color Brown
Odor Solvent

Odor Threshold No information available

Property Values Remarks • Method

pH
No information available
No information available
No information available
No information available
approx 50 °C / 122 °F
approx -15 °C / 5 °F
No information available

Flammability (solid, gas) No information available Not applicable for liquids

GILTGRIP 777 Revision Number 1.01 Revision Date 28-May-2018 Supersedes Date: 01-Jun-2017

Flammability Limit in Air

Upper flammability limit: 7.5 Lower flammability limit: 1.1

Vapor PressureNo information availableVapor DensityNo information availableRelative DensityNo information available

Water Solubility Negligible

Solubility in Other Solvents No information available **Partition Coefficient** No information available No information available **Autoignition Temperature** No information available **Decomposition Temperature Kinematic Viscosity** No information available No information available **Dynamic Viscosity** No information available **Explosive Properties Oxidizing Properties** No information available

9.2. Other information

Softening Point
Molecular Weight
Solvent content (%)
No information available
No information available
No information available

Solid content (%) approx 48.5 Density 1.15 g/cm³

Bulk Density No information available

VOC > 300

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under recommended storage conditions.

10.2. Chemical stability

Stability Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and flames. Protect from moisture.

10.5. Incompatible materials

Incompatible Materials Strong acids and bases.

10.6. Hazardous decomposition products

Hazardous decomposition

Carbon oxides.

products

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo data available.Eye contactNo data available.Skin ContactNo data available.

GILTGRIP 777 Revision Date 28-May-2018
Revision Number 1.01 Supersedes Date: 01-Jun-2017

Ingestion No data available.

Numerical measures of toxicity

Unknown acute toxicity

7.74916 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

7.74916 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

18.02845 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

26.34978 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

32.71315 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane 110-82-7	= 12705 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9500 ppm (Rat) 4 h
Methylcyclohexane 108-87-2	> 3200 mg/kg (Rat)	>2920 mg/Kg bw (rat) 24 hour	>23 mg/l (vapour) (Rat- OECD 403)
Hexane 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
Toluene 108-88-3	= 5580 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	> 20 mg/L (Rat) 4 h
Acetone 67-64-1	= 5800 mg/kg (Rat)	>15800 mg/Kg (rat)	= 79 mg/l(Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Sensitization
Germ Cell Mutagenicity
No information available.
No information available.
No information available.

Reproductive Toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

STOT - Single ExposureSTOT - Repeated Exposure
No information available.
No information available.

Target Organ Effects Central nervous system, Eyes, Kidney, Liver, Peripheral Nervous System (PNS),

Respiratory system, Skin.

Aspiration hazard

Carcinogenicity

Respiratory system, Skin.

No information available.

No information available.

Chemical Name	IARC	China	Japan
Toluene	Group 3	-	-

IARC (International Agency for

Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

Research on Cancer)

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Product Information

Toxic to aquatic life with long lasting effects.

Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Cyclohexane	EC50 72 h > 9.3 mg/L	LC50 96 h 23.03 - 42.07 mg/L	EC50 24 h > 400 mg/L (Daphnia
110-82-7	(Pseudokirchnerella subcapitata)	(Pimephales promelas static) LC50	magna)
		96 h 48.87 - 68.76 mg/L (Poecilia	
		reticulata static) LC50 96 h 3.96 -	
		5.18 mg/L (Pimephales promelas	
		flow-through) LC50 96 h 24.99 -	
		44.69 mg/L (Lepomis macrochirus	
		static)	
Methylcyclohexane	10 mg/l (Pseudokirchneriella	2.07 mg/l (Oryzias latipes)	3 mg/l (Daphnia magna - OECD
108-87-2	subcapitata - OECD 201)		202)

GILTGRIP 777 Revision Number 1.01 Revision Number 1

Hexane 110-54-3	-	LC50 96 h 2.1 - 2.98 mg/L (Pimephales promelas flow-through)	EC50 24 h > 1000 mg/L (Daphnia magna)
Toluene 108-88-3	EC50 72 h = 12.5 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h 5.89 - 7.81 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h = 5.8 mg/L (Oncorhynchus mykiss semi-static)	EC50 48 h 5.46 - 9.83 mg/L (Daphnia magna Static) EC50 48 h = 11.5 mg/L (Daphnia magna)
Acetone 67-64-1	-	LC50 96 h 4.74 - 6.33 mL/L (Oncorhynchus mykiss)	EC50 48 h 10294 - 17704 mg/L (Daphnia magna Static)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORTATION INFORMATION

IMDG

UN Number UN1133

Proper Shipping Name Adhesives (Methylcyclohexane), Marine Pollutant

Transport hazard class(es) 3
Packing Group II
Marine Pollutant P
EmS-No F-E, S-D
Limited Quantity (LQ) 5 L

Description UN1133, Adhesives (Methylcyclohexane), 3, II, (-15°C c.c.), Marine Pollutant

IATA

UN/ID No UN1133
Proper Shipping Name Adhesives

Transport hazard class(es) 3
Packing Group II
ERG Code 3L
Limited Quantity (LQ) 1 L
Special Provisions A3

Description UN1133, Adhesives, 3, II

ADR

UN/ID No UN1133

Proper Shipping Name Adhesives, Environmentally Hazardous

Page 8/9

GILTGRIP 777 Revision Number 1.01 Revision Date 28-May-2018 Supersedes Date: 01-Jun-2017

Transport hazard class(es) 3 Labels 3 Packing Group II

Description UN1133, Adhesives, 3, II, (D/E), Environmentally Hazardous

Environmental Hazard Yes
Limited Quantity (LQ) 5 L
Special Provisions 640C
Classification Code F1
Tunnel Restriction Code (D/E)

Section 15: REGULATORY INFORMATION

National Regulations

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 28-May-2018

Revision Note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet