




LOCKLY GUARD DEFENDER 238LM



Secure and manage what's most important to you. Ideal for multifamily, offices, hotels and rental units. Lockly Guard provides exit/entry access and security innovation beyond the front door.









- Retail Store
- Lobby Entrance
- Office
- Reading/Gym room
- · Conference room · And more





Hack-proof digital Keypad Generate and stores up to 52 access codes with specific profiles and permissions



RFID / Fob Key Access
Fast and secure access, stores up to
99 fob keys or RFID cards.



Mobile App Control Unlock, lock, or check door on your smartphone

Features and benefits



100M+ accesses grantedMost trusted fingerprint
sensor smart lock



Hack-proof Keypad Patented PIN Genie® shuffling the keypad numbers



Smartphone controlOpen/close, share, or revoke access with others



Wi-Fi alerts and control Get status, alerts, and control from anywhere



MIFARE RFID or Fob key Fast, easy and secure access



Programmable auto-lockingNever worry about
forgetting to lock your door



Weatherproof IPX5 from -4°F to 151°F (-20° C to 66°C)



Long-lasting battery Up to 9 months battery life with typical uses

Property management



See the big picture from here

Works with LocklyOS Total Access a full property management system of software, products, and services designed to allow you to view and control where, when, and by whom your property's being accessed from anywhere in the world.








Professional Installation Recommended

If you already have an existing setup, installing Lockly Guard Defender will only take a few minutes. It is recommended to contact a professional installer if you require a full setup of the exit/entry access control.







Download Door Drilling Template



Watch installation video



Download user manual

Access and control options







Hack-proof Keypad



Fob/ RFID Card Access



Mobile app Control



Secure Scan-to-Open



Real-time smartphone alerts

Keyless Access

Secure, fast, and convenient on-site set-up, allows management of properties from anywhere

Mobile App Control

Unlock, lock, check door, track access history and unique user profile data.

Offline Access Codes™

Grant access codes to trusted users. Codes work offline without Wi-Fi or Internet.

Grant Access, when you're not there

Remotely lock and unlock your door from anywhere.

Real-time Monitoring and Status

Monitor open/closed door status with real-time alerts sent to your smartphone.

Secure Scan-to-Open

Unlock by unique QR code, revoke capability anytime

Auto Locking

Never worry about forgetting to lock the door with programmable auto-locking.

Wi-Fi Control

Monitoring and control from anywhere and voice assistant control.

Fast Pass RFID/Fob key access

Supports up to 999° MIFARE fob key and/or RFID cards (10 RFIDs included)

Lockly Air Transfer Programming

Duplicate user profiles from an existing Lockly smart lock to PIN Genie in just a few clicks.














	Electro	nic S	pecifi	cations
--	---------	-------	--------	---------

	Electronic Specifications
Access Codes ¹	Stores up to 999°s PIN access codes
RFID/Fob key Access	Stores up to 999°s MIFARE RFID/fob
Fingerprint Access	Stores up to 99 biometric fingerprints
Remotely Shareable Temporary Access	Unlimited ^{os} Offline Access Codes/ eBadges ^{os}
Access Logs	Unlimited ^{os} Accessible via LocklyPro Commercial app or Lockly\OS TM
Visual and Audible	Exterior: LED (Red, Green) Interior: LED (Blue) Configurable Lock/Unlock Audio Indicator
Communication Standards	BLE 4.2 , Wi-Fi 2.4GHz, RF433.92MHz Advanced Encryption Standard (AES), 256-bit
Gateway Communication Range (networked solution)	Up to 98' (30m) BLE Up to 197' (60m) Wi-Fi Up to 164' (50m) RF433.92MHz Unobstructed open environment
Command Response	Responds to command from host in less than 3 seconds when linked to Lockly Wi-Fi Hub 0.2S on Fingerprint Recognition
Connectivity Options	LocklyPro Commercial app, LocklyOS ALL in real-time communication
Available Signal Status	Battery Status via App Open/Close Door Status Bluetooth Connectivity Indicator Sensor LED (Red/Green)
Battery Life	AA Alkaline Batteries x 4 Up to 1 year (offline mode) up to 9 months (regular use with App & Sensor Built-in Micro USB Charging port
Operating temperature	-4°F to 151°F (-20°C to 66°C)
Operating Humidity	0 - 100% non-condensing

Credential Specifications

	Crederitiai Specifications
	RFID Card (13.56 MHz),
Credential	BLE (2.4 GHz)
1	Wi-Fi (2.4GHz)
Technologies	Capacitive Sensor
	Patented PIN Genie Keypad
Standards	ISO 14443
Maximum Read	RFID: up to 0.79"
Range	BLE: up to 98' (30m)
Range	Wi-Fi: up to 197' (60m),
RFID/Fob compatibility	MIFARE® S50
Mahila Campatihility	LocklyPro Commercial app BLE 4.2
Mobile Compatibility	LocklyOS

Mechanical Specifications

	meenamear opeemeaners
Handing	Field reversible for Swing style doors
Materials	Premium Zinc Alloy chassis and escutcheon
Door Thickness	1½" - 2¾" (40mm - 70mm)
Backset	1-1/2", 1-1/2", 1" (28mm, 38mm, 25mm)
Bolt/Latch	½" (12.7mm) steel throw
Door Frame Thickness	1" - 2 1⁄4" (25.4mm - 54mm)
Physical Keys	SC4 6-pin, 2pcs included, rekeyable

Certifications /Warranty

Certification	RoHS FC ADA		
	Lifetime 24/7 Technical Support		
Warranty	2-year Limited Mechanical & Finish		
	2 -year Limited Electronics		

Ordering information

1 Edition		4 Fin	sh		6 RFID / Fob key
		SN	Satin Nickel		PGA803WH Tag key (10 included)
PGD238LM	DEFENDER	MB	Matte Black		PGA803P Fob key (10pcs.not included)
	(Doorman Edition)		Custom colors		PGA803L 1" RFID sticker (10pcs)
PGD238LE	DEFENDER		available (advanced order		PGA803LL 2 ½" x 1 ½" RFID sticker (10pcs)
	(Exit Trim Edition)		required)		PGA803S RFID card (10pcs)
PGD238T ³	DEFENDER				
	Mortise with Thumbturn				
2 Wi-Fi Hub		5 Loc	kset	7 [7 Exit-Push
PGH230 (incl	uded)	See n	ext page for compatible locksets		See next page for compatible options
*Wi-Fi hub red	quired	(not in	cluded/ to be quoted separately)		(not included/ to be quoted separately)
3 Sensors					
Wireless Doo	r Sensor (included/optional)			1	

- ¹ Store up to 52 access PIN code without LocklyOS subscription
- ² Custom installation kit is required if to be installed on storm or hurricane doors
- ³ Soon to be available
- os Requires LocklyOS subscription









IMPORTANT: Lockset and exit handle are not included. Please contact your sales representative or email prosales@lockly.com for quotation and availability 11/8, 11/2, 1

