[redacted]

[redacted]

FS 5S
2YX^\YVVNL

[redacted]

BWJ\^ 0LLN]] 2YX^\Y
3YY\KNVV aS^R 8X^
FS 5S 4XJKVNM

?\Y`SMSXQ]NL_\S^có NJ]N JXM L[redacted]XSN[redacted]\[redacted]

cY_ ^Y WJXJQN J]SXQVN _XS^ ^[redacted]/^SZ[redacted]S^][redacted]

RY_]NRYVM]ó YNLN]ó]LRYYV] Y\[redacted]ASN]

<_V^SOJW[redacted]S>NLN [redacted]BLRYYV

AN]SMNX^S1_SVMSX[redacted]3Y\W

Kc Q\JX^SXQ MSHN\NX^ \YVN] JX[redacted]

\N]SMNX^]ó NWZVYcNN]ó ^NXJX^]ó]^ MNX^] Y\

WNWKN\] JXM Y^RN\]

‡2IILFH %X‡6KDUHG)DFLO
‡6FKRRO ‡&OXE +RXVH
‡(QWUDQFH‡$QG PRUH

;YLUVc C\JX]ON\ AMðó B^ð ?J_V <= DðBð0 5Y\ WY\N SXOY\W[redacted]J^SYXc

ë2YXXNL^SYX ^Y FS 58 R_K S] \N[_S\NM WHG

Standard fire alarms with COM and NO output ports can be connected to the Access Control Power Supply (PGA300PS) or Vision Ingress (PGI303)



DISCLAIMER: Lockly has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, system, components and options availability are all subject to change without notice to improve features, reliability or design or otherwise.