


Wi-Fi
Controlled*

SECURE PLUS LATCH EDITION

Hack-proof Keypad
Biometric 3D Fingerprint
Lever-Latch Design



Secure and manage what's most important to you. Patented PIN Genie® keypad and 3D biometric fingerprint provides convenient and secure access with an easy to install latch smart lock.



Multifamily

Residential

BnB/Rental


- Front door
- Home Office
- Back door
- Cabin
- Pantry
- And more

Lockly - 676 Transfer Rd., St. Paul MN 55114 U.S.A - For more information, please visit: www.lockly.com

*Connection to Wi-Fi hub is required

Last updated 2023/24/05-AB

Multiple ways to control



Hack-proof digital Keypad

Generate and stores up to 52 access codes with specific profiles and permissions



Your Finger is Your Key

3D Biometric Fingerprint sensor stores up to 99 fingerprints.



Mobile App Control

Unlock, lock, or check door on your smartphone

Features and benefits



100M+ accesses granted

Most trusted fingerprint sensor smart lock



Hack-proof Keypad

Patented PIN Genie® shuffling the keypad numbers



Smartphone control

Open/close, share, or revoke access with others



Wi-Fi alerts and control*

Get status, alerts, and control from anywhere



Programmable auto-locking

Never worry about forgetting to lock your door



Long-lasting battery

Up to 10 months battery life with typical uses



Weatherproof


IPX4 works in -4°F to 151°F (-20°C to 66°C)



Re-key technology

Replace the key not the lock with standard re-key kit

Property management



See the big picture from here

Works with Lockly\OS Total Access a full property management system of software, products, and services designed to allow you to view and control where, when, and by whom your property's being accessed from anywhere in the world.

Installation



Easy, one-person, DIY installation

Convert your existing deadbolt to a fingerprint access smart lock with common household tools in less time than a cup of coffee.




Typically 15/min. with common household tools

Door thickness
1-3/8" (30mm) to
2" (50mm)

Cross bore
1" (25mm)



Fits right & left
swing doors



Bore hole
2-1/8" (54mm)

Backset (standard)
2-3/8" (60mm) or
2-3/4" (70mm)



Download installation
guide



Download door
drilling template



Watch installation video



Download user manual

Access and control options



Your finger is
your key



Mobile app
Control



Programmable
auto locking



Real-time
smartphone alerts



Voice assistant
Control*



Secure
Scan-to-Open

Keyless access

Secure, fast, and convenient on-site set-up, allows management of properties from anywhere

Mobile App Control

Unlock, lock, check door, track access history and unique user profile data.

Offline Access Codes™

Grant access codes to trusted users. Codes work offline without Wi-Fi or Internet.

Grant Access, when you're not there

Remotely lock and unlock your door from anywhere.

Real-time Monitoring and Status

Monitor open/closed door status with real-time alerts sent to your smartphone.

Secure Scan-to-Open - Unlock by unique QR code, revoke capability anytime

Auto Locking

Never worry about forgetting to lock the door with programmable auto-locking.

Wi-Fi control*


Monitoring and control from anywhere and voice assistant control.

Replace the key not the lock

Re-key with readily available standard 5-pin cylinder SC1 re-key kits.

Lockly Air Transfer programming

Duplicate user profiles from an existing Lockly smart lock to PIN Genie in just a few clicks.



Electronic Specifications

Access Codes	Stores up to 52 PIN access codes
Fingerprint Access	Stores up to 99 biometric fingerprints
Remotely Shareable Temporary Access	Unlimited ⁰⁸ Offline Access Codes/ eBadges
Access Logs	Unlimited ⁰⁸ Accessible via Lockly or LocklyOS™
Visual and audible	Exterior: LED (Red, Green,) Interior: LED (Blue) Configurable Lock/Unlock Audio Indicator
Communication standards	BLE 4.2 , Wi-Fi 2.4GHz , RF433.92MHz Advanced Encryption Standard (AES), 256-bit
Gateway communication range (networked solution)	Up to 98' (30m) BLE Up to 197' (60m) Wi-Fi Up to 164' (50m) RF433.92MHz Unobstructed open environment
Command Response	Responds to command from host in less than 3 seconds when linked to Lockly Wi-Fi Hub 0.2S on Fingerprint Recognition
Connectivity options	Lockly Mobile App, LocklyOS ALL in real-time communication
Available Signal Status	Battery Status via App Open/Close Door Status Bluetooth Connectivity Indicator Sensor LED (Red/Green)
Battery Life	AA Alkaline Batteries x 4 Up to 1 year (offline mode) up to 10 months (regular use with App & Sensor) 9V Backup Power socket
Operating temperature	-4°F to 151°F (-20°C to 66°C)
Operating Humidity	0 - 100% non-condensing

Credential Specifications

Credential technologies	BLE (2.4 GHz) Wi-Fi (2.4GHz) Capacitive Sensor Patented PIN Genie Keypad
Maximum read range	BLE: up to 98' (30m) Wi-Fi: up to 197' (60m)
Mobile compatibility	Lockly App BLE 4.2 LocklyOS™

Mechanical Specifications

Handing	Field reversible
Materials	Premium Zinc Alloy chassis and escutcheon
Door Thickness	1-3/8" - 2 1/4" (35mm- 50mm)
Backset	Adjustable 2-3/8" or 2-3/4" (60mm or 70mm) 1" x 2 1/4" round corner faceplate
Strike	Latchbolt: 1 3/4" x 2 1/4", round corner, Dust box included
Bore	2-1/8" (54mm) diameter Bore hole 1" (25mm) diameter latch hole
Physical Keys	SC1 Re-keying compatible, 2pcs included

Certifications /Warranty

Certification	
Warranty³	Lifetime 24/7 Technical Support 5-year Limited Mechanical & Finish 2-year Limited Electronics

Ordering information

1 Edition PGD628F Lockly Secure Plus		3 Finish SS Satin Nickel MB Matte Black VB Venetian Bronze		5 Latchbolt Standard Adjustable (60-70mm, included)
2 Wi-Fi Hub PGH230 (sold separately) *Wi-Fi hub required		4 Sensors Wireless Door Sensor (optional) (included with Wi-Fi Hub purchase)		

⁰⁸ Requires LocklyOS subscription