

PROFESSIONAL & INNOVATIVE

Contact: Nancy Chiu, sales3.hz@orbitatech.com

OBT-40JA Absorption Minibar

- * Capacity: 40L;
- * Cooling system: Absorption(NH₃, H₂O, He);
- * Foam Vesicant: C₅H₁₀/C-Pentane;
- * Cooling Temperature: 4~6°C 7~9°C 11~13°C;
- * Weight: 15kg;
- * AC Voltage: AC 220~240V/50~60Hz;
- * Rated Power: 70W;
- * Consumption of Energy: 0.62kWh/24h;
- * Dimensions(W × D × H): 400 × 430 × 560mm;
- * With lock;



Minibar Feature:



1. Intelligent automatic defrost ;
2. Energy-saving & frost-free electronic type thermostat system;
3. Thermal regulator for convenient adjustment with off function;
4. II Generation of absorption cooling technique, totally noiseless when working;
5. Strong deluxe tempered glass shelves with stoppers X 2;
6. Reversible door opening direction;
7. CFC Free thermal insulation with ultra cooling efficiency;
8. Door controlled low rated power LED light (magnet sensor) ;
9. Integrated door handles for easy opening;



Minibar Feature:



Fan-less cooling system



Intelligent frost free system



good cold preservation & low energy consumption



II Generation of absorption cooling technique, better cooling effect and efficiency





made by high purity aluminum material with high thermal conductivity



Door-control LED internal light with lower rated power

Minibar Installation:



a minimum air space of 10 to 20cm between the minibar and furniture cabinet must be maintained.