

**TEST REPORT NUMBER:** PRTH00101355 Page 1 of 3  
**APPLICANT:** MATCERAMICA-FABRICO DE LOUÇA , S.A. **DATE OF EMISSION:** 06/10/2022  
APARTADO 150  
OUTEIRO DO SEIXO - VALE DE OURÉM

**For the attention of ANA MARQUES**

**SAMPLE DESCRIPTION:** PEDIDO 714  
PO FABLE UK TEST  
1 - SALAD PLATE BEACHGRASS GREEN G595=PRATO SOBREMESA 22 (CARIMBO)  
MATÉRIA VERDE SEMI-MATE G0595  
REF.: BFT-BG-G7880G0595  
GRES  
**DATE OF RECEPTION:** 03/10/2022  
**TEST PERFORMED BETWEEN DATES:** 03/10/2022 and 06/10/2022  
**WORK DAYS:** 3  
**REQUEST:** Tests performed in accordance with APPLICANT TEST REQUEST  
specification  
**NOTES:** FABLE HOME GOODS

**Samples**

Test	
	1
Leachable Lead and Cadmium	M

M = Meet buyer's requirement; NM = does not meet buyer's requirement; NR = Not requested; NA = Not applicable; NC = No comment; SC = Still continues

- The report is made on the basis of instructions and/ or information and materials supplied. Sample information is supplied by the customer. Results and observations are only valid for the samples that were submitted.
- Partial reproduction of this report is not allowed without written approval of Intertek Portugal.
- On declaration of compliance or not compliance with the specification, uncertainty associated to the result was not explicitly taken into account. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2 providing a level of confidence of approximately 95% and doesn't include the sampling component due it exceeds laboratory responsibility.
- Tests marked by (\*) are not included in the scope of IPAC accreditation for Intertek Portugal.
- Tests marked by (‡) were performed by an approved third-party subcontractor laboratory, and are not included in the scope of IPAC accreditation.

All services provided by Intertek Portugal are subject to the 'Terms and Conditions', available on the official website at the address <http://www.intertek.pt/termos-e-condicoes/> unless there is a different written agreement, between Intertek Portugal - Intertek and the customer.



Hardlines and Chemistry Laboratory Manager  
[albino.costa@intertek.com](mailto:albino.costa@intertek.com)



**INTERTEK PORTUGAL UNIPessoal, LDA.**

Rua Antero de Quental, 221- sala 102, 4455-586 Perafita - Matosinhos  
Tel. (+351) 220 600 343

Test Method	Results	Requirements
-------------	---------	--------------

**Leachable Lead and Cadmium**

84/500/EEC Directive:1984 amended by 2005/31/EEC Directive: 2005

Specimen	Cadmium(Cd) (mg/dm <sup>2</sup> )	Lead(Pb) (mg/dm <sup>2</sup> )	BS 6748:1986		
			Limits:	Pb	Cd
			Category I	0.8	0.07 mg/dm <sup>2</sup>
			Category II	4.0	0.3 mg/l
			Category III	1.5	0.1 mg/l
1	<1,5x10E-03	<1,5x10E-02			
2	<1,5x10E-03	<1,5x10E-02			
3	<1,5x10E-03	<1,5x10E-02			
4	<1,5x10E-03	<1,5x10E-02			
Average	<1,5x10E-03	<1,5x10E-02			

Sample Capacity: 300 mL  
Sample Category: Category I

Quantification limit:Pb:0,2 mg/L;Cd:0,02 mg/L  
< = Less than

Uncertainty: Cadmium(Cd) ±20% of value; Lead(Pb) ±20% of value



