

TEST REPORT NUMBER: PRTH00095467 Page 1 of 3

APPLICANT: MATCERAMICA-FABRICO DE LOUÇA , S.A. DATE OF EMISSION: 04/03/2022

APARTADO 150

OUTEIRO DO SEIXO - VALE DE OURÉM

For the attention of ANA MARQUES

SAMPLE DESCRIPTION: PEDIDO 660

PO 220019

1 - NEST SERVING BOWLS MIDNIGHT BLUE G578=SALADEIRA 26,7(N $^{\circ}$ 1)(CARIMBO) MATÉRIA AZUL SEMI-MATE G0578

REF.: NSB-NB-G7809G0578

GRES

DATE OF RECEPTION: 02/03/2022

TEST PERFORMED BETWEEN DATES: 02/03/2022 and 04/03/2022

WORK DAYS: 3

REQUEST: Tests performed in accordance with APPLICANT TEST REQUEST

specification

NOTES: FABLE HOME GOODS

Samples

Test	1	
Extractable lead & cadmium	М	

M = Meet buyer's requirement; NM = does not meet buyer's requirement; NR = Not requested; NA = Not applicable; NC = No comment; SC = Still continues

- The report is made on the basis of instructions and/ or information and materials supplied. Sample information is supplied by the customer. Results and observations are only valid for the samples that were submitted.
 - Partial reproduction of this report is not allowed without written approval of Intertek Portugal.
- On declaration of compliance or not compliance with the specification, uncertainty associated to the result was not explicitly taken into account. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2 providing a level of confidence of approximately 95% and doesn't include the sampling component due it exceeds laboratory responsibility.
 - Tests marked by (*) are not included in the scope of IPAC accreditation for Intertek Portugal.
- Tests marked by (‡) were performed by an approved third-party subcontractor laboratory, and are not included in the scope of IPAC accreditation.

All services provided by Intertek Portugal are subject to the 'Terms and Conditions', available on the official website at the address http://www.intertek.pt/termos-e-condicoes/ unless there is a different written agreement, between Intertek Portugal - Intertek and the customer.

Hardlines and Chemistry Laboratory Manager albino.costa@intertek.com





TEST REPORT NUMBER: PRTH00095467 Page 2 of 3

Test Method Requirements Results

Extractable lead & cadmium

SOP 201:	2017-09-28 (M	Method equivalent	t to ASTM C738: 94	(2016))		
		Sample:	1		FDA	
Specimen 1 2 3 4 5 6	Cadmium(Cd) (mg/L) <0,04 <0,04 <0,04 <0,04 <0,04 <0,04	Lead(Pb) (mg/L) <0,1 <0,1 <0,1 <0,1 <0,1 <0,1 <0,1			Limits (mg/L) Pb Flatware Small Holloware Large Holloware Cups & Mugs Pitchers Cd Flatware Small Holloware	
	pacity: 3000 tegory: Large				Large Holloware Cups & Mugs Pitchers	0.25 0.5 0.25
Quantification limit:Pb:0,1mg/L;Cd:0,04 mg/L < = Less than					Limits (mg/L) Pb Flatware Small Holloware Large Holloware Cups & Mugs Pitchers	
Uncertain	rty: Cadmium(C	.α) ±15% o† value	e; Lead(Pb) ±25% of	- value	Cd Flatware Small Holloware Large Holloware Cups & Mugs Pitchers	





TEST REPORT NUMBER: PRTH00095467 Page 3 of 3





INTERTEK PORTUGAL UNIPESSOAL, LDA.