

TEST REPORT NUMBER: PRTH00095465 Page 1 of 3
APPLICANT: MATCERAMICA-FABRICO DE LOUÇA , S.A. **DATE OF EMISSION:** 04/03/2022
APARTADO 150
OUTEIRO DO SEIXO - VALE DE OURÉM

For the attention of ANA MARQUES

SAMPLE DESCRIPTION: PEDIDO 657
PO 220019
1 - NEST SERVING BOWLS SEMI MATTE SPECKLED WHITE G531=SALADEIRA
26,7(Nº1)(CARIMBO) MATÉRIA BRANC SEMI-MATE C/ PINTAS G0531
REF.: NSB-SM-G7809G0531
GRES
DATE OF RECEPTION: 02/03/2022
TEST PERFORMED BETWEEN DATES: 02/03/2022 and 04/03/2022
WORK DAYS: 3
REQUEST: Tests performed in accordance with APPLICANT TEST REQUEST
specification
NOTES: FABLE HOME GOODS

Samples

Test	
Extractable lead & cadmium	M

M = Meet buyer's requirement; NM = does not meet buyer's requirement; NR = Not requested; NA = Not applicable; NC = No comment; SC = Still continues

- The report is made on the basis of instructions and/ or information and materials supplied. Sample information is supplied by the customer. Results and observations are only valid for the samples that were submitted.
- Partial reproduction of this report is not allowed without written approval of Intertek Portugal.
- On declaration of compliance or not compliance with the specification, uncertainty associated to the result was not explicitly taken into account. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2 providing a level of confidence of approximately 95% and doesn't include the sampling component due it exceeds laboratory responsibility.
- Tests marked by (*) are not included in the scope of IPAC accreditation for Intertek Portugal.
- Tests marked by (‡) were performed by an approved third-party subcontractor laboratory, and are not included in the scope of IPAC accreditation.

All services provided by Intertek Portugal are subject to the 'Terms and Conditions', available on the official website at the address <http://www.intertek.pt/termos-e-condicoes/> unless there is a different written agreement, between Intertek Portugal - Intertek and the customer.



Hardlines and Chemistry Laboratory Manager
albino.costa@intertek.com



INTERTEK PORTUGAL UNIPessoal, LDA.

Rua Antero de Quental, 221- sala 102, 4455-586 Perafita - Matosinhos
Tel. (+351) 220 600 343

Test Method	Results	Requirements
-------------	---------	--------------

Extractable lead & cadmium

SOP 201: 2017-09-28 (Method equivalent to ASTM C738: 94 (2016))

Sample: 1

Specimen	Cadmium(Cd) (mg/L)	Lead(Pb) (mg/L)
1	<0,04	<0,1
2	<0,04	<0,1
3	<0,04	<0,1
4	<0,04	<0,1
5	<0,04	<0,1
6	<0,04	<0,1

FDA

Limits (mg/L)	
Pb	
Flatware	3.0
Small Holloware	2.0
Large Holloware	1.0
Cups & Mugs	0.5
Pitchers	0.5
Cd	
Flatware	0.5
Small Holloware	0.5
Large Holloware	0.25
Cups & Mugs	0.5
Pitchers	0.25

Sample Capacity: 2780 mL
Sample Category: Large Holloware

Quantification limit:Pb:0,1mg/L;Cd:0,04 mg/L
< = Less than

Uncertainty: Cadmium(Cd) ±15% of value; Lead(Pb) ±25% of value

Proposition 65

Limits (mg/L)	
Pb	
Flatware	0.226
Small Holloware	0.1
Large Holloware	0.1
Cups & Mugs	0.1
Pitchers	0.1
Cd	
Flatware	1.8532
Small Holloware	0.1886
Large Holloware	0.0492
Cups & Mugs	0.0492
Pitchers	0.0492



