

Safety Data Sheet

acc. to OSHA HCS


Printing date 04/01/2022

Reviewed on 12/17/2020

1 Identification

- **Product identifier**
- **Trade name:** **NFLY**
- **Application of the substance / the mixture**
Lubricant
Restrictions on use apply to this product according to Regulation (EU) no. 1907/2006 Annex XVII (see section 15)
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Riepe GmbH & Co. KG
Theodor Rosenbaum Str. 28-30
32257 Bünde - Deutschland
Tel.: +49 (0) 5223 - 687407-0
Fax: +49 (0) 5223 - 687407-50
E-Mail: info@riepe.eu
- **Information department:**
Tel.: +49 (0) 5223 - 687407-0
E-mail: info@riepe.eu
- **Emergency telephone number:**
Poison Control Center, Mainz
Tel. 00 49 / 61 31 / 19 240

* 2 Hazard(s) identification

- **Classification of the substance or mixture**
Flammable Liquids 3 H226 Flammable liquid and vapor.
Eye Irritation 2A H319 Causes serious eye irritation.
Carcinogenicity 1A H350 May cause cancer.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**


GHS02 GHS07 GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**
ethanol
- **Hazard statements**
Flammable liquid and vapor.
Causes serious eye irritation.
May cause cancer.
- **Precautionary statements**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**
 Health = 2
 Fire = 3
 Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
 Health = *2
 Fire = 3
 Reactivity = 0
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions

- Dangerous components:	
64-17-5 ethanol	25-50%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
 In general the product does not cause skin irritation.
 Wash with soap and water.
- **After eye contact:**
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
 Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
 No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
 CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
 Can form explosive gas-air mixtures. In case of incomplete combustion carbon monoxide can arise. Fumes are heavier than air and distributed over ground. Inflammation is possible from a far distance.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** See section 8.
- **Additional information**
Endangered containers in the surrounding area should be cooled with a water-hose.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment and keep unprotected persons away.
Extinguish naked flames. Remove flammable sources. No smoking. Avoid sparks. Avoid contact with skin, eyes and clothing. Avoid inhalation of fumes. Air contaminated rooms thoroughly. Protect against electrostatic sparks.
- **Environmental precautions:**
Prevent seepage into sewage system, workpits and cellars.
Dilute with plenty of water.
In case of release of larger quantities inform competent authorities.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- PAC-1:

64-17-5	ethanol	1,800 ppm
78-93-3	2-Butanone	200 ppm
102-71-6	Triethanolamine	15 mg/m ³
124-68-5	2-amino-2-methylpropanol	17 mg/m ³
64665-57-2	sodium 4(or 5)-methyl-1H-benzotriazolide	1.9 mg/m ³
1310-73-2	sodium hydroxide	0.5 mg/m ³

- PAC-2:

64-17-5	ethanol	3300* ppm
78-93-3	2-Butanone	2700* ppm
102-71-6	Triethanolamine	240 mg/m ³
124-68-5	2-amino-2-methylpropanol	190 mg/m ³
64665-57-2	sodium 4(or 5)-methyl-1H-benzotriazolide	21 mg/m ³
1310-73-2	sodium hydroxide	5 mg/m ³

- PAC-3:

64-17-5	ethanol	15000* ppm
78-93-3	2-Butanone	4000* ppm
102-71-6	Triethanolamine	1,500 mg/m ³
124-68-5	2-amino-2-methylpropanol	570 mg/m ³
64665-57-2	sodium 4(or 5)-methyl-1H-benzotriazolide	130 mg/m ³
1310-73-2	sodium hydroxide	50 mg/m ³

USA

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Keep receptacles tightly sealed.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
Protect against direct sunlight, other sources of heat and ignition.
Store in cool, dry conditions in well sealed receptacles.
- **Requirements to be met by storerooms and receptacles:**
Observe official regulations on storage and handling of water hazardous substances
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**
Pay attention to regulations/technical rules for the storage of combustible liquids.
- **Storage class:** 3 (VCI - Konzept, 2007)
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:**
Ensure sufficient ventilation/exhaustion at the workplace
- **Control parameters**

- Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1000 ppm
A3	

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Gases, fumes and aerosols should not be inhaled.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Recommended filter device for short term use:**
Combination filter A-P2
(EN 14387)
- **Protection of hands:**
Solvent resistant gloves
(EN 374)
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material** Change gloves if notice sign of disenchantment.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 4)

- As protection from splashes gloves made of the following materials are suitable:

Chloroprene rubber, CR, recommended thickness of the material: ≥ 0.5 mm, penetration time: ≥ 30 min.

- Eye protection:

Tightly sealed goggles

(EN 166)

- Body protection:

Standard protective clothing. Chemical resistant safety-shoes or boots. If skin contact is possible, wear impenetrable protective clothing against this solvent.

(EN 368)

9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Liquid

Color: Green

- Odor: Alcohol-like

- Odor threshold: Not determined.

- pH-value: Not applicable.

- Melting point/Melting range: ~ -40 °C

- Boiling point/Boiling range: ~ 82 °C (~ 179.6 °F)

- Flash point: 28 °C (82.4 °F)

- Flammability (solid, gaseous): Not applicable.

- Ignition temperature: 425 °C (797 °F)
Data for ethanol.

- Decomposition temperature: Not determined.

- Auto igniting: Product is not selfigniting.

- Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- Explosion limits:

Lower: 3.5 Vol %

Upper: 15.0 Vol %

Data for ethanol.

- Vapor pressure at 20 °C (68 °F): ~ 40 hPa (~ 30 mm Hg)

- Density at 20 °C (68 °F): ~ 0.95 g/cm³ (~ 7.928 lbs/gal)

- Relative density: Not determined.

- Vapor density: Not determined.

- Evaporation rate: Not determined.

- Solubility in / Miscibility with

Water: Fully miscible.

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 5)

- Other information	No further relevant information available.
----------------------------	--

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Avoid all sources of ignition: heat, sparks, open flames.
- **Incompatible materials:** strong oxidizing agents
- **Hazardous decomposition products:** Formation of carbon monoxide and carbon dioxide in case of fire.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- LD/LC50 values that are relevant for classification:

64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC 50 / 4 h	>50 mg/l (rat) (OECD 403)
		>20 mg/l (mouse)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

- **Carcinogenic categories**

- IARC (International Agency for Research on Cancer)

102-71-6	Triethanolamine	3
----------	-----------------	---

- NTP (National Toxicology Program)
--

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- Aquatic toxicity:

64-17-5 ethanol		
LC 50 / 48 h	8,140 mg/l	(Leuciscus idus)
EC 50 / 48 h	>10,000 mg/l	(Daphnia magna)
EC 50 / 72 h	275 mg/l	(Chlorella vulgaris) (OECD 201)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 6)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**

- Bacteria inhibition EC 20 (mg/l according to ISO 8192 B):
--

64-17-5 ethanol

EC 50 (static) >100 mg/l (<i>Chlorella pyrenoidosa</i>) (OECD 201)
--

- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. If possible, send to be recycled, otherwise burn or deposit in a certified facility.
- **Waste disposal key:**
Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.
- **Uncleaned packagings:** Disposal must be made according to official regulations.
- **Recommendation:**
Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.
Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.
Caution: Leftovers in the containers may cause the risk of explosion.
Uncleaned containers should not be perforated, cut or welded.

14 Transport information

- | | |
|-------------------------------------|---------------------------------------|
| - UN-Number | UN1170 |
| - DOT, ADR/RID, IMDG, IATA | |
| - UN proper shipping name | Ethanol solution |
| - DOT | 1170 ETHANOL (ETHYL ALCOHOL) SOLUTION |
| - ADR/RID | ETHANOL (ETHYL ALCOHOL) SOLUTION |
| - IMDG | ETHANOL SOLUTION |
| - IATA | |
| - Transport hazard class(es) | |
| - DOT, IMDG, IATA | 3 Flammable liquids |
| - Class | |

(Contd. on page 8)

— USA —

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 7)

- Label	3
- ADR/RID	
- Class	3 (F1) Flammable liquids
- Label	3
- Packing group	
- DOT, ADR/RID, IMDG, IATA	III
- Environmental hazards:	Not applicable.
- Marine pollutant:	No
- Special precautions for user	Warning: Flammable liquids
- Hazard identification number (Kemler code):	30
- EMS Number:	F-E,S-D
- Stowage Category	A
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
- Transport/Additional information:	
- ADR/RID	
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Código E4 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL) SOLUTION, 3, III

*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 313 (Specific toxic chemical listings): All ingredients are not listed.
- TSCA (Toxic Substances Control Act):
All ingredients are listed.

64-17-5	ethanol
	polyethylene glycols 200-400
78-93-3	2-Butanone
102-71-6	Triethanolamine
68439-51-0	Alcohols, C12-14, ethoxylated, propoxylated
124-68-5	2-amino-2-methylpropanol
64665-57-2	sodium 4(or 5)-methyl-1H-benzotriazolide
1310-73-2	sodium hydroxide
7732-18-5	water, distilled, conductivity or of similar purity

- Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/01/2022

Reviewed on 12/17/2020

Trade name: NFLY

(Contd. of page 8)

- **National regulations:**
- **Information about limitation of use:**
Employment restrictions concerning young persons must be observed.
- **VOC:**
49.9% volatile organic compounds (Swiss Ordinance on the Incentive Tax on Volatile Organic Compounds).
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Registration-Number**
- **Relevant phrases**
Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.
- **Department issuing SDS:** *see item 1: Informing department*
- **Contact:**
- **Date of preparation / last revision** 04/01/2022 / 103
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
LEV: Local Exhaust Ventilation
RPE: Respiratory Protective Equipment
RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
ISO: International Organisation for Standardisation
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
vPvB: very Persistent and very Bioaccumulative
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Liquids 3: Flammable liquids – Category 3
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Carcinogenicity 1A: Carcinogenicity – Category 1A
- *** Data compared to the previous version altered.**