

## SAFETY DATA SHEET

Issuing Date 01-Mar-2017 Revision Date 13-Apr-2017 Revision Number 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Glossy

Product Code(s) 109003

(M)SDS Number 1338058\_A

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use Only

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Buehler

Manufacturer Address 41 Waukegan Rd

Lake Bluff, IL 60044 www.buehler.com

**Phone number** +1 847 295 6500

E-mail Address custserv@buehler.com

Emergency telephone number

Global Access Code: 334545

Americas: +1 760 476 3962 Asia Pacific: +1 760 476 3960 Middle East/Africa: +1 760 476 3959 Europe: +1 760 476 3961

## 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation Category 1

## GHS Label elements, including precautionary statements

#### **Emergency Overview**



#### Signal word

**Danger** 

#### Hazard Statements

Causes serious eye damage



Appearance Yellow-orange

Physical state Gel

Odor Pleasant

#### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

None

## **Precautionary Statements - Disposal**

None

#### Hazards not otherwise classified (HNOC)

Not applicable

## **Other information**

No information available

#### **Interactions with Other Chemicals**

No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name **CAS No** Weight-% **Trade Secret** Water 7732-18-5 60 - 80% Poly(oxy-1,2-ethanediyl), 9043-30-5 10 - 25% .alpha.-isotridecyl-.omega.-hydroxy-Sodium dioctyl sulfosuccinate 577-11-7 3 - 10% Isopropyl alcohol 67-63-0 0 - 1%



<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

#### First aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Seek immediate medical

attention/advice.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

**Inhalation** Remove to fresh air.

**Ingestion** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

**Effects** 

Burning sensation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

**Explosion Data** 

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Revision Date 13-Apr-2017 1338058 - Glossy

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Methods for cleaning up

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Handling

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. **Storage** 

Keep out of the reach of children.

**Incompatible Products** Strong oxidizing agents. Strong acids. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Guidelines** 

exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

#### **Appropriate engineering controls**

**Engineering Measures** Showers

**Evewash stations** Ventilation systems



## Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical state Gel

AppearanceYellow-orangeOdorPleasant

Color No information available Odor Threshold No information available

Property Values Remarks Method

**pH** 7

Melting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash Point> 90°CNone knownEvaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Specific Gravity 1.01 Water Solubility Miscible

Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known No data available None known **Decomposition temperature** No data available None known Kinematic viscosity Dynamic viscosity No data available None known

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

#### **Other Information**

Softening Point No data available

VOC Content (%) < 1%

Particle Size No data available

**Particle Size Distribution** 

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### **Incompatible materials**

Strong oxidizing agents. Strong acids. Strong bases.

## **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Severely irritating to eyes. May cause irreversible

damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Poly(oxy-1,2-ethanediyl), .alphaisotridecylomegahydroxy- 9043-30-5	= 1000 mg/kg ( Rat )	-	-
Sodium dioctyl sulfosuccinate 577-11-7	= 1900 mg/kg ( Rat )	= 10000 mg/kg ( Rabbit )	-
Isopropyl alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ ( Rat ) 4 h

## Information on toxicological effects

Symptoms Erythema (skin redness). May cause blindness. Burning.



## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X
67-63-0		·		

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** Contains a known or suspected carcinogen.

Target Organ Effects Eyes.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,562.00 mg/kg

BUENIED

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium dioctyl sulfosuccinate 577-11-7		96h LC50: 20 - 40 mg/L (Oncorhynchus mykiss) 96h LC50: = 37 mg/L (Lepomismacrochirus) 96h LC50: < 24 mg/L (Oncorhynchus mykiss)		48h EC50: = 36 mg/L
Isopropyl alcohol 67-63-0	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: > 1400000  µg/L (Lepomis  macrochirus) 96h  LC50: = 11130 mg/L  (Pimephales promelas)  96h LC50: = 9640  mg/L (Pimephales  promelas)		48h EC50: = 13299 mg/L

#### Persistence and Degradability

No information available.

## **Bioaccumulation**

Chemical name	Log Pow
Isopropyl alcohol 67-63-0	0.05

#### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Isopropyl alcohol	Toxic
67-63-0	Ignitable

## 14. TRANSPORT INFORMATION



**DOT**Proper Shipping Name
NOT REGULATED
NON REGULATED

Hazard Class N/A

TDG NOT REGULATED

MEX NOT REGULATED

ICAO NOT REGULATED

IATANOT REGULATEDProper Shipping NameNON REGULATED

IMDG/IMO NOT REGULATED

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

## 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	0 - 1%	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**



Revision Date 13-Apr-2017 1338058 - Glossy

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl alcohol	Χ	X	X	X	
67-63-0					

## **International Regulations**

Component	Carcinogen Status	Exposure Limits
Isopropyl alcohol		Mexico: TWA 400 ppm
67-63-0 ( 0 - 1% )		Mexico: TWA 980 mg/m <sup>3</sup>
		Mexico: STEL 500 ppm
		Mexico: STEL 1225 mg/m <sup>3</sup>

## Canada **WHMIS Hazard Class**

Not determined

## 16. OTHER INFORMATION

**NFPA Health Hazards** 3 Flammability 0 **Instability** 0 Physical and Chemical Hazards -**HMIS Health Hazards** 3 Flammability 0 Physical Hazard 0 **Personal Protection** Х

**Prepared By Product Stewardship** 

23 British American Blvd. Latham, NY 12110 1-800-572-6501

01-Mar-2017 13-Apr-2017

**Revision Note** No information available

#### Disclaimer

**Issuing Date** 

**Revision Date** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is @ 2014 UL LLC. All rights reserved.

#### **End of Safety Data Sheet**

