

# MATERIAL SAFETY DATA SHEET BLASTAWAY

#### SECTION 1 – CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: Blastaway

GENERAL/GENERIC NAME:

PRODUCT USE: Oven, Griddle, and Fryer Cleaner

EFFECTIVE DATE: August 21, 2014

VENDOR NAME AND ADDRESS: Alpine Specialty Chemicals Ltd.

9 City View Drive, Etobicoke, Ontario M9W 5A5

24 HOUR EMERGENCY NO. 613-996-6666

#### SECTION 2 - COMPOSITION / INFORMATION INGREDIENTS

INGREDIENT %W/W TLV CAS.NO LD50 / LC50

Potassium Hydroxide 15-25 2 mg/m3 1310-58-3 LD50 365 mg/kg (oral/rat)

Nitrilotriaceticacid sodium salt 1-5 ND 139-13-9 ND

## **SECTION 3 – HAZARDS IDENTIFICATION**

#### Route of Entry:

Skin Contact: Causes irritation.

**Eye Contact:** Causes transient irritation.

**Inhalation:** Mist causes irritation of the respiratory tract.

**Ingestion:** Causes irritation to digestive tract.

**Effects of Acute Exposure:** (see section 11 for Toxicological information).

#### SECTION 4 - FIRST AID

Eyes: Flush with running water for at least 15 minutes while holding eyelids open. Get medical attention.

Skin Contact: Flush contaminated skin with plenty of soap and water. Remove contaminated clothing. Launder contaminated clothing thoroughly before re-use. Seek medical attention if skin is burned or symptoms continue. Inhalation: Remove victim to fresh air. Aid in breathing if necessary. If breathing stops, administer artificial respiration. Seek medical attention. Effects may be delayed for a few hours and aggravated by physical exertion. Ingestion: Give plenty of water to drink to dilute stomach contents. Do not induce vomiting. Seek immediate medical attention.

Note to Physician: Risk of corneal injury and possible blindness if splashed into eyes.

#### SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT:

FLAMMABLE LIMITS:

AUTO-IGNITION TEMP:

EXTINQUISHING MEDIA:

SPECIAL FIREFIGHTING PROCEDURES:

EXPLOSION DATA:

HAZARDOUS COMBUSTION PRODUCTS:

NA

None

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Leak/Spill: Contain spills; absorb onto inert material.

#### SECTION 7 – HANDLING AND STORAGE

**Handling Procedures**: Avoid all skin contact. Ventilate adequately, otherwise wear an appropriate breathing apparatus. Avoid contact with eyes, skin or clothing. Keep container closed when not in use.

# MATERIAL SAFETY DATA SHEET BLASTAWAY

Storage Procedures: Keep from freezing. Keep containers closed when not in use.

**SECTION 8 – EXPOSURE CONTROLS** 

PROTECTIVE EQUIPMENT TO BE USED:

RESPIRATORY PROTECTION: Not required under adequate ventilation.

VENTILATION: General ventilation adequate.

PROTECTIVE GLOVES: Rubber

EYE PROTECTION: Safety Goggles
OTHER PROTECTIVE MEASURES: Long sleeved shirt

**SECTION 9 – PHYSICAL PROPERTIES** 

PHYSICAL STATE: Liquid

APPEARANCE AND ODOUR: Clear Tan Liquid

ODOUR THRESHOLD: ND
SPECIFIC GRAVITY: 1.17
VAPOUR PRESSURE: ND
VAPOUR DENSITY: ND
PH: (1%) 11.9

EVAPORATION RATE: ND

INITIAL BOILING POINT: 100°C approximately

WATER SOLUBILITY: Complete FREEZING POINT: 0°C

SECTION 10 - STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Strong acids and soft metals.

HAZARDOUS DECOMPOSITION PRODUCTS: ND

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Contact with strong acids will generate heat. Contact with

soft metals will generate flammable hydrogen gas.

SECTION 11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE: ND

EFFECTS OF ACCUTE EXPOSURE:

SKIN CONTACT: Corrosive. Causes irritation.

EYE CONTACT: Corrosive. Causes permanent damage if not treated properly. INHALATION: Corrosive. Breathing mist or spray causes irritation of the

respiratory tract.

INGESTION: Corrosive. Causes irritation to digestive tract.

**EFFECT OF CHRONIC EXPOSURE:** 

IRRITANCY OF PRODUCT: Moderate
CARCINOGENICITY: ND
SENSITIZATION TO MATERIAL: ND
REPRODUCTION TOXICITY: ND
TERATOGENTICITY: ND
MUTAGENICITY: ND

SECTION 12 - ECOLOGICAL CONSIDERATION

No permanent effects on ecosystems.

SECTION 13 – DISPOSAL CONSIDERATIONS

**Waste Disposal:** In accordance with federal, provincial or local government requirements. Contact a waste disposal firm for advice. Empty containers should be rinsed with water prior to disposal.

# MATERIAL SAFETY DATA SHEET BLASTAWAY

### SECTION 14 - TRANSPORT INFORMATION

TDG Classification: Corrosive Liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide)

Class 8 UN 3266, Packing Group III

## **SECTION 15 – REGULATORY INFORMATION**

WHMIS Classification: D2B, E

# **SECTION 16 – OTHER INFORMATION**

Prepared by: Lab Personnel Phone: (416) 744-2120

Website: www.alpinechem.com

#### Disclaimer:

The information contained in this form is based on data from sources considered technically reliable and has been provided in good faith in accordance with the available material. It is provided as a service to the persons using the product but conditions of use and handling may involve other and additional consideration beyond our control. No warranty, expressed or implied, is made and we will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information in this form.