

(transparent) (1 piece)

(Wood color) (2 pieces)

(yellow) (2 pieces)


4 (1 piece)

Material List

Unit: cm










Coffee Box










Photo Frame and Alarm Clock



1. Take out materials C16 and

3. Paste C19 to C10.


2. Paste A04-3 and A04-4 to

3. Paste C47 to the back of C47, cut out A04-3 and A04-4. C16 and cut off unwated part. photo frame and alarm clock









4. Turn outside in after the third Side is sewed.

10. Put the component on C01

with C02 facing C01 and pack

The component with C01.

5. Fill it with C03.




12. Paste the component to

The front side.

6. Sew it completely.



Tea Table





2. Paste B14 to the four corners Of B13 to make a tea table.

3. Paste C05 to the tea table as table cloth.

Kettle



1. Take out materils C10, C27, C29, C40 and C41.




2. Plug C29 into the hole of C41. 3. Paste C40 to one end of C41





4. Paste C27 to the center of C40.



5. Cut out two pices of C10 (0.7cm and 1.3cm) and bend the longer one as shown in the picture.



6. Paste the two pieces Of C10 to C41.

Cup



1. Cut out A04-15.




2. Take out two pieces of C42 and bend them as shown in the picture.



3. Paste the bent C42 to A04-15.

A04-14(2)

Fruit Plate



1. Take out materials C34-39 and A04-18.



3. Cut out three pices of C35 with proper length and plug them into C36 and C38



2. Cut out A04-18 and make a plate.



4. Paste all the components To A04-18 to make a fruit plate.

Curtain



1. Take out materials



2. Cut out two pieces 3. Cut out A04-14 (2), C06-C09 and A04-14 (2). of C09 (4.5*7cm each). paste the two pieces of C09 to A04-14 and tie Them up with C08.



4 Paste C06 to A04-14. a needle.



5. Sew C08 on C09 with




6. Sew both of the two Pieces.

Tissue Box



1. Cut out A04-6 and 2. Cut a small hole at 3. Insert the tissue make a box.



the center of the box into the box. And cut out some tissue.



Paste all the components on the tea table.



1. Take out materials B16 and A04-14 (1).




2. Paste A04-14 To B16.

Floor Lamp



1. Take out materials C14-C16, C49, B15 and A04-9.



3. Paste C16 and A04-9 (2) Together.



4. Paste A04-9 (1) to the component.



C16







C16 (1)

Potting

C17




2. Cut out two 3. Make a slot (2*1 cm) pieces of C17 By C17 (1). 1. Take out materials (1*7cm and 0.5*7cm).

5. Twine C49 around B15 6. Paste components and paste them together. Together.


7. Paste C15 to the top of C14

8. Paste components together.

Wall Lamp




1. Take out the 2. Paste C13 and C12 materials C10-C13. together.



3. Get C10 through C12 and bend C10 as shown in the picture.



4. Paste the Components Together.



4. Paste C16 to the bottom of C17 (1).



5. Cut out unwanted part.



Slippers



2. Cut out four pieces

1. Take out materials of C23 according to C22-C25 and A01-12. the pattern of A04-12.



C16-C19

7. Cut out some 6.Paste C17(2) to C17(1). leaves from C19.



8. Paste C18 and C19 to C17 to complete the potting.

5. Paste the bulb to the center of The lamp.






3. Paster C24 to C23 and cut out ⁴. Follow the same steps to make C24 according to the pattern of C23. another pair of slippers.



1. Take out materials CO3, C46 and A04-19.



2. Cut out two pieces of C46 according to the shape and size of A04-19.

Wall Painting



3. Sew the two pieces of 4. Fill it with C03 and C46 together from the reverse side.



sew it completely.

Carpet



5. The cushion is completed.



1. Take out materials C16 and A04-2



2. Paste A04-2 to C16 and cut off unwanted part.



1. Take out the materals as shown in the picture.



3. Make three wall paintings.



1. Cut out A04-8.



2. Paste A04-8 to the floor, and paste tea table, cushion on the carpet.



2. Make three pieces, overlap them, and tie them up with C45.




Dustproof Cover




1. Take out D01, D02 and D03.




2. Tear off the kraft paper from each piece of glass and paste them together as shonw in the





D01





The connection of battery box and power supply

Warnings:

Do not connect positive and negative terminals reversely.

Do not put the battery in the fire. Do not damage outer package. The storage temperature should be 0~40 Celsius degree.

Prevent it from contacting a metal or short circuit.

Please install it strictly according to user manual.

1. Make a knot at the ends of the ribbon.



5. Fasten it up.



2. Press the middle position, and bend the right ribbon into a circle.



6. Trim both ends of the ribbons into expected shape to finish the bowknot.



3. Fold up the left ribbon and press it with right thumb.



4. Get left ribbon bypass right ribbon and go through the circle formed by left ribbon.





Pictures









