

# Cat Cafe Garden



M2111 Instruction manual

## NOTICE OF ASSEMBLE

### Tips for assembling

1. Because this product contains small parts, children need to use this product with an adult to avoid accidental ingestion and cause suffocation hazard. There are sharp objects in the product, be careful not to pierce people to avoid injury.
2. After all the materials are used in the required amount in the operation steps, put the remaining materials back into the original bag until the installation is completed. (Avoid losing materials during the installation process)
3. The unit of dimension marked in the step diagram is "cm".
4. Tips for making template paper: Put the template on the back of the material, fix it with some small double-sided tape, and then cut out the material to prevent the cloth or template from moving in the cutting process, or causing errors in the cut material. Or lead to insufficient materials.
5. According to the "Parts Rule Example" at the bottom of this page, refer to the parts on the part number drawing, find the actual product and compare it with the bill of materials, and then install it after confirming that it is correct. (Wooden parts only)
6. It is not advisable to apply too much glue, so as not to wait for a longer time to dry, and overflow will affect the effect of the finished product.
7. There are unavoidable small deviations in the color of wood, fabric, and beads of different batches, without notice, thanks for understanding.

### Tips for Assembling Wood



Find the corresponding block number, use a knife in the connection point gently press, you can take out the wood.

Use a knife to smooth out the burr.


Or use sandpaper to smooth out the burr

### Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.



### How to assemble the battery holder



1. Material and tools needed:  
- Battery holder, LED bulb, tape, screw driver and 2 pieces AAA size battery(not provided)

2. Use screw driver and take the lid off from the battery holder.

3. Insert the battery take notes on the polarity.

4. Connect the red wire to grey wire. Connect the black wire to white wire.

5. Wrap the exposed wire with the tapes.

6. Place the box lid and fastness with screw driver.

### Examples of parts rule:

A01: The parts are directly in the box; B01: The parts are in the B bag; C01: The parts are in the C bag, and so on (Note: The printing paper is displayed in the step A13-01: The printing paper is placed directly in the box. The part number is A13-01. In the step, the template paper A14-F01 is displayed, A14 is the template paper, F01 is the cutting template used for the corresponding material, F01-01, F01-02 are the part numbers for the parts, and the printing paper and template paper are directly placed in the packaging box.)


# Contents

Name	Materials Bags
Printing paper	A13, A14, A15 in Bag A (all of Printing paper and Template are in A13, A14, A15, total 5 pieces of A4 paper+2 pieces of A3+1 piece Transparent sticker)
European dining table	Bag B ..... page 3
High stool&Menu	Bag B + Bag F + Printing paper ..... page 3
Coffee cabinet& Tatami table	Bag B + Bag C + Bag G + Printing paper ..... page 4
Coffee products	Bag C + Bag G + Bag H + Printing paper ..... page 4-5
Dessert	Bag A + Bag C + Bag F + Bag G + Printing paper ..... page 5-6
Caf tower	Bag C + Bag F + Bag G + Printing paper ..... page 6-8
Hanging box	Bag D + Bag F + Bag J ..... page 8-9
Sofa&cushion	Bag C + Bag F + Printing paper ..... page 10-11
Potted 1	Bag F + Bag G + Bag H + Printing paper ..... page 11-12
Potted 2	Bag G + Bag H + Bag F + Printing paper ..... page 12-13
Outdoor plants	Bag F + Bag H ..... page 13-14
Light	Bag A + Bag C + Bag G + Bag J + Printing paper ..... page 14
Awning&cathead	Bag A + Bag E + Bag G + Printing paper ..... page 14-15
Roof	Bag A + Bag E ..... page 15-16
Door&wall	Bag A + Bag D + Printing paper ..... page 16-17
Outer frame	Bag A + Bag C + Bag D + Bag E + Bag G + Bag H + Printing paper ..... page 17-21
Batteries box	Bag J ..... page 22

## Thumbnail of material list (reference only)




## Thumbnail of printing paper & template paper (reference only)



Welcome to the DIY world,  
now follow me to start.

## Symbol description used



## About the use of glue

Method for using glue:  
1. After applying the glue, let it dry for a few seconds before pasting.  
2. Fix it slightly with your hands, and finally put it aside to dry;

## Tips:

When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.

## Types of glue:

White latex: Used for adhering soft materials, such as wood and paper.  
Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.

\*Tips for cutting template paper: put the whole template on the back of the material, fix it with some double-side adhesive, and then cut out the material to avoid the cloth or template from moving in the cutting process, or the material cut out has errors or the material is insufficient.

European dining table

High stool&menu

1. Assemble the table legs (B01, B02, B03).

2. Attach the table top (B01) to the legs.

3. Assemble the chair backrest (B03).

4. Attach the table top (B01) to the legs.

5. Assemble the chair seat (B04, B05).

6. Attach the chair backrest (B03) to the seat (B04, B05).

7. Assemble the chair backrest (B03).

8. Attach the table top (B01) to the legs.

9. Assemble the stool legs (B07, B08).

10. Attach the stool top (A13-01) to the legs.

11. Assemble the stool legs (B07, B08).

12. Attach the stool top (A13-01) to the legs.

13. Assemble the stool legs (B07, B08).

14. Attach the stool top (A13-01) to the legs.

15. Assemble the stool legs (B07, B08).

16. Attach the stool top (A13-01) to the legs.

17. Assemble the menu board (B10, B11).

18. Attach the menu board (B10, B11) to the stool top (A13-01).

19. Assemble the menu board (B10, B11).

### Coffee cabinet & Tatami table

Pick out C17-1 in C17 before making it

- 1 A13-04 (back side)  
Fold with reference to dotted line
- 2 C17-1  
A13-04 (underside)
- 3 [front]
- 4 B13
- 5 B14
- 6 G04 G04 G05 G05
- 7 B15
- 8 B17
- 9 B16
- 10 B17  
Coffee bean rack
- 11 B18 B19 B19 B19  
[bottom view]
- 12 [side view]
- 13 Make 2 pieces according to the previous steps

### Coffee products

Please pull out C18-1, C18-2, C18-3, C18-5 in C18 before making

- 1 A13-05 (back side) G15  
[bottom view]
- 2 G06  
[top view]
- 3 G10  
Cut G10 out to 1.3 CM
- 4 0.5CM  
0.8CM  
0.5CM  
Bend according to G10 template as shown in the figure
- 5 G10  
0.8CM
- 6 G10  
Cut out sharp corners at both ends as shown in the figure
- 7 G10
- 8 G10
- 9 C18-2  
Overlap the 3 pieces together
- 10 [Kettle]
- 11 C18-3 C18-1  
Fold together in the middle
- 12 G23
- 13 G09 C18-2
- 14 G07

4

- 1 G02  
1.3CM
- 2 0.3CM G02 0.3CM  
Bend according to G02 template as shown in the figure
- 3 G02
- 4 G04 C18-5
- 5 G16
- 6 H19  
0.8 CM\*3 pieces  
Cut H19 into 3 pieces of 0.8 CM
- 7 H19 A13-08
- 8 A13-07 A13-07 A13-07  
Make 3 pieces according to the previous steps
- 9 G16  
Fill one of the can with G16
- 10 G14 G14  
Put the right amount of G16 in the other two cans and cover with G14
- 11 A13-09  
Fold with reference to dotted line
- 12 A13-09
- 13 A13-09
- 14 A13-09
- 15 A13-10  
Make A13-10 in the same way.
- 16 A13-10
- 17 A13-10  
Put coffee bean product as shown in the picture

### Dessert

Please pull out C18-4 in C18 before making.  
Please cut out A12-A, F06, F07, F08, F09 by template paper  
A14-A12-A, A14-F06, A14-F07, A14-F08, A14-F09.

- 1 A13-11  
Cut out the grey part of A13-11 as shown in the figure
- 2 A13-12
- 3 A13-13 A13-15  
Make the rest of the plate in the same way
- 4 1.2CM 1.2CM  
A12-A-10  
Use a knife at the 1.2CM at both ends of the PVC Full it gently and be careful not to cut it off.
- 5 A12-A-10  
Bend as shown in the picture
- 6 C18-4 A12-A-08  
Pay attention to the direction of C18-4 paste
- 7 C18-4 A12-A-08  
Pay attention to the direction of C18-4 paste
- 8 A12-A-10  
Note the pasting direction
- 9 A12-A-10
- 10 A12-A-09  
Stick A12-A-09 in the middle.
- 11 F06-05 F09-01 F06-05 F04-05 F07-01  
Overlay F06-05, F07-01, F09-01 in image order


5

12  To create a triangular shape	13  Cut out three triangles	14  Take a small amount of F08 and cut it into pieces	15  F08	16  G17 F08	17  A13-11 Place the cake on a red plate, just one
18  Overlay F06-06, F07-02, F08-01 in image order	19  0.7CM 0.7CM 0.9CM	20  A13-04	21  A13-11 Place the sandwich on a red plate, just one	22  F18 F18	23  A13-15
24  Display food like this	25  A13-06	26  A13-04	27  A13-13 A13-11 Take 3 pieces of F18 (color can be random) pasted as shown	28  F08 F08	29  0.2CM Cut F-17 into three pieces
30  F17 F17 F17	31  F17 G19	32  G02 0.9CM	33  F17 G02	34  A13-11	35  G01 Food is laid out on the Tatami table as shown
36  Sandwiches G22 G22 Food is laid out on another tatami table as shown G01	37  Desserts Coffee Maker	38  Pastries Coffee beans H04	<b>Cat tower</b>  Please pull out C17-3, C17-4 in C17 before making. Please press A14-F01 template paper cut out F01-04 before making F01 (cutting way can refer to the following steps) C17-3 C17-3 C17-4 C17-4 F01-02 F01-02 F01-03 F01-03 F01-04 F01-04 F01-05 F01-05 F01-06 F01-06 F01-07 F01-07 F14 F15 F16 F16 F16 G12		


6

4  6	5  6 6 7 7 Make the rest in the same way	6  G12 C11 Please cut out the beads of the G12 first	7  G12 Each bead is about 0.2 ~ 0.3 cm apart	8  7	9  C12 C14
10  C14	11  C13	12  C14	13  F01-03	14  F01-04	15  F01-04 The round hole on the F01-04 can be cut in half as shown
16  C09	17  F01-04	18  C10 C08	19  C07	20  C10	21  C08
22  C09	23  F15 1CM*3 pieces	24  F15 F16	25  F15 F16 Make 3 pieces in the same way	26  C03 C01	27  C04
28  C05	29  C02 F14 2.8CM	30  F14 25CM*3 pieces	31  F14	32  F14	33  F14

7



8




















9





























22		23		24		25		26		27									
28		29		30		31		32		33									
<p><b>Sofa &amp; Cushion</b></p> <p>Please pull out C14-1, C16-2, C17-6, C17-7 in C14 and C17 before making.</p> <p>Please cut F02, F05, F06 according to template paper A14-F02, A14-F05, A14-F06 before making. (note the direction of F02-02 when cutting)</p>																			
1		2		3		4		5		6		7		8					
9		10		11		12		13		14		15		16		17		18	


10

19		20		21		22		23		24					
25		26		27		28		29		30					
31		32		33		34		35		36					
<p><b>Potted 1</b></p> <p></p>															
1		2		3		4		5		6		7		8	
9		10		11		12		13		14					


11

15	 A13-24 Fold A13-24 symmetrically and cut out each leaf	16	 G11 2.5CM*2 pieces 2CM*2 pieces 1.7CM*2 pieces	17	 0.3CM Bend each one as shown	18	 G11 2CM*1 piece Cut out a G11 to bind it	19		20	 A13-24 F10 A13-26				
21	 A13-25 Fold A13-25 symmetrically then cut each leaf out and gently bend it in a small curve	22	 A13-25 flower A13-26	23	 A13-25 flower	24	 H11 H11 2.2CM 2CM	25	 H11 F10	26	 flower				
<b>Potted 2</b>  Please cut out F1 and F12 according to template paper A14-F11 and A14-F12 before making G01, G11, G20, G21, H03, H07, H12, H13, H14, A13-29, A13-30, A13-31, A13-32, F12-04, F11-01, F12-03, A13-30, A13-31, A13-32															
1	 A13-30(back side) A13-31	2		3	 A13-29	4	 A13-32	5	 H13 H14	6		7	 H14 Cut the area below the red line	8	
10	 H12	11	 H14 Cut out the area below the red line and save the lower half	12		13	 H13	14	 H14 Cut out the leaves of the lower half of the crop	15					
16	 H07 H07 H07 H07 Leave the roots 1 cm long	17	 H07 G21	18	 H14	19	 H03 H03	20	 G01 The parts and components that have been made before are displayed as shown	21	 F11-01 4CM 0.5CM				

22	 0.5CM	23	 F12-03	24		25		26	 Make 12 pieces flowers in the same way Only 2 flowers are needed here Leave the rest for later use	27	 G11 2CM 1.7CM								
28	 G11 G11	29	 F12-04 F12-04 F12-04	30	 G20														
<b>Outdoor plants</b>  Please cut out F12, F13 according to A14-F12, A14-F13 before making F12-01, F12-02, F12-03, F12-04, F13-01, F13-02, F13-03, F13-04, H06, H08, H09, H10, H15, H15																			
1	 F12-01	2	 F12-01 2.3CM	3	 H09 H09 Take a pair of H09 and cut them in half	4	 F12-01 H09	5	 F12-02 1.5CM	6	 H10 1.5CM	7	 F12-02 H10	8	 F12-01 F12-02 Make the other F12-01, F12-02				
9	 H08 H08 1.5CM	10	 F12-01 F12-02 H08	11	 F13-01	12	 H09 H09 2.5CM	13	 F13-01 H09	14	 F13-02	15	 F13-03	16	 F13-04 3.3CM	17	 H06 Cut all H06 in half	18	 F13-04 H06 Insert H06 as shown



14



15



13		14	 The PVC side facing inward	15	 (Inward view)	16	 (Top view)
17	 E12 A12-B-12 E13 A12-A-06 E14 A12-A-01 E15 A12-B-11 E16 A12-A-07	Paste all as below (Pay attention to the paste direction)			18	 Paste the light on the middle of E14 (Paste on the PVC side)	
Door & window	A09 (the wood color side) A13-41	2		3	 Cut down template paper A12-A-02	4	
	7	 (Front side)	8	 Fold it as dotted lines	9	 Cut down as picture	10
11	 Paste A13-44 in the other side	12	 Paste it as picture	13	 Paste A13-48 in the other side	14 Upgraded accessories (Need to purchase separately)	
			 K01 musical movement (1 piece)		 K02 musical movement screw (3 pieces)		 K03 musical movement handle (1 piece)
				15	 K01	16	 K02
						17	 K02

16

18	 D16 D16	19	 D15	Outer frame E18 A13-49	2	 Make others according the previous steps	3	 E19 (backside)	4	 E20 (backside)	
20	 A13-50 A06 (paste it on the without groove side)	21	 A06 (backside) Pass the light thread through the round hole		5	 ladder (tall) ladder (middle)	6	 A13-39 A07	7	 A13-42 A08	8
22	 A13-51	23	 A13-51	9	 A08 A07 overlapping together	10	 A13-52 A01 paste it together	11	 Put the desks and cushion as above photo		
24	 A13-54 (backside)	25	 A13-45	12	 E04 E05 Click from top to bottom into the buckle position	13	 E04 E05 Make 2 pieces	14	 A13-54 (backside) Fold up with reference to the dotted line		


17



18



19



20




21

## How to assemble the battery holder

**Statement:**  
The lamp wires cannot be inserted into the output socket.

- Can use 2\*AAA batteries
- Please notice the piece of anode and cathode when put in the batteries
- Rechargeable batteries are not blunt electricity
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries cannot mix
- Do not mix new batteries in use with semi-used batteries.
- Run out of battery should be removed from the toy
- The power shall not be short circuit



Distinguish the light lines of the same color.



cut all the LED light wires to the same length, peel off the film of the LED light wires and then wrap it together in the same color.



Put all gray wires with battery boxed wires together, and put all white wires with battery box black wire together. Wrap the bare wires with adhesive tape J03. Make sure the LED lights are on.



With dust cover at night



## Installation of dust cover

dust cover  
(Upgrade version accessories need to be purchased separately)




scale:1:10  
Z01 plexiglass(transparent)  
23.5\*17.5\*0.18(2pieces)




scale:1:10  
Z02 plexiglass(transparent)  
18.64\*17.5\*0.18(2pieces)



scale:1:13  
Z03 plexiglass(transparent)  
23.5\*19\*0.18(1piece)




stick Z01 and Z02 on Z03




stick five pieces of plexiglass dust cover as shown




Take out the plexiglass and tear off the kraft paper with text on each piece of plexiglass




The kraft paper that has been ripped off faces inward, and the kraft paper that has not been ripped off faces outward.



Use J03 to fix the junction of two pieces of plexiglass. (use transparent tape to replace J03)




The junction of every two pieces of plexiglass needs to be fixed with J03 (to prevent the plexiglass to fling off)



stick appropriate amount of glue to the interface of the two pieces of glass and scrape slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)




The junction of two pieces of plexiglass needs to be fixed with J03 (to prevent the plexiglass falling off)




stick appropriate amount of glue to the interface of the two pieces of glass and scrape slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)



The junction of two pieces of plexiglass needs to be fixed with J03 (to prevent the plexiglass to fling off)



stick appropriate amount of glue to the interface of the two pieces of glass and scrape slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)



the dust cover need to be glued 8 interfaces



Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass

The instruction manual should be keep, after assembled.