

S2201



## Sweet Cake Station

S2201 Instruction Manual

### NOTICE OF ASSEMBLE

#### Tips for assembling

1. Because this product contains small parts, children need to use this product with an adult to avoid accidental ingestion and cause suffocation hazard. There are sharp objects in the product, be careful not to pierce people to avoid injury.
2. After all the materials are used in the required amount in the operation steps, put the remaining materials back into the original bag until the installation is completed. (Avoid losing materials during the installation process)
3. The unit of dimension marked in the step diagram is "cm".
4. Tips for making template paper: Put the template on the back of the material, fix it with some small double-sided tape, and then cut out the material to prevent the cloth or template from moving in the cutting process, or causing errors in the cut material. Or lead to insufficient materials.
5. According to the "Parts Rule Example" at the bottom of this page, refer to the parts on the part number drawing, find the actual product and compare it with the bill of materials, and then install it after confirming that it is correct. (Wooden parts only)
6. It is not advisable to apply too much glue, so as not to wait for a longer time to dry, and overflow will affect the effect of the finished product.
7. There are unavoidable small deviations in the color of wood, fabric, and beads of different batches, without notice, thanks for understanding.

#### Tips for Assembling Wood



Find the corresponding block number, use a knife in the connection point gently press, you can take out the wood.



Use a knife to smooth out the burr.



Or use sandpaper to smooth out the burr

#### Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.

1



DO NOT contact the LED wire end direct to the battery cell.

2



Use the provide battery holder. Make sue the correct polarity.

#### How to assemble the battery holder



1. Material and tools needed:  
- Battery holder, LED bulb,  
tape, screw driver and 2 pieces  
AAA size battery(not provided)



2. Use screw driver and take the lid off from the battery holder.




3. Insert the battery take notes on the polarity.



4. Connect the red wire to grey wire. Connect the black wire to white wire.



5. Wrap the exposed wire with the tapes.



6. Place the box lid and fastness with screw driver.

#### Examples of parts rule:

A01: The parts are directly in the box; B01: The parts are in the B bag; C01: The parts are in the C bag, and so on [Note: The printing paper is displayed in the step A08-1: The printing paper is placed directly in the box. The part number is A08-1. In the step, the template paper A09-E01 is displayed, A09 is the template paper, E01 is the cutting template used for the corresponding material, E01-1, E01-2 are the part numbers for the parts, and the printing paper and template paper are directly placed in the packaging box.]


## Contents

Name	Materials Package
Printing paper& Template paper	A bag A08,A09(all printing paper are set in A08,all template paper are set in A09;total 5 pieces of A5 paper)
Cashier	A bag +B bag +E bag +Fbag+printing paper page 3
Table	C bag +E bag +F bag+printing paper+template paper page 4
Canopy& Nameplate	B bag +D bag +printing paper page 4
Chair	A bag +D bag +E bag+template paper page 5
Cake cabinet	C bag +E bag +F bag+printing paper+template paper page 5-7
Flower basket	A bag +E bag +printing paper page 7-8
Flower&Sign& Catalogue board	A bag +B bag +D bag +E bag +printing paper page 8
Light	D bag +F bag +G bag page 9
outer frame	A bag +printing paper page 9-10
Installation Of Battery Box	G bag page 10
dust cover	Z bag back cover


## Thumbnail of material list (reference only)



## Thumbnail of printing paper & template paper (reference only)



## Symbol description used



## About the use of glue

Method for using glue:  
1. After applying the glue, let it dry for a few seconds before pasting.  
2. Fix it slightly with your hands, and finally put it aside to dry;

## Tips:

1. When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.  
2. In the process of making glue, you need to wait for the glue to dry. The next component can be assembled at the same time;

## Types of glue:

White latex: Used for adhering soft materials, such as wood and paper.  
Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.

Cashier

1 E09 fold and out in half, each about 2cm long, and there remaining three are for standby

2 Pull out the blue petals of A11, fix the twopetals into E09 with glue, and complete 3 branches

3 Place as shown, roll up and paste

4 Roll up paste complete

5 Finishing and forming

6 Paste it as picture

7 Fix and paste as shown in the figure

8 Paste it as picture

9 Paste it as picture

10 Paste it as picture

11 Paste

12 Wrap and paste

13 Finished

14 Paste

15 Paste

16 Paste

17 Paste

18 Paste

19 Paste



Please cut out the E02,E04 according the template paper of A09-E02,A09-E04 before making

### Table

**1** E04-1  
Cut into 8 copies

**2** F08(colour)  
F08 is placed in E04-1 for wrapping

**3** Need 8pieces

**4** F04  
Fixed

**5** C12  
C13

**6** C11

**7** C11

**8** F12

**9** F10  
F11

**10** A08-14 (Pudding cake)  
need 2pieces

**11** C10  
C09

**12** C08

**13** E02-1

**14** A08-17

**15** (Pudding cake)  
F02

**Canopy&Nameplate**

**1** A08-3  
B03  
D10  
A08-9

**2** (back side)  
A08-3  
B03

**3** (front view)

**4** D10  
A08-9  
Paste

**5** A08-9

4

### Chair

**1** E03-1  
E03-1 keep the template paper for use, increase the hardness, and E03-1 cut it according to the red line

**2** (back side)  
Wrap around and paste inward

**3** Cushion  
(front view)  
Need 2pieces

**4** E03-2  
E03-2 keep the template paper for use, increase the hardness, and E03-2 cut it according to the red line

**5** (back side)  
Wrap around and paste inward

**6** Cushion  
(front view)  
Need 2pieces

**7** D02  
D03

**8** D01

**9** D05

**10** D04

**11** Cushion  
Cushion

**12** A12-2  
Need 2pieces

### Cake cabinet

**1** A08-27

**2** A08-27

**3** A08-27

**4** A08-27

**5** A08-27

**6** A08-27

**7** A08-27

**8** A08-27

**9** A08-27

**10** A08-27

**11** A08-27

**12** A08-27

**13** A08-27

**14** A08-27

**15** A08-27

**16** A08-27

**17** A08-27

**18** A08-27

**19** A08-27

**20** A08-27

**21** A08-27

**22** A08-27

**23** A08-27

**24** A08-27

**25** A08-27

**26** A08-27

**27** A08-27

**28** A08-27

**29** A08-27

**30** A08-27

**31** A08-27

**32** A08-27

**33** A08-27

**34** A08-27

**35** A08-27

**36** A08-27

**37** A08-27

**38** A08-27

**39** A08-27

**40** A08-27

**41** A08-27

**42** A08-27

**43** A08-27

**44** A08-27

**45** A08-27

**46** A08-27

**47** A08-27

**48** A08-27

**49** A08-27

**50** A08-27

**51** A08-27

**52** A08-27

**53** A08-27

**54** A08-27

**55** A08-27

**56** A08-27

**57** A08-27

**58** A08-27

**59** A08-27

**60** A08-27

**61** A08-27

**62** A08-27

**63** A08-27

**64** A08-27

**65** A08-27

**66** A08-27

**67** A08-27

**68** A08-27

**69** A08-27

**70** A08-27

**71** A08-27

**72** A08-27

**73** A08-27

**74** A08-27

**75** A08-27

**76** A08-27

**77** A08-27

**78** A08-27

**79** A08-27

**80** A08-27

**81** A08-27

**82** A08-27

**83** A08-27

**84** A08-27

**85** A08-27

**86** A08-27

**87** A08-27

**88** A08-27

**89** A08-27

**90** A08-27

**91** A08-27

**92** A08-27

**93** A08-27

**94** A08-27

**95** A08-27

**96** A08-27

**97** A08-27

**98** A08-27

**99** A08-27

















**100** A08-27

5



<p>3</p>  <p>A08-28 A08-29 A08-30 Make according to the previous method</p>	<p>4</p>  <p>fix as shown</p>	<p>5</p>  <p>A08-13 Strawberry cake &amp; Cherry Cake</p>	<p>6</p>  <p>A08-23 Fold as shown</p>	<p>7</p>  <p>Paste it as picture</p>	<p>8</p>  <p>A08-24 A08-25 A08-26 Make according to the previous method</p>
<p>9</p>  <p>F01 (1.2cm) Orange cheese cake</p>	<p>10</p>  <p>F08(colour) Berry lime cake</p>	<p>11</p>  <p>F08(colour) F09 Hazelnut cake Before production, F09 needs to be cut into thin slices of about 0.1mm, and then cut in half</p>	<p>12</p>  <p>Lemon cake Before production, F09 needs to be cut into thin slices of about 0.1mm, and then cut in half</p>	<p>13</p>  <p>Cake finished</p>	<p>14</p>  <p>C01 C02</p>
<p>15</p>  <p>C02</p>	<p>16</p>  <p>C01</p>	<p>17</p>  <p>C05</p>	<p>21</p>  <p>C03</p>		<p>22</p>  <p>C06</p>
<p>18</p>  <p>C07</p>	<p>19</p>  <p>Strawberry cake &amp; Cherry Cake</p>	<p>20</p>  <p>A08-21 Paste as shown</p>	<p>21</p>  <p>C03</p>		<p>22</p>  <p>C06</p>

6

<p>23</p>  <p>Paste as shown</p>	<p>24</p>  <p>C04 Paste as shown A08-21</p>	<p>25</p>  <p>E06-3 E06-1 E06-2 E06-1</p>	<p>26</p>  <p>E06-1</p>		
<p>Flower basket</p>  <p>A11</p>	<p>A08-22</p>  <p>E05</p>  <p>E08(1.5cm)*5</p>  <p>E07(5cm)</p>	<p>1</p>  <p>A11 (Pink Purple Rose) E08</p> <p>Place and fix as shown in the figure</p>	<p>2</p>  <p>Roll up and paste</p>		
<p>3</p>  <p>Paste complete</p>	<p>4</p>  <p>Petal finishing and forming. 4 branches are required</p>	<p>5</p>  <p>A11 (Orange roses) E08 The orange rose is made by the above method</p>	<p>6</p>  <p>E07 Bend as shown</p>	<p>7</p>  <p>A08-22 Fold as shown</p>	<p>8</p>  <p>fix as shown</p>

7



9  Fold in	10  round and paste	11  Fold in	12  Paste it as picture	13  Place A11 roses as shown in the figure	14  Place A11 leaves as shown in the figure				
flower design Cottique board 	1  E09 (Trimmed, refer to page 3) Pull out the pink petals of A11, take one and put it into E09, fix it with glue and pinch it tightly	2  Second penetration A11	3  Three pieces are required to penetrate into the third piece A11	4  Place as shown in the figure, roll up and paste	5  Roll up paste complete	6  Fold as shown	7  A08-33-1 Paste	8  A08-33-2	9  Insert flowers
10  D09 A08-8 Paste	11  B05	12  B04 Paste A08-4	13  A08-4 Paste	14  B05					

8


Light 	1  D07 is inserted into the hole of D06 as shown in the figure	2  D07 is inserted into D08 hole as shown in the figure	3  F07	4  Light	5  F06
outer frame 	1  A12-1	2  D14	3  A10-1 A04 Please cut out the A10 according to the template paper of A09-A10 before making	4  A10-1 (back side) A10-1 needs to be wrapped and pasted around, and A05 and A10-2 need to be completed in the same way	5  A04 A05
6  A01 A08-1	7  A04 A05	8  D14	9  A01	10  A05	11  A04
12  A02 A08-11	13  A03 A08-2	14  A02	15  A03	16  A04 Light	17  Light

9





18  
Hide the light wire into the trunking and spreader into the base.



19  
A08-20 A08-12  
Paste



20  
A08-7 A08-6 A08-5  
Catalogue board



21  
B01



22  
Canopy  
Catalogue board



23  
Cashier



24  
Coke cabinet



25  
Table  
Chair




26  
Flower basket



27  
Nameplate

**How to assemble the battery holder**  
Statement: The lamp wires cannot be inserted into the output socket.  
-- Can use 2 AAAA batteries  
-- Please notice the place of anode and cathode when put in the batteries  
-- Rechargeable batteries are not burnt electricity  
-- Rechargeable batteries can only be charged under adult supervision  
-- Rechargeable batteries should be removed from the toy before charging  
-- Different types of batteries cannot mix. Do not mix new batteries in use with some used batteries.  
-- Run out of batteries could be removed from the toy  
-- The power shall not be short circuit



1  
cut all the LED light wires to the same length



2  
G04  
peel off the film of the LED light wires and then wrap it together in the same color.



3  
G02  
Twist the following wire together:  
① BLACK wire from the battery box with the WHITE wire from LED bulb.  
② RED wire from the battery box with the GREY wire from LED bulb.



4  
G04  
Wrap the bare wires with adhesive tape G04. Make sure the LED lights are on.

## Installation of dust cover

dust cover  
(Upgrade version accessories need to be purchased separately)




scale:1:5  
Z01 plexiglass(transparent)  
9.4\*9.4\*0.18cm(1 piece)




scale:1:5  
Z02 plexiglass(transparent)  
13\*9\*0.18cm(2 pieces)



scale:1:5  
Z03 plexiglass(transparent)  
13\*9.4\*0.18cm(2 pieces)




stick Z02 and Z03 on Z01



stick five pieces of plexiglass dust cover as shown




Ripped one side of kraft paper, leaving one side of kraft paper




4  
The kraft paper that has been ripped off faces inwards, and the kraft paper that has not been ripped out faces outwards.



5  
Use G04 to fix the junction of two pieces of plexiglass, (use transparent tape to replace G04)



6  
The junction of every two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)



7  
stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)




8  
The junction of two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)




9  
stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)




10  
The junction of two pieces of plexiglass needs to be fixed with G04 (to prevent the plexiglass falling off)



11  
stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)



12  
the dust cover need to be glued 8 interfaces



13  
Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass