

S2202



Flower Leisure Time

S2202 Instruction Manual

NOTICE OF ASSEMBLE

Tips for assembling

1. Because this product contains small parts, children need to use this product with an adult to avoid accidental ingestion and cause suffocation hazard. There are sharp objects in the product, be careful not to pierce people to avoid injury.
2. After all the materials are used in the required amount in the operation steps, put the remaining materials back into the original bag until the installation is completed. (Avoid losing materials during the installation process)
3. The unit of dimension marked in the step diagram is "cm".
4. Tips for making template paper: Put the template on the back of the material, fix it with some small double-sided tape, and then cut out the material to prevent the cloth or template from moving in the cutting process, or causing errors in the cut material. Or lead to insufficient materials.
5. According to the "Parts Rule Example" at the bottom of this page, refer to the parts on the part number drawing, find the actual product and compare it with the bill of materials, and then install it after confirming that it is correct. (Wooden parts only)
6. It is not advisable to apply too much glue, so as not to wait for a longer time to dry, and overflow will affect the effect of the finished product.
7. There are unavoidable small deviations in the color of wood, fabric, and beads of different batches, without notice, thanks for understanding.

Tips for Assembling Wood



Find the corresponding block number, use a knife in the connection point gently press, you can take out the wood.



Use a knife to smooth out the burr.



Or use sandpaper to smooth out the burr

Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.

1



DO NOT contact the LED wire end direct to the battery cell.

2



Use the provide battery holder. Make sue the correct polarity.


How to assemble the battery holder




1. Material and tools needed:
- Battery holder, LED bulb,
tape, screw driver and 2 pieces
AAA size battery(not provided)



2. Use screw driver and take the lid off from the battery holder.




3. Insert the battery take notes on the polarity.



4. Connect the red wire to grey wire. Connect the black wire to white wire.



5. Wrap the exposed wire with the tapes.



6. Place the box lid and fastness with screw driver.

Examples of parts rule:

A01: The parts are directly in the box; B01: The parts are in the B bag; C01: The parts are in the C bag, and so on (Note: The printing paper is displayed in the step A07-1; The printing paper is placed directly in the box. The part number is A07-1. In the step, the template paper A08-D01 is displayed, A08 is the template paper, D01 is the cutting template used for the corresponding material, D01-1, D01-2 are the part numbers for the parts, and the printing paper and template paper are directly placed in the packaging box.)


Contents

Name	Materials Package
Printing paper & Template paper	A bag A07, A08 (all printing paper are set in A07, all template paper are set in A08; total 4 pieces of A5 paper)
Chair	C bag + D bag + template paper page 3
Table	A bag + C bag + D bag + E bag + F bag + template paper page 3-4
Flower bed	A bag + C bag + D bag + E bag + printing paper page 4-5
Flower rack	A bag + B bag + D bag + printing paper page 5-6
Hanging basket	D bag + E bag + printing paper page 7
Nameplate	C bag + printing paper page 7
Wooden box & Paper bag & Pen holder	D bag + printing paper page 7-8
sign	B bag + E bag + printing paper page 8
Light & Tool box	C bag + D bag + E bag + F bag + printing paper page 8
Window	B bag + printing paper page 8
outer frame	A bag + printing paper page 9-10
Installation Of Battery Box	F bag + printing paper page 10
dust cover	Z bag + printing paper back cover


Thumbnail of material list (reference only)



Thumbnail of printing paper & template paper (reference only)



Symbol description used



About the use of glue

Method for using glue:
 1. After applying the glue, let it dry for a few seconds before pasting.
 2. Fix it slightly with your hands, and finally put it aside to dry;

Tips: 1. When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.
 2. In the process of making glue, you need to wait for the glue to dry, the next component can be assembled at the same time;

Types of glue:

White latex: Used for adhering soft materials, such as wood and paper.
 Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.

Chair

Please cut out the D03 according to the template paper of A08-D03 before making

C01, C02, C02, C04, C04, C03, C05, D03-1, D06

1. Fold up and down 0.3cm (D03-1)
2. Paste it as picture
3. Finishing and forming
4. Stuffed with cotton (D06)
5. (Pillow) seal the opening
6. Assembly of the backrest (C02, C03)
7. Assembly of the seat (C01, C02)
8. Assembly of the front legs (C01, C02)
9. Assembly of the side legs (C04)
10. Assembly of the armrests (C04, C05)
11. (Pillow) Assembly of the final chair

Table

Please cut out the D01, D04, D05 according to the template paper of A08-D01, A08-D04, A08-D05 before making

C06, C07, C08, C08, D05-1, D05-1, D01-1, D04-1, D11 (1.2cm)*5, E10, E13, E13, D07, D12, A07-10-5, A10, E02, E04, E05, E06, F01

D10(2.5cm), D10(3.5cm)

1. Paste it as picture (A07-10-5, E13 (Coffee))
2. D12 is wound with the aid of D11
3. Winding 1.2cm
4. Dimensions: 1.6cm, 0.4cm, 0.4cm
5. Assembly of the top (E05)
6. Assembly of the base (D11, E02)
7. Assembly of the legs (D11, E02)
8. Assembly of the side supports (E02, E06)
9. Assembly of the table top (E06)
10. Assembly of the final table (Lantern)

3

<p>11</p> <p>Paste it as picture</p> <p>E10</p> <p>A10</p> <p>Paste it as picture E10 is folded and cut in half, each about 2cm long, and 3 branches need to be completed</p>	<p>12</p> <p>Paste it as picture</p> <p>D10(3.5cm)</p>	<p>14</p> <p>D05-1</p> <p>Fold as shown</p>	<p>15</p> <p>D07</p> <p>Knead, Need 2pieces</p>	<p>16</p> <p>Wrap and paste</p>	<p>17</p> <p>Paste as shown</p> <p>D04-1</p>
<p>18</p> <p>Fold it as shown in the figure and pinch it tightly</p>	<p>19</p> <p>Winding paste</p> <p>D10(2.5cm)</p>	<p>20</p> <p>(Bow)</p> <p>(Bouquet)</p>	<p>21</p> <p>D07</p> <p>Cut a small opening with your own scissors according to the red line</p>	<p>22</p> <p>(back side) D01-1</p> <p>round and paste</p>	
<p>23</p> <p>(Tablecloth)</p>	<p>24</p> <p>C08</p> <p>C07</p>	<p>25</p> <p>C08</p>	<p>26</p> <p>C06</p>	<p>27</p> <p>Spread the tablecloth</p>	<p>28</p> <p>Pierce the pole position in advance and fix the light line</p> <p>F01</p>
<p>29</p> <p>Paste as shown</p> <p>(Lantern)</p>	<p>30</p> <p>(Coffee)</p> <p>(Bouquet)</p>	<p>Flower bed</p>	<p>C09</p> <p>C10</p> <p>C10</p> <p>C12</p> <p>C11</p> <p>A07-8</p> <p>A07-4</p> <p>D14</p> <p>C13</p> <p>C13</p> <p>C13</p> <p>E11</p>	<p>1</p> <p>E11 split in half, each about 2 ~ 2.5cm long, spare</p>	<p>2</p> <p>A10 pull out the orange petals, thread the two petals into E11 with glue, and complete 4</p>

4

<p>3</p> <p>C10</p> <p>C09</p>	<p>4</p> <p>C11</p>	<p>5</p> <p>C11</p>	<p>6</p> <p>C10</p>	<p>7</p> <p>0.3cm</p> <p>C12</p>	<p>8</p> <p>C13</p>
<p>9</p> <p>A07-4</p>	<p>10</p> <p>D14</p>	<p>Flower rack</p> <p>E09(16pieces) E10</p> <p>D13(3cm)*3</p> <p>D13(2cm)*2</p> <p>B12</p> <p>B12</p> <p>B13</p> <p>B13</p> <p>B13</p> <p>B14</p> <p>A07-7</p> <p>A10</p> <p>A10</p>	<p>1</p> <p>E09</p> <p>Fold and cut in half, each about 2 ~ 2.5cm long, standby</p>	<p>2</p> <p>A10 pull out the purple petals, fix one petal into E09 with glue, and 8 petals need to be completed</p>	
<p>3</p> <p>A10</p> <p>Paste as shown, Roll up and paste</p>	<p>4</p> <p>Roll up paste complete</p>	<p>5</p> <p>A10</p> <p>Pull out the yellow petals of A10, thread the two petals into E09 with glue, and complete 6 branches</p>	<p>6</p> <p>A10</p> <p>Paste as shown, Roll up and paste</p>	<p>7</p> <p>Roll up paste complete</p>	<p>8</p> <p>E09</p> <p>A10 pull out the blue petals, use glue to thread the two petals into E09 for fixation, and 6 petals need to be completed</p>



























5

9 A10 Paste as shown, Roll up and paste	10 Roll up paste complete	11 E09 Pull out the pink petals of A10, take one and put it into E09, fix it with glue and pinch it tightly	12 Second penetration A10	13 Penetrate into the third A10 and complete 6 branches	14 A10 Paste as shown, Roll up and paste
15 Roll up paste complete	16 The red rose is made according to the method of pink rose	17 A10 (Pink Purple Rose) D13 Place and fix as shown in the figure	18 Roll up and paste	19 Paste complete	20 Petal finishing
21 To stick the leaves, you need to complete 5 flowers of different lengths	22 A10 Paste as shown, Roll up and paste	23 Roll up paste complete	24 A07-7 Paste	25 Need 7 pieces	26 Put the flowers in the bucket
27 B12 B13	28 B13	29 B14	30 B12	31 Place and fix as shown in the figure	32 Place and fix as shown in the figure






















6

Hanging basket		1 As shown in the figure, cut E08 before making	2 As shown in the figure, cut E12 before making	3 A07-6	4 D09 Winding fixation
5 Trim off excess	6 E12	7 E08	8 D08(6cm) D08 fixed on both sides	9 A07-10-3 Need 2 pieces	1 Nameplate C17 A07-3
Wooden box&Paper bag&Fertilizer		1 D02-1 Fold 0.3cm	2 1.5cm	3 1.5cm	4 D06 Stuffed with cotton
Please cut out the D02 according to the template paper of A08-D02 before making		5 D08 Winding fixation	6 D08 D08 tie the bow and trim the length properly	7 A07-10-4	8 A07-9 Fold out according to the crease

7

9  A07-9 Paste it as picture	10  A07-11 Paste it as picture	11  A07-12 Paste it as picture	 B10 E01(1.5cm)*2 A07-13	1  A07-12 A07-13 B11 B11	2  E01 (1.5cm)	
3  B10	 Light & tool box	 C14 C15 C16 A07-10-1 A07-10-6 A07-10-7 E03 E07 F01	1  E03 Paste it as picture	2  F01(Light)	3  D11(1.2cm)	4  Bond
5  A07-10-7 A07-10-6 (Scissors)	6  A07-10-1 C14	7  C15	8  C16	9  C15	10  C15 (Scissors)	
 Window	 B05 A07-2 B06 B07 B08 B09	1  A07-2 Paste it as picture	2  B06	3  B07	4  B08	5  B09

8

1  B01 Outer frame	2  B03	 B04	12  A02	13  A02	14  Light
3  A09-1 Please cut out the A09 according to the template paper of A08-A09 before making	4  A03 (back side)	5  A03 A04 (front view)	15  A02 (back side)	16  A07-5	17  B16 (sign)
6  A01	7  A03 A04	8  B15	Light line direction	Stick A07-5	
9  A01	10  A04	11  A03	18  Window 5cm	19  Flower rack	20  Wooden box & Paper bag & Fertilizer

9

21



(Tool box) (Chair)

22



(Table) Punch the hole position and the light line passes through the bottom

23



24



(flower bed) (Nameplate)

How to assemble the battery holder

- Statement: the lamp wires cannot be inserted into the output socket
- Can use 2*AAA batteries
 - Please notice the place of anode and cathode when pH in the batteries
 - Rechargeable batteries are not burnt electricly
 - Rechargeable batteries can only be charged under adult supervision
 - Rechargeable batteries should be removed from the toy before charging
 - Different types of batteries cannot mix Do not mix new batteries in use with semi-used batteries.
 - Run out of battery should be removed from the toy
 - The power shall not be short circuit




cut all the LED light wires to the same length



peel off the film of the LED light wires and then wrap it together in the same color.



Twist the following wire together:
(BLACK wire from the battery box with the WHITE wire from LED bulb)
(RED wire from the battery box with the GREY wire from LED bulb)



Wrap the bare wires with adhesive tape F04. Make sure the LED lights are on.

Installation of dust cover

dust cover
(Upgrade version accessories need to be purchased separately)

scale:1:5
Z01 plexiglass(transparent)
9.4*9.4*0.18cm(1 piece)

scale:1:5
Z02 plexiglass(transparent)
13*9.4*0.18cm(2 pieces)

scale:1:5
Z03 plexiglass(transparent)
13*9.4*0.18cm(2 pieces)

1. stick Z02 and Z03 on Z01
2. stick five pieces of plexiglass dust cover as shown
3. Ripped one side of kraft paper, leaving one side of kraft paper

Take out the plexiglass and tear off the kraft paper with text on each piece of plexiglass
4. The kraft paper that has been ripped off faces inward, and the kraft paper that has not been ripped out faces outward.
5. Use F04 to fix the junction of two pieces of plexiglass. (use transparent tape to replace F04)
6. The junction of every two pieces of plexiglass needs to be fixed with F04 (to prevent the plexiglass falling off)
7. stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)
8. The junction of two pieces of plexiglass needs to be fixed with F04 (to prevent the plexiglass falling off)
9. stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)
10. The junction of two pieces of plexiglass needs to be fixed with F04 (to prevent the plexiglass falling off)
11. stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is the plexiglass interface)
12. the dust cover need to be glued 8 interfaces
13. Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass