



PERFORMANCE BY
**INTEGRATED
ENGINEERING**

Integrated Engineering's Turbo Outlet Muffler Delete Install Guide
IE Part Numbers: IEBAVN3

Thank you for purchasing another high quality Integrated Engineering product! This instruction guide is used for installation of Integrated Engineering's Turbo Outlet Muffler Delete for VW MK7/MK7.5 & Audi 8V/8S 2.0T Engines. This kit needs to be installed by a professional or an experienced technician. Integrated Engineering is not responsible for any damage caused by incorrect installation.



Open your Turbo Muffler Delete kit and inspect all components, and verify quantities.

IEBAVN3 Kit Contents:

- (1) Turbo Muffler Delete
- (1) Perfect-Seal Gasket

Required Tools:

- 5mm Allen wrench

Important Note: Installation will vary depending on the vehicle. This install is being shown on a Turbo that is out of the vehicle for demonstration purpose.



Depending on your vehicle you may need to remove the parts listed below and potentially other components to get access to the Turbo Muffler/Turbo Outlet.

- Air box, airbox lid and the radiator support inlet. This includes the Secondary Air Injection coupler and the intake exhaust flap return hose
- Corrugated turbo inlet to air box hose and Mass Air Flow Sensor where applicable
- Removing the battery will aid in removal and installation of turbo muffler but is optional
- Loosening the plastic charge pipe from the engine will allow the removal of the rubber hose that is connected to the turbo muffler
- Removing the rubber hose from the charge pipe will allow more room to work, but is optional



Once you have removed the OEM Turbo Muffler you will see the Turbo Outlet will look like this.




Insert the Perfect-Seal Gasket into the Turbo outlet so that it sits flush at the bottom, inside the Turbo Outlet Canister.




Here is how the Perfect-Seal Gasket should look installed.



Reinstall the OEM Turbo Muffler O-Ring in the groove on the top edge of the Canister.



Insert the IE Turbo Muffler Delete into the canister with the logo facing outward and install the three 5mm Allen bolts.



Reassemble and Enjoy the performance, looks, and the sound of your new IE Turbo Muffler Delete!

Thank you for purchasing another Integrated Engineering product. We are dedicated to serving your VW/Audi engine and performance needs. Please check our website frequently for new product releases. If you have any questions or concerns about this product please do not hesitate to contact us.

Integrated Engineering
801.484.2021
sales@performancebyie.com
www.performancebyie.com

PERFORMANCE BY

