



PRODUCT NUMBER: 3301181
QB2HYG Replacement Ear Pods

[Learn more about our products at howardleight.com](http://howardleight.com)

>



Overview

Reference Number

3301181

Product Type

Hearing Protection

Range

Earplugs

Line

Banded Earplugs

Brand

Howard Leight by Honeywell

Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

Product Use

Replacement Pods for Banded Earplug, QB2HYG

Features & Benefits

Feature

Extends lifetime and performance of QB2HYG Banded Earplugs.

Benefit

Replacement PODS for QB2HYG Banded Earplugs.

Technical Description

Attenuation Data

Please Refer to QB2HYG

Size

Fits All

Corded

No

Certifications

E.C. Declaration of Conformity

EC Category PPE

0

EC Certificate Number

0

Additional Information

User Manual

Instruction Manual - QB2HYG (global)

Maintenance

Life Cycle

We recommend replacement every 2-4 weeks.

Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions

Our reusable earplugs may be washed in warm water and allowed to air dry. Washing may be repeated several times, but we recommend replacement every 2-4 weeks. Hydrocarbon based solvents, such as alcohol, should not be used to clean reusable ear plugs. The use of such solvent based cleaners may cause reusable plugs to soften, swell, and weaken with time. Additionally, with extended use, reusable plugs must be regularly inspected for serviceability.