

# SILEX+

THE MODEL WITHOUT COMPROMISE, IN **PLATINUM** VERSION

SILEX+ offers all the advantages of SILEX and is equipped with our exclusive PLATINUM® treatment for long-lasting protection against fog and scratch. In order to cover all activities requiring alternating high and low light exposure, SILEX+ is available in a CSP version, a technology that also effectively fights against blue light. Protection, Comfort and... Style, SILEX+ is available with new branch colour combinations, and in two sizes.

**PLATINUM**



SILEXPPSI + PSPUNISS01



30g



SILEXPCSP



SILEXPPSF



SILEXPPSI



PSSILPC092



PSSILP4262



PSSILP0402



























PSPUNISS01 (option)  
Strap

- + PLATINUM COATING**
- + ULTRA-WRAPAROUND FRAME**
- + PC/TPR CO-INJECTED TEMPLES FOR GREATER COMFORT**
- + AVAILABLE IN TWO SIZES: REGULAR AND SMALL**
- + NO METAL PARTS**
- + FLEX 160° TEMPLES**

**bolle**  
SAFETY

# SILEX+

THE MODEL WITHOUT COMPROMISE, IN  PLATINUM VERSION

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
SILEX+	 Clear	SILEXPPSI	2C-1,2  1 FT KN €€	 EN166 FT €€	Anti-scratch/Anti-fog 
	 Smoke	SILEXPPSF	5-3,1  1 FT KN €€	 EN166 FT €€	Anti-scratch/Anti-fog 
	 CSP	SILEXPCSP	5-1,4  1 FT KN €€	 EN 166 FT €€	Anti-scratch/Anti-fog 
	 Clear (Small)	PSSSILP0402	2C-1,2  1 FT KN €€	 EN166 FT €€	Anti-scratch/Anti-fog 
	 Smoke (Small)	PSSSILP4262	5-3,1  1 FT KN €€	 EN166 FT €€	Anti-scratch/Anti-fog 
	 CSP	PSSSILPC092	5-1,4  1 FT KN €€	 EN 166 FT €€	Anti-scratch/Anti-fog 
	Strap (optional)	PSPUNISS01	-	-	-

## LENS MARKING


### Optical class symbols:

1. Continuous work

### Mechanical strength symbols:

- F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s  
Maximum protection for glasses.
- T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

### Others symbols:

- K.** Resistance to surface damage by fine particles
- N.** Resistance to fogging
- €€ European standard  Manufacturer name

## TECHNOLOGIES

### CSP

This innovating coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments.

### PLATINUM


The exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

## FRAME MARKING

**EN 166:** guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

**F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s  
Maximum protection for glasses.

**T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

€€ European standard  Manufacturer name

**Bollé Safety product approval certificates to CE standards will be sent on request.**

## CLEANING AND STORAGE

**CLEANING:** The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

**MAINTENANCE:** Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

**STORAGE:** All products must be stored in a dry and clean environment.

## PACKAGING AND EAN13 CODE

	SILEXPPSI	SILEXPPSF	SILEXPCSP	PSSSILP0402	PSSSILP4262	PSSSILPC092	PSPUNISS01
Individual plastic bag	3660740009526	3660740009533	3660740009540	3660740011673	3660740011680	3660740011697	3660740011970
inner box	3660740109523	3660740109530	3660740109547	3660740111670	3660740111687	3660740111694	3660740111977
outer pack	3660740209520	3660740209537	3660740209544	3660740211677	3660740211684	3660740211691	3660740211974

## CHARACTERISTICS

LENSES	PC - 2,2 mm - Curve 9
FRAME	-
TEMPLES	PC + TPR
STRAP	Nylon/15mm/Adjustable



Non-contractual pictures

01/05/2021

Europe Bollé Safety  
34 rue de la Soie  
69100 Villeurbanne - France  
Tél. : 00 33 (0) 4 78 85 23 64  
Fax : 00 33 (0) 4 78 85 28 56  
contact@bolle-safety.com

**bolle-safety.com**

U.K. Bollé Safety  
Unit C83 - Barwell Business Park Leatherhead Road - Chessington  
Surrey - KT9 2NY - UK  
Tél. : 00 44 (0)208 391 4700  
Fax : 00 44 (0)208 391 4733  
e-mail : uk@bollebrands.com

**bolle**  
SAFETY