United Kingdom Partners Where To Buy



PRODUCT NUMBER: 4580130 **DexPure 801-30**

Preparation of slightly greasy or non greasy products (fruits and vegetables, white meat). Cleaning and maintenance.

Honeywell

Overview

Reference Number

4580130

Product Type

Gloves

Range

Chemical Protection

Line

Disposable

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- AviationCatering
- Chemical Industries
- Food Industries

Q

- Industrial Cleaning
 Laboratory
 Maintenance Petro-chemical
 Printing Industries
- Water treatment

Product Use

Preparation of slightly greasy or non greasy products (fruits and vegetables, white meat). Cleaning and maintenance.

Features & Benefits

Feature

100% heavy disposable latex glove Powder free Raised pattern Rolled cuff

Benefit

COMFORT

Disposable glove for an excellent touch. Its patterned finish provides a better grip.

RESISTANCE

The glove is made from pure natural latex.

Regular controls ensure a very low residual protein rate.

The glove's mechanical resistance and thickness make it an economical alternative to the traditional reusable model.

HYGIENE

The glove is treated to prevent the development of bacteria.

Certified for contact with food.

Its non-powdered interior ensures the absence of a transfer of corn starch to foodstuffs and a low risk of allergy. Its blue colour, easy to detect, makes it suitable for the agrifood industry.

Technical Description

Description

CE CATEGORY: II Intermediary risks In accordance with standards: EN 420-2003 Basic standard

EN 374-2003 Chemical risks and against micro-organisms

EN 455 1&2 Non reusable medical glove CE regulation 1934/2004 : food contact

CHARACTERISTICS:

Heavy Unlined disposable glove, 100% latex

Powder free Raised pattern Rolled cuff

AQL 1,5

Product Technology

Dipped Gloves

Glove/liner color

Blue

Coating Type

Latex

Length

30 cm

Thickness

0,3 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 10

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	0
Cutting resistance (Coupe test)	1
Tear resistance	1
Puncture resistance	0
Cutting resistance (TDM test)	Х

EN ISO 374-1 Resistance to

Resistance to permeation by chemicals	Type C - C	
---------------------------------------	------------	--

Packaging Label

Tagging

CE HONEYWELL

4580130 XX EN 420 EN 374-2 EN 455

Certifications

EU Category PPE

3

EU Certification

CE Certificate

Additional Information

User Manual

UI 112

User Information Sheet

112

Maintenance

Storage Information

Minimum packaging 1 box of 50 gloves. Cartons of 10 boxes.

Instructions for use printed on the box.

Care Instructions

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.