



**PRODUCT NUMBER: 1035461**  
**Honeywell-North bayonet K1P3 cartridge**

The K1P3 cartridge is part of the wide range of cartridges offered to protect against many hazardous gases, vapors and/or particulates in many applications. The Honeywell-North range provides high quality and a cost-effective protection. The cartridges of Honeywell range are tested against standard EN14387.



## Overview

**Reference Number**

1035461

**Product Type**

Respiratory Protection

**Range**

Reusable APR

**Line**

Filter

**Brand**

Honeywell

**Industry**

- Agriculture
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Chemical Industries
- Foundry
- General Industry
- Glass Industries
- Green Spaces
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Paper Industries
- Ship Building
- Textile Industries
- Utilities
- Water treatment
- Welding
- Wood Industries

**Product Use**

Controls before use

Users must:

- Ensure that the level of protection offered by the respirator is sufficient for the type and concentration of contaminant(s) in the work area.
- Respect the shelf life figuring on the filter.
- Check the seal points.

## Features & Benefits

**Feature**

Low profile and lightweight

**Benefit**

Optimal comfort

**Feature**

Low profile

**Benefit**

Do not obstruct the field of vision

**Feature**

Bayonet connector

**Benefit**

Easy to attach and secure

**Feature**

Small opening

**Benefit**

Easy check up

**Technical Description**

**Filters Cartridges**

**Standard**

EN 14387:2004+A1:2008

**Protection Type**

Combination

**Protection Type Other**

Ammonia and derived vapours & particulates

**Connection Type**

Bayonet

**Protection Level**

K1P3

**Material**

ABS - Activated carbon - fiber glass paper

**Certifications**

**EU Category PPE**

3

**Quality Assurance**

ISO 9001 / 2000

**Certifications**

- EN 14387:2004+A1:2008

**REACH**

<b>EU Regulation 1907/2006 (REACH) Compliance</b>	
The substance(s) listed below may be contained in this product above the threshold level of 0.1% by weight of the listed article.	
<b>Product Reference Sold in Europe</b>	<b>Substance &gt; 0.1%</b>
<b>Substance Name</b>	<b>CAS Number</b>
No Substance Content	

**Maintenance**

**Life Cycle**

6 years

**Storage Information**

Filters should be stored in their original packaging in a cool, dry, non contaminated atmosphere. Storage under conditions other than those specified by the manufacturer may affect the shelf life.

Temperature range of storage conditions: -10°C/+40°C

Maximum humidity of storage conditions: 90% RH

**Care Instructions**

Conditions of use (temperature range, maximum humidity, etc.) :

Temperature range : -10°C/+40°C

Maximum humidity : 90% RH

Restrictions of use :

In an explosive atmosphere.

- If the concentration of oxygen is less than 19.5% by volume or in an oxygen enriched environment.
- If the package unsealed or damaged.

**Packaging**

**Quantity per Box/Pack/Case**

4 pairs

**Country of Origin**

Mexico