



PRODUCT NUMBER: 1031740
Honeywell Turbosield
Headgear

The Headgear for the Honeywell Turbosield pace protection system features patent-pending suspension cushioning and patented visor push button latch release mechanism.



Overview

Reference Number

1031740

Product Type

Eye and Face Protection

Range

Face Shields

Brand

Honeywell

Industry

- Automotive and Part Manufacturer
- Building and Construction
- Chemical Industries
- Food Industries
- Foundry
- General Industry
- Glass Industries
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Offshore
- Petro-chemical
- Ship Building

Product Use

The Honeywell Turbosield is perfect for workers exposed to falling or flying objects, impact, splash, UV and airborne debris. It can also be comfortably worn with most goggles, respirators and earmuffs.

Features & Benefits

Feature

Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear.

Benefit

Superior Comfort!

Feature

Simple push-button release system allows for easy visor exchange in seconds

Benefit

Easy and Quick Visor Exchange

Feature

Control knobs are large and ergonomically designed for easy adjustment - even while wearing gloves.

Benefit

Personalized, comfortable fit.

Feature

Breathable, removable, washable headband

Benefit

Better Hygiene

Feature

Smooth-pivoting action with positive stops in raised and lowered position

Benefit

Easier to use and to raise and lower on the job without struggling with lift and lower.

Technical Description

Eyewear Type

Visor

Shade Lens Color

Available Visors for use with the Turbosshield headgear are available in Clear, Gray, Shade 3.0 and Shade 5.0 Visor Shade Options. Also can be used with the Supervisor range of visors and various shade tints.

Lens Coating

Available visors for use with the Turbosshield headgear are available in Coated and Uncoated options.

Frame Color

Dark Gray shell material

Frame Material

Browguard Material is an ABS material while the Suspension material is Nylon 66

Frame Size

Overall Size is 279 mm x 225 mm x 135 mm Browguard dimensions are 178 mm x 225 mm x 109 mm

Dielectric

Yes

Certifications

EU Category PPE

2

EU Certification

C1519.6HON

Certifications

- EN 166

REACH

EU Regulation 1907/2006 (REACH) Compliance	
The substance(s) listed below may be contained in this product above the threshold level of 0.1% by weight of the listed article.	
Product Reference Sold in Europe	Substance > 0.1%
Substance Name	CAS Number
No Substance Content	

Literature & Documents

DOC3505_EYEW_DEP6_TurboShield_GB_c

http://www.honeywellsafety.com/supplementary/documents_and_downloads/4294984735/1033.aspx

Packaging

EAN Code

7312550317402

UPC Code/Box

17312550317409

Packaging Specs Individual Box

1 per polybag

Unit of Measure

each

Country of Origin

China