

RUSH+ SMALL

PANORAMIC AND SPORTY

The RUSH + small adopts an ultra-sporty design, is now available in a smaller size, for narrower faces.

 **PLATINUM**[®]



RUSHPSPSI



RUSHPSPSIP*



RUSHPSPSIS



RUSHPSPSFG



RUSHPSPSFL



RUSHPSCSPL



RUSHKITS
Strap only



RUSHKITFS
Kit foam & strap





26 g

Bi-colour & bi-material temples

- White / Blue
- White / Pink*
- Grey / Coral
- Grey / Green
- Grey / Yellow














































Non-slip adjustable bridge

- + UPPER PROTECTION**
- + CO-INJECTED, ULTRA-FLEX, BI-COLOUR TEMPLES**
- + NON-SLIP ADJUSTABLE BRIDGE**
- +  PLATINUM[®] COATING ()**

bolle
SAFETY

RUSH+ SMALL

PANORAMIC AND SPORTY

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
RUSH+ SMALL	 Clear	 RUSHPSPSI	2C-1.2  1 FT KN 	 EN166 FT 	Anti-scratch / Anti-fog 
	 Clear	 RUSHPSPSIP *	2C-1.2  1 FT KN 	 EN166 FT 	Anti-scratch / Anti-fog 
	 Clear	 RUSHPSPSIS	2C-1.2  1 FT KN 	 EN166 FT 	Anti-scratch / Anti-fog 
	 Smoke	 RUSHPSPSFG	5-3.1  1FT KN 	 EN166 FT 	Anti-scratch / Anti-fog 
	 Smoke	 RUSHPSPSFL	5-3.1  1FT KN 	 EN166 FT 	Anti-scratch / Anti-fog 
	 	 RUSHPSCSPL	5-1.4  1FT KN 	 EN166 FT 	Anti-scratch / Anti-fog 
	Strap only (option)	RUSHKITS	-	-	-
	Kit foam & strap	RUSHKITFS	-	-	-

LENS MARKING

Optical class symbols:

1. Continuous work

Mechanical strength symbols:



F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Others symbols:

K. Resistance to surface damage by fine particles

N. Resistance to fogging



 European standard  Manufacturer name

FRAME MARKING

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

 European standard  Manufacturer name

Bollé Safety product approval certificates to CE standards will be sent on request.

TECHNOLOGY

PLATINUM

This permanent coating on both sides of the lens gives them a high resistance to scratching, to the most aggressive chemicals and delays the onset of fogging. In all circumstances and at all times the PLATINUM® lens innovation guarantees your eyes improved protection.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



Non-contractual pictures

13/03/2019

Europe Bollé Safety
34 rue de la Soie
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : uk@bollebrands.com

bolle
SAFETY

RUSH+ SMALL

PANORAMIC AND SPORTY

PACKAGING AND EAN13 CODE

	RUSHPSPSI	RUSHPSPSIP *	RUSHPSPSIS	RUSHPSPSFG	RUSHPSPSFL	RUSHPSCSPL	RUSHKITS	RUSHKITFS
Individual plastic bag	3660740007454	3660740007591	3660740009267	3660740009182	3660740009335	3660740009199	3660740007546	3660740006488
10 safety spectacles per inner box	3660740107451	3660740107598	3660740109264	3660740109189	3660740109332	3660740109196	3660740107543	3660740106485
240 safety spectacles per outer pack	3660740207458	3660740207595	3660740209261	3660740209186	3660740209339	3660740209193	3660740207540	3660740206482

* Available while supplies last. Model replaced by RUSHPSPSIS.

CHARACTERISTICS

LENSES	PC - 2,2 mm - Curve 9
FRAME	-
TEMPLES	PC + TPR
STRAP	Nylon/15mm/Adjustable
FOAM	No
SPARE LENSES	No



Non-contractual pictures

13/03/2019

Europe Bollé Safety
34 rue de la Soie
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : uk@bollebrands.com

bolle
SAFETY