



Pro XP EVP Shift-Tek Billet Clutch Cover

SKU(s): 401FP0014

INCLUDED PARTS

(1) EVP Billet Clutch Cover


REQUIRED TOOLS

Torque Wrench

10mm Socket



Step 1: Remove the primary and secondary outer cover. Locate the primary clutch.



Step 2: Loosen all (6) M6 primary clutch cover bolts. Only take (3) all the way out. **NOTE:** Apply pressure to the primary clutch cover when removing the last (3) bolts.

Step 3: You will reuse the (6) OEM M6 bolts with the EVP Shift Tek Billet Cover.



Step 4: Torque the M6 bolts down to 100 in-lbs (8.3 ft-lbs).



Step 5: Install the primary and secondary outer cover.

Thank you for choosing Evolution Powersports products. If you require further assistance, please call our Tech Support @ (715) 247-3862

Note: *This product is exempt from the emission standards and related requirements of 40 C.F.R. § 1051 as provided by 40 C.F.R. § 1051.620, and California law [e.g., vehicle code §§ 27156 and 38391]. This product is sold only for use in connection with EPA certified, purpose-built, nonroad vehicles used solely for closed course, nonroad competition/racing and not used for any recreational purpose or on public highways or right of ways maintained by and open to the public. This product is sold only in connection with machines that do not fall under state and/or federal noise or emission standards/regulations. Purchasers who/that purchase this product represent and warrant that the product is purchased only in connection with EPA -certified, emission-regulations-exempt and noise-regulations-exempt competition/racing vehicles as interpreted under applicable state and/or federal law. Questions: Call Evolution Powersports at (715) 247-3862.*