



# Floodlight Cam Wired Plus vs. Floodlight Cam Wired Pro Comparison

	Floodlight Camera Wired Plus	Floodlight Camera Wired Pro
What's Included	Floodlight Camera Mounting Bracket Installation Tool Screws User Manual Security Sticker	Floodlight Camera Mounting Bracket Installation Tool Screws User Manual Security Sticker
Colour Options	Black White	Black White
Dimensions	11.00 in x 8.25 in x 7.00 in (or 28.00 cm x 21.00 cm x 17.80 cm)	12.82 in x 7.77 in x 8.50 in (or 32.60 cm. x 19.75 cm. x 21.70 cm)
Mounting Options	Wall Ceiling	Wall Ceiling
Power Supply	Hardwired (110-240 VAC)	Hardwired (100-240V)
Video Resolution	1080p	1080p
HDR?	No	Yes
Night Vision	Black and White	Colour
Field of View	140 Degrees Horizontal and 78 Degrees Vertical	140 Degrees Horizontal and 80 Degrees Vertical

	Floodlight Camera Wired Plus	Floodlight Camera Wired Pro
Lights	2x 3000 Degrees Kelvin with 1800 Lumens Floodlights	2x 3000 Degrees Kelvin with 2000 Lumen floodlights
Motion Detection Features	Standard Motion  Detection Customizable  Motion Zones	3D Motion Detection  Bird's Eye View  Customizable Motion
Audio Features	Two-Way Talk  Noise  Cancellation	Two-Way Talk  Audio+  Advanced Noise
Siren Features	Remote-  Activated 105	Remote-  Activated 110
Wi-Fi Connection	802.11 b/g/n Wi-Fi connection at 2.4 GHz	802.11 b/g/n/ac Wi-Fi connection at 2.4GHz and 5.0GHz
Recommended Internet Upload Speed	2 Mbps	2 Mbps
Ring App Features	Connected Devices  Live View  Privacy Control  Real-Time  Notifications Safety  Alerts	Connected Devices  Live View  Privacy Control  Real-Time  Notifications Safety  Alerts
Ring Protect Benefits	Extended Warranty and 10% Off  Flexible Payment Options  People Only Mode  Record and Capture	Extended Warranty and 10% Off  Flexible Payment Options  People Only Mode  Record and Capture

	Floodlight Camera Wired Plus	Floodlight Camera Wired Pro
	Rich Notifications	Rich Notifications
Weather Resistance?	Yes	Yes
Operating Temperature Range	-22°F to 120°F (or -30°C to 48.5°C)	-5°F to 118°F (or -20.5°C to 48°C)
Warranty	1-year limited warranty	1-year limited warranty