C & W Lure Coat

Replaces date: 08/04/2020 Revision date: 11/06/2021 Version: 1.0.1

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: C & W Lure Coat

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Varnish

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company: Nils Malmgren AB

Address: Box 2039
Zip code: 442 02
City: Ytterby
Country: SWEDEN

E-mail: info@nilsmalmgren.se Phone: +46 (0)303-93610

Homepage: http://www.nilsmalmgren.se

Contact person: Name: Jonny Augustsson, Phone: +46 (0)303 93610, E-mail: jonny@nilsmalmgren.se

Distributor

Company: Wolfcreek Lures AB Address: Östertorpsvägen 30

Zip code: 832 94
City: ORRVIKEN
Country: SWEDEN

E-mail: info@wolfcreeklures.com

Phone: 0704-328290

Homepage: www.wolfcreeklures.com

Contact person: Name: Anders Ulvforsen, Phone: 0704-328290

1.4. Emergency Telephone Number

+46 (0)704-328290 (Wolfcreek Lures)

112 or Local emergency number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

2.2. Label elements

Supplemental information

The product shall not be classified as hazardous according to the classification and labelling rules for substances and mixtures.

VOC: This product contains a maximum of 71 g VOC/L. The limit value is 140 g VOC/L (cat. A/i)

2.3. Other hazards

SECTION 3: Composition/information on ingredients

C & W Lure Coat

Replaces date: 08/04/2020 Revision date: 11/06/2021 Version: 1.0.1

3.2. Mixtures

| Substance | CAS No | EC No | REACH Reg. No. | Concentration | Notes | CLP- classification |
|--------------------------------------|-----------|-----------|----------------------|---------------|-------|--|
| ammonia 10 - <25 % | 1336-21-6 | 215-647-6 | 01-2119488876- 14 | 0 < 0.12% | | Skin Corr. 1B;H314 Eye Dam. 1;H318 STOT SE 3;H335 |
| 1,2- benzisothiazol- 3(2H)-one | 2634-33-5 | 220-120-9 | | 0 < 0.0012% | | Acute Tox. 4;H302 Skin Irrit. 2;H315 Skin Sens. 1;H317 Eye Dam. 1;H318 Aquatic Acute 1;H400 Aquatic Chronic 3;H412 |
| 2-Methyl-2H- isothiazol-3-one | 2682-20-4 | 220-239-6 | | 0 < 0.0012% | | Acute Tox. 3;H301 Acute Tox. 3;H311 Skin Corr. 1B;H314 Skin Sens. 1;H317 Eye Dam. 1;H318 STOT SE 3;H335 Aquatic Acute 1;H400 Aquatic Chronic 2;H411 |

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air.

Ingestion: Do not induce vomiting. Seek medical advice immediately.

Skin contact: Wash skin with soap and water. Seek medical advice in case of persistent discomfort.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

Extinguishing methods: Carbon dioxide may be inefficient on large fires.

5.2. Special hazards arising from the substance or mixture

Burns only in dry condition.

5.3. Advice for fire-fighters

Use supplied air respirator if substance is involved in a fire. Full protective clothing must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear suitable protective clothing. Wear gloves. Wear safety goggles if there is a risk of eye splash. Provide good ventilation.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

C & W Lure Coat

Replaces date: 08/04/2020 Revision date: 11/06/2021

Version: 1.0.1

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Rinse with water.

6.4. Reference to other sections

See section 8 for information on exposure controls and personal protection. See section 7 for handling and storage. See section 13 for waste treatment methods.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Containers should be kept tightly closed. All work must be carried out under well-ventilated conditions. Wash hands before breaks, before using restroom facilities, and at the end of work. Do not eat, drink or smoke during work. Avoid contact with skin and eyes. Put lids on containers immediately after use.

7.2. Conditions for safe storage, including any incompatibilities

Store frost-free. Keep in tightly closed original packaging.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

8.2. Exposure controls

Appropriate engineering

controls:

Provide good ventilation.

Personal protective equipment, Wear safety goggles/face protection. Eye protection must conform to EN 166. eye/face protection:

Personal protective equipment, Wear suitable protective clothing. skin protection:

Personal protective equipment, Wear gloves. Plastic or rubber gloves recommended. hand protection:

Personal protective equipment, Wear respiratory protection with combination filter during spraying operations (gas/particle respiratory protection: filter A2/P2).

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| 3.1. Illiorination on basic physics | 11. Information on basic physical and chemical properties | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|
| Parameter | Value/unit | | | | | | |
| State | Liquid. | | | | | | |
| Colour | White | | | | | | |
| Odour | Mild | | | | | | |
| Solubility | Miscible with water. | | | | | | |
| Explosive properties | No data | | | | | | |
| Oxidising properties | No data | | | | | | |

| Parameter | Value/unit | Remarks |
|---|------------|---------|
| pH (solution for use) | No data | |
| pH (concentrate) | ~ 9 | |
| Melting point | No data | |
| Freezing point | ~ 0 °C | |
| Initial boiling point and boiling range | No data | |

C & W Lure Coat

Replaces date: 08/04/2020 Revision date: 11/06/2021

Version: 1.0.1

| Flash Point | No data | |
|---------------------------------------|-----------|--|
| Evaporation rate | No data | |
| Flammability (solid, gas) | No data | |
| Flammability limits | No data | |
| Explosion limits | No data | |
| Vapour pressure | No data | |
| Vapour density | No data | |
| Relative density | No data | |
| Partition coefficient n-octonol/water | No data | |
| Auto-ignition temperature | No data | |
| Decomposition temperature | No data | |
| Viscosity | ~ 0.4 Pas | |
| Odour threshold | No data | |

9.2 Other information

| Parameter | Value/unit | Remarks |
|-----------|---------------|---------|
| Density | ~ 1.03 kg/dm³ | |
| VOC | 71g/l | |

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Partially soluble in water.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

In a fire, heavy black smoke is emitted and this may be harmful to health.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ammonia 10 - <25 %, cas-no 1336-21-6

| Organism | Organism Test Type | | ure time Value | | Test method | Source |
|----------|--------------------|--|----------------|--|-------------|--------|
| Rat | LD50 | | 3500 mg/kg | | | |

1,2-benzisothiazol-3(2H)-one, cas-no 2634-33-5

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------------|------------|-------------|--------|
| Rat | LD50 | | 675.3 mg/kg | | | |

2-Methyl-2H-isothiazol-3-one, cas-no 2682-20-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------|------------|-------------|--------|
| Rat | LD50 | | 183 mg/kg | | | |

May cause nausea and vomiting.

Acute toxicity - dermal

2-Methyl-2H-isothiazol-3-one, cas-no 2682-20-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|-------------|--------|
| | | | | | | |

C & W Lure Coat

Replaces date: 08/04/2020 Revision date: 11/06/2021 Version: 1.0.1

Rat LD50 245 mg/kg

May be slightly irritating on protracted or repeated exposure.

Acute toxicity - inhalation: Grinding dust or spray mist may cause irritation.

Serious eye damage/eye

May cause temporary problems such as smarting, pains and redness.

irritation:

SECTION 12: Ecological information

12.1. Toxicity

1,2-benzisothiazol-3(2H)-one, cas-no 2634-33-5

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------------------|---------------|-----------|----------|------------|-------------|--------|
| Fish | Oncorhynchus mykiss | 96h | LC50 | 1.9 mg/l | | | |

2-Methyl-2H-isothiazol-3-one, cas-no 2682-20-4

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|---------------------------|---------------|-----------|----------------|------------|-------------|--------|
| Fish | Oncorhynchus mykiss | 96h | LC50 | 4.77 mg/l | | | |
| Crustacea | Daphnia magna | 48h | LC50 | 0.93 - 1.9mg/l | | | |
| ΙΔΙΛΊΑ | Selenastrum capricornutum | 712h | EC50 | 0.158 mg/l | | | |

Bactericidal effect. Ecotoxilogical information for the product is not available.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

ammonia 10 - <25 %, cas-no 1336-21-6

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | Log Pow | 0.23 | | | |

Not bioaccumulating in water environments

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

Not applicable

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Uncleansed packaging is to be disposed of via the local waste-removal scheme. Avoid release to the environment.

Category of waste: 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

20 01 28 paint, inks, adhesives and resins other than those mentioned in 20 01 27

SECTION 14: Transport information

5/7

C & W Lure Coat

Replaces date: 08/04/2020 Revision date: 11/06/2021

Version: 1.0.1

14.2. UN proper shipping

14.3. Transport hazard

Not applicable. Not applicable. 14.4. Packing group: 14.5. Environmental

Not applicable. Not applicable.

name:

14.1. UN-No.:

hazards: Not applicable.

class(es):

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: This product is assessed and classified in accordance with the requirements of the

European Parliament and Council Regulation (EC) No 1272/2008 and subsequent

amendments.

15.2. Chemical Safety Assessment

SECTION 16: Other information

Version history and indication of changes

| Version | Revision date | Responsible | Changes |
|---------|---------------|------------------|----------|
| 1.0.1 | 11/06/2021 | Nils Malmgren AB | Pt 3 |
| 1.0.0 | 08/04/2020 | Nils Malmgren AB | Approved |

Abbreviations: ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by

Road)RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)IMDG: International Maritime Code for Dangerous GoodsIATA: International Air Transport AssociationIATA-DGR: Dangerous Goods Regulations by the

"International Air Transport Association" (IATA)ICAO: International Civil Aviation OrganizationICAO-TI: Technical Instructions by the "International Civil Aviation

Organization" (ICAO)GHS: Globally Harmonized System of Classification and Labelling of

ChemicalsEINECS: European Inventory of Existing Commercial Chemical

SubstancesCAS: Chemical Abstracts Service (division of the American Chemical

Society)DNEL: Derived No-Effect Level (REACH)PNEC: Predicted No-Effect Concentration

(REACH)LC50: Lethal concentration, 50 percentLD50: Lethal dose, 50 percent

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

| H301 | Toxic if swallowed. | |
|------|----------------------------|--|
| H302 | Harmful if swallowed. | |
| H311 | Toxic in contact with skir | |

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eve damage.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

SDS is prepared by

C & W Lure Coat

Revision date: 11/06/2021 Version: 1.0.1 Replaces date: 08/04/2020

Company: Nils Malmgren AB, Miljöavdelningen

Country: SWEDEN

Document language: GB