



Q Acoustics E120

Bluetooth DAB+/FM Installed Hi-Fi

Superior-sounding, zero clutter install wireless hi-fi system for any room in the home.

Leading audio specialist Q Acoustics introduces the E120, an install wireless hi-fi system for any room in a home or property. Drawing on the company's rich audio expertise, the E120 continues Q Acoustics' exemplary credentials of designing class-leading, award-winning loudspeakers and wireless music systems.

Pair the convenient wall-mounting E120 with Q Acoustics' range of discreet in-ceiling or in-wall speakers and homeowners can experience a zero clutter, wireless home hi-fi system, powerful enough to fill any room with dynamic and superior audio - the perfect case of hearing but not seeing.







Q Acoustics E120 key features include:

- Easy wall-mounting installation in any room in a home or property.
- Zero clutter design pair with discreet Q Acoustics in-ceiling and in-wall speakers.
- High-quality built-in class D stereo amplifier serving up 2 x 25W of power.
- IP54-rating makes it suitable for kitchen and bathroom installations.
- Features Bluetooth 5.0 for wireless streaming of music from a compatible device.
- Built-in DAB+ and FM radio with one-touch presets.
- Touch sensitive controls and splash proof remote control supplied.
- Sharp 3.2-inch colour display.
- Boasts digital and analogue inputs for connection of audio sources such as the TVaudio and a subwoofer.

E120 with Q Acoustics in-ceiling and in-wall speaker recommended combinations:

E120 & Q i65RP Performance in-wall speakers for a discrete hi-fi.

E120 & Q i65CW Weatherproof in-ceiling speakers for showers, bathrooms and veranda.

E120 & Q i65C Professional in-ceiling speakers for most indoor applications, including commercial.

E120 & Q i65EW Weatherproof on-wall speakers for gardens and veranda (wall mount the E120 by the exit to the garden or veranda).

















Technical specification:

Audio Sources: DAB / DAB+ / FM with RDS

Bluetooth: Version 5.0, A2DP

Analogue input:

Type: 3.5mm stereoSensitivity: 350mVMax level: 1.5V

Impedence: 10k ohm

Optical input:

Type: mini TOSLINKResolution: 16bit 48kHz

Speaker outputs: Left & right, stereo or dual mono

Analogue line:

Type: 3.5mm stereo
Modes: Fixed or variable
Max level: 670mV

Amplifier:

Type: Class D

Continuous power: 2 x 25W @ 6ohm

THD: 0.07% @ 1W / 0.2% @ rated power

SNR: >75dB @ Rated power

Frequency response: 20Hz - 20kHz +/- 1dB

IP ratings:

E120 wall panel: IP54Splash proof remote: IP54

Product codes and prices:

QI0120 Q E120 System Pack Black £399.00 QI0122 Q E120 System Pack White £399.00

Control:

Touch sensitive buttons

Infra-red remote control

Bluetooth AVRCP v1.6: Play, pause, skip, track, artist, album name

Menu languages:

English, German, Dutch, French, Danish, Spanish, Italian, Norwegian, Polish, Finnish

Alarms: x2 once, daily, weekdays, weekends

Power supply:

Input: 100 - 240V AC 50/60 HzOutput : 22V DC 1.5amps

• Dimensions (HxWxD): 30mm x 50mm x 115mm

Power consumption:

Typical: 10WStandby: <1W

• Deep standby: <0.5W

Wall panel

Net weight: 0.251kg

Dimensions (HxWxD): 91mm x 151mm x 33mm

Speaker cable:

Gauge 19 AWGLengths: 2 x 7m

DC extension:

Gauge: 16 AWGLengths: 5m

Connectors: 5.5mm x 2.5mm DC male / 5.5mm x 2.5mm DC female

Please contact your local Areas Sales Manager for further information.

E: sales@armourhome.co.uk T: +44 (0)1279 50 11 11