

December 20, 2019

DT BRANDS CO
 1240 6th Sreet
 Berkeley, CA 94107

Order No. 510412
 Sample No. 1040560

SAMPLE INFORMATION

Description Coconut Pineapple
Lot Number Best by 11252020
Category (Type) Edible
Received December 12, 2019

ANALYTICAL RESULTS

Analysis Pesticide Residue Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date December 12, 2019 to December 20, 2019

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.20/0.50	ND	0.2	Pass
Paclbutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass
Acetochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Alachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb Sulfone	0.04-0.20 / 0.1-0.5	ND	-	-
Aldicarb sulfoxide*	0.04-0.20 / 0.1-0.5	ND	-	-
Aldrin*	0.04-0.20 / 0.1-0.5	ND	-	-
Atrazine	0.04-0.20 / 0.1-0.5	ND	-	-
Benfluralin	0.04-0.20 / 0.1-0.5	ND	-	-
BHC alpha	0.04-0.20 / 0.1-0.5	ND	-	-
BHC beta	0.04-0.20 / 0.1-0.5	ND	-	-
Bitertanol	0.04-0.20 / 0.1-0.5	ND	-	-
Buprofezin	0.04-0.20 / 0.1-0.5	ND	-	-
Carbendazim (MBC)	0.04-0.20 / 0.1-0.5	ND	-	-
Carfentrazone ethyl	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

page 2 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Chlorobenzilate	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorotoluron	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpropham	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorpyrifos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Chlorthiophos	0.04-0.20 / 0.1-0.5	ND	-	-
Clethodim	0.04-0.20 / 0.1-0.5	ND	-	-
Clomazone	0.04-0.20 / 0.1-0.5	ND	-	-
Clothianidin	0.04-0.20 / 0.1-0.5	ND	-	-
Cyazofamid*	0.04-0.20 / 0.1-0.5	ND	-	-
Cymoxanil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyprodinil*	0.04-0.20 / 0.1-0.5	ND	-	-
Cyromazine	0.04-0.20 / 0.1-0.5	ND	-	-
DCPA (Dacthal)	0.04-0.20 / 0.1-0.5	ND	-	-
Diallate	0.04-0.20 / 0.1-0.5	ND	-	-
Dieldrin	0.04-0.20 / 0.1-0.5	ND	-	-
Diflubenzuron	0.04-0.20 / 0.1-0.5	ND	-	-
Dimethachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Diniconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Dinotefuran	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenamid	0.04-0.20 / 0.1-0.5	ND	-	-
Diphenylamine (DPA)	0.04-0.20 / 0.1-0.5	ND	-	-
Diuron	0.04-0.20 / 0.1-0.5	ND	-	-
Esfenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Ethalfuralin	0.04-0.20 / 0.1-0.5	ND	-	-
Ethylan	0.04-0.20 / 0.1-0.5	ND	-	-
Etridazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Fenarimol	0.04-0.20 / 0.1-0.5	ND	-	-
Fenbuconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Fenpropimorph	0.04-0.20 / 0.1-0.5	ND	-	-
Fenthion	0.04-0.20 / 0.1-0.5	ND	-	-
Fenvalerate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluazifop-P-butyl	0.04-0.20 / 0.1-0.5	ND	-	-
Flubendiamide	0.04-0.20 / 0.1-0.5	ND	-	-
Fluchloralin	0.04-0.20 / 0.1-0.5	ND	-	-
Flucythrinate	0.04-0.20 / 0.1-0.5	ND	-	-
Fluoxastrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Flusilazole	0.04-0.20 / 0.1-0.5	ND	-	-
Flutolanil	0.04-0.20 / 0.1-0.5	ND	-	-
Flutriafol	0.04-0.20 / 0.1-0.5	ND	-	-
Fonofos*	0.04-0.20 / 0.1-0.5	ND	-	-
Formetanate Hydrochloride	0.04-0.20 / 0.1-0.5	ND	-	-
Heptachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Hexachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Hexaconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Hexazinone	0.04-0.20 / 0.1-0.5	ND	-	-
3-Hydroxycarbofuran	0.04-0.20 / 0.1-0.5	ND	-	-
Indoxacarb*	0.04-0.20 / 0.1-0.5	ND	-	-
Isazophos	0.04-0.20 / 0.1-0.5	ND	-	-
Isopropalin	0.04-0.20 / 0.1-0.5	ND	-	-
Isoproturon	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

page 3 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Lindane	0.04-0.20 / 0.1-0.5	ND	-	-
Linuron*	0.04-0.20 / 0.1-0.5	ND	-	-
Mandipropamid	0.04-0.20 / 0.1-0.5	ND	-	-
Methamidophos	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxychlor*	0.04-0.20 / 0.1-0.5	ND	-	-
4-4'-Methoxychlor olefin	0.04-0.20 / 0.1-0.5	ND	-	-
Methoxyfenozide	0.04-0.20 / 0.1-0.5	ND	-	-
Metolachlor	0.04-0.20 / 0.1-0.5	ND	-	-
MGK 264*	0.04-0.20 / 0.1-0.5	ND	-	-
Mirex*	0.04-0.20 / 0.1-0.5	ND	-	-
Novaluron	0.04-0.20 / 0.1-0.5	ND	-	-
5-OH Thiabendazole*	0.04-0.20 / 0.1-0.5	ND	-	-
Omethoate*	0.04-0.20 / 0.1-0.5	ND	-	-
Oxadiazon	0.04-0.20 / 0.1-0.5	ND	-	-
Oxyflourfen	0.04-0.20 / 0.1-0.5	ND	-	-
Parathion	0.04-0.20 / 0.1-0.5	ND	-	-
Pebulate*	0.04-0.20 / 0.1-0.5	ND	-	-
Penconazole	0.04-0.20 / 0.1-0.5	ND	-	-
Pendimethalin	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachloroanisole	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzene	0.04-0.20 / 0.1-0.5	ND	-	-
Pentachlorobenzonitrile	0.04-0.20 / 0.1-0.5	ND	-	-
2-Phenylphenol	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimicarb	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos-ethyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pirimiphos methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Pretilachlor	0.04-0.20 / 0.1-0.5	ND	-	-
Prochloraz*	0.04-0.20 / 0.1-0.5	ND	-	-
Procymidone	0.04-0.20 / 0.1-0.5	ND	-	-
Propamocarb	0.04-0.20 / 0.1-0.5	ND	-	-
Propargite	0.04-0.20 / 0.1-0.5	ND	-	-
Propisochlor	0.04-0.20 / 0.1-0.5	ND	-	-
Propyzamide	0.04-0.20 / 0.1-0.5	ND	-	-
Prothiofos	0.04-0.20 / 0.1-0.5	ND	-	-
Pymetrozine	0.04-0.20 / 0.1-0.5	ND	-	-
Pyraclostrobin	0.04-0.20 / 0.1-0.5	ND	-	-
Pyrimethanil	0.04-0.20 / 0.1-0.5	ND	-	-
Pyriproxyfen	0.04-0.20 / 0.1-0.5	ND	-	-
Quinalphos	0.04-0.20 / 0.1-0.5	ND	-	-
Quintozene	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfentrazone	0.04-0.20 / 0.1-0.5	ND	-	-
Sulfotep	0.04-0.20 / 0.1-0.5	ND	-	-
Tau-Fluvalinate	0.04-0.20 / 0.1-0.5	ND	-	-
Tebufozide	0.04-0.20 / 0.1-0.5	ND	-	-
Tecnazene	0.04-0.20 / 0.1-0.5	ND	-	-
Tefluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Terbutylazine	0.04-0.20 / 0.1-0.5	ND	-	-
Tetrachloroaniline	0.04-0.20 / 0.1-0.5	ND	-	-
Tetradifon	0.04-0.20 / 0.1-0.5	ND	-	-

If there are any questions with this report, please contact "compliance@anresco.com".

page 4 of 5

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Thiobencarb	0.04-0.20 / 0.1-0.5	ND	-	-
Tolclofos-methyl	0.04-0.20 / 0.1-0.5	ND	-	-
Transfluthrin	0.04-0.20 / 0.1-0.5	ND	-	-
Triadimefon	0.04-0.20 / 0.1-0.5	ND	-	-
Triallate	0.04-0.20 / 0.1-0.5	ND	-	-
Trichlorfon	0.04-0.20 / 0.1-0.5	ND	-	-
Tricyclazole	0.04-0.20 / 0.1-0.5	ND	-	-
Triflumizole	0.04-0.20 / 0.1-0.5	ND	-	-
Trifluralin	0.04-0.20 / 0.1-0.5	ND	-	-
Vamidothion	0.04-0.20 / 0.1-0.5	ND	-	-
Vinclozolin	0.04-0.20 / 0.1-0.5	ND	-	-

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection




Eric Tam
Senior Chemist

December 20, 2019

If there are any questions with this report, please contact "compliance@anresco.com".

page 5 of 5