

Prepared for:
Crested River Cannabis Company

79 Vernon Ave
Morgan, MN USA 56266

Root Beer

Batch ID or Lot Number: 230622.2	Test: Potency	Reported: 24Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000252934	Started: 22Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 21Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.237	0.600	ND	ND	# of Servings = 1, Sample Weight=473g
Cannabichromenic Acid (CBCA)	0.217	0.548	ND	ND	
Cannabidiol (CBD)	0.708	1.733	8.660	0.00	
Cannabidiolic Acid (CBDA)	0.726	1.778	ND	ND	
Cannabidivarin (CBDV)	0.167	0.410	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.303	0.742	ND	ND	
Cannabigerol (CBG)	0.135	0.340	ND	ND	
Cannabigerolic Acid (CBGA)	0.563	1.423	ND	ND	
Cannabinol (CBN)	0.176	0.444	ND	ND	
Cannabinolic Acid (CBNA)	0.384	0.971	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.670	1.695	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.609	1.540	8.230	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.539	1.364	ND	ND	
Tetrahydrocannabivarin (THCV)	0.122	0.310	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.476	1.203	ND	ND	
Total Cannabinoids			16.890	0.00	
Total Potential THC			8.230	0.00	
Total Potential CBD			8.660	0.00	

Final Approval



Karen Winternheimer
24Aug2023
09:06:00 AM MDT

PREPARED BY / DATE



Sam Smith
24Aug2023
09:07:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ed25d019-7dc6-4ba0-a996-77659d5444fa>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
ed25d0197dc64ba0a99677659d5444fa.1