


Product Brochure

Bonsaii provides workplace solutions for a world with customer's satisfied office appliance and professional service



Bonsaii is a part of Bonsen Electronic,LTD., which specializes in shredders, binding machines, money counting machines, electric staplers and other office machinery.

Bonsen is the biggest shredder manufacturer in the world with employees of nearly 1,500 and plants of over 70,000 square meters. We research & develop, design, manufacture and sell our products in more than 50 countries and serving 1 billion customers around the world. Our widely recognized brands include Bonsaii, Bonsen, Bonsenkitchen, Fresko and many others. What really drives us is our unyielding passion for pursuing reliable and valuable products to meet the customer's different demands.



Personal use



C209-D



C220-A



C204-C

| | | | |
|----------------------------|--|--|--|
| Sheet Capacity | 10 | 12 | 6 |
| Cut Type | cross-cut | cross-cut | cross-cut |
| Cut Size | 13/64×1-37/64 inches (5x40mm) | 5/32×1-37/64 inches (4x40mm) | 5/32×1-25/32 inches (4 x 45mm) |
| Run Time | 4 minutes | 5 minutes | 4 minutes |
| Jam Prevention | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions |
| Bin Type | 5.5-gallon bin; lift-up design | 3.5-gallon bin; pull-out design | 3.5-gallon bin; lift-up design |
| Also Shreds | paper clips/staples & credit cards | credit cards/paper clips & staples | staples & credit cards |
| Intelligent Control | overheat & overload protection system | overheat & overload protection system | overheat & overload protection system |



C234-B



C234-A



C237-B

| | | | |
|----------------------------|--|--|--|
| Sheet Capacity | 8 | 6 | 6 |
| Cut Type | cross-cut | micro-cut | cross-cut |
| Cut Size | 13/64×45/64 inches (5×18mm) | 5/32×25/64 inches (4×10mm) | 13/64×1-37/64 inches (5×40mm) |
| Run Time | 4 minutes | 4 minutes | 4 minutes |
| Jam Prevention | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions |
| Bin Type | 2.9-gallon bin; lift-up design | 2.9-gallon bin; lift-up design | 3.5-gallon bin; lift-up design |
| Also Shreds | paper clips/staples & credit cards | paper clips/staples & credit cards | credit cards/ paper clips & staples |
| Intelligent Control | overheat & overload protection system | overheat & overload protection system | overheat & overload protection system |



C206-D



C170-C



S120-C

| | | | |
|----------------------------|--|--|--|
| Sheet Capacity | 8 | 12 | 8 |
| Cut Type | micro-cut | cross-cut | strip-up |
| Cut Size | 5/32×25/64 inches (4×10mm) | 13/64×49/64 inches (5×45mm) | 15/64×11-44/64 inches (6×297mm) |
| Run Time | 5 minutes | 5 minutes | 3 minutes |
| Jam Prevention | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions |
| Bin Type | 4-gallon bin; pull-out design | 3-gallon bin; lift-up design | 3.5-gallon bin; pull-out design |
| Also Shreds | credit cards/ paper clips & staples | credit cards/ paper clips & staples | credit cards, CDs & staples |
| Intelligent Control | overheat & overload protection system | overheat & overload protection system | overheat & overload protection system |



C156-C

Sheet Capacity

8

Cut Type

micro-cut

Cut Size

5/32×25/64 inches (4 x 10mm)

Run Time

4 minutes

Jam Prevention

auto-start/stop &
manual-reverse functions

Bin Type

5.5-gallon bin; lift-up design

Also Shreds

paper clips/credit cards & staples

Intelligent Control

overheat & overload
protection system



C220-B

10

micro-cut

5/32×25/64 inches (4x10mm)

5 minutes

auto-start/stop &
manual-reverse functions

3.5-gallon bin; pull-out design

staples/paper clips & credit cards

overheat & overload
protection system

Home/small office use



C139-A



C139-B



C169-B

| | | | |
|----------------------------|--|--|--|
| Sheet Capacity | 6 | 12 | 14 |
| Cut Type | micro-cut | cross-cut | cross-cut |
| Cut Size | 5/64×25/64 inches (2 x 10mm) | 5/32×1-6/16 inches (4 x 35mm) | 13/64×1-37/64 inches (5×40mm) |
| Run Time | 60 minutes | 60 minutes | 30 minutes |
| Jam Prevention | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions |
| Bin Type | 4.2-gallon pull-out bin;0.37-gallon bin for CD & credit card pieces collection | 4.2-gallon pull-out bin; 0.37-gallon separate bin for CD/DVD & credit card pieces collection | 4.8-gallon bin;pull-out design |
| Also Shreds | credit cards/CDs & staples | credit cards/CDs/paper clips & staples | staples/credit cards & paper clips |
| Noise Level | ≤58dB | ≤58dB | ≤58dB |
| Intelligent Control | overheat & overload protection system; air cooling system | overheat & overload protection system | overheat & overload protection system |



C221-A



C221-B

Sheet Capacity

15

Cut Type

cross-cut

Cut Size

5/32×1-6/16 inches (4×35mm)

Run Time

30 minutes

Jam Prevention

auto-start/stop &
manual-reverse functions

Bin Type

5.3-gallon bin; pull-out design

Also Shreds

credit cards/paper clips & staples

Intelligent Control

overheat & overload
protection system

12

micro-cut

5/32×25/64 inches (4×10mm)

30 minutes

auto-start/stop &
manual-reverse functions

5.3-gallon bin; pull-out design

staples/credit card & paper clips

overheat & overload
protection system

Heavy-duty use



C149-C



C222-A



C149-D

| | | | |
|----------------------------|--|--|--|
| Sheet Capacity | 18 | 20 | 14 |
| Cut Type | cross-cut | cross-cut | micro-cut |
| Cut Size | 13/64×1-3 inches 7/64 (5 x 40mm) | 5/32×1-37/64 inches (4 x 40mm) | 5/32×25/64 inches (4×10mm) |
| Run Time | 60 minutes | 20 minutes | 60 minutes |
| Jam Prevention | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions |
| Bin Type | 6-gallon bin; pull-out design | 6.6-gallon bin; pull-out design | 6-gallon bin; pull-out design |
| Also Shreds | credit cards/ paper clips & staples | credit cards/CDs/paper clips & staples | credit cards/paper clips & staples |
| Noise Level | ≤62dB | ≤60dB | ≤62dB |
| Intelligent Control | overheat & overload protection system | overheat & overload protection system;cooling system | overheat & overload protection system |



C141-A



C141-C



C141-B

| | | | |
|----------------------------|--|---|---|
| Sheet Capacity | 18 | 5 | 10 |
| Cut Type | cross-cut | micro-cut | micro-cut |
| Cut Size | 5/32×1-6/16inches (4x35mm) | 3/64×15/64 inches (1 x 6mm) | 5/64×25/64 inches (2 x 10mm) |
| Run Time | 240 minutes(9 minutes cool down time) | 240 minutes (9 minutes cool down time) | 240 minutes (9 minutes cool down time) |
| Jam Prevention | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions |
| Bin Type | 7.9- gallon bin;pull-out design | 7.9-gallon pull-out bin;0.37-gallon separate bin for CD/DVD & credit card pieces collection | 7.9-gallon pull-out bin;0.37-gallon separate bin for CD/DVD & credit card pieces collection |
| Also Shreds | CDs/credit cards/clips & staples | credit cards/CDs/ paper clips & staples | credit cards/CDs & staples |
| Noise Level | ≤58dB | ≤58dB | ≤58dB |
| Intelligent Control | overheat & overload protection system | overheat & overload protection system;cooling system | overheat & overload protection system;cooling system |



C140-A



C140-B



C222-B

| | | | |
|----------------------------|--|--|---|
| Sheet Capacity | 8 | 14 | 16 |
| Cut Type | micro-cut | cross-cut | micro-cut |
| Cut Size | 5/64×25/64 inches (2×10mm) | 5/32×1-6/16 inches (4 x 35mm) | 5/32×25/64 inches (4 x 10mm) |
| Run Time | 120 minutes(9 minutes cool down time) | 120 minutes (9 minutes cool down time) | 20 minutes |
| Jam Prevention | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions | auto-start/stop & manual-reverse functions |
| Bin Type | 6-gallon pull-out bin; 0.37-gallon separate bin for CD & credit card pieces collection | 6-gallon pull-out bin; 0.37-gallon separate bin for CD & credit card pieces collection | 6.6-gallon bin; pull-out design |
| Also Shreds | credit cards/CDs & staples | credit cards/CDs/ paper clips & staples | credit cards/ paper clips & staples |
| Noise Level | ≤58dB | ≤58dB | ≤60dB |
| Intelligent Control | overheat & overload protection system; cooling system | overheat & overload protection system; cooling system | overheat & overload protection system; cooling system |

Shredder Lubricant sheets & Oil

Shredder Lubricant is to clean shredder blades, which help to prevent paper jams and maintain high performance



**Bonsai Shredder
Lubricant Sheets**



**Bonsai Shredder
Lubricant Oil**



**Bonsai Shredder
Lubricant Oil**


Cooperation customers



Advantages



Sino-German Cooperation by introducing innovative technologies




High security grade in keeping information confidential



Patented cooling technology for high performance continuous shredding

Bonsai business involves different markets around the world



Bonsai by D.Gerth GmbH

4198 Industry Way, Flowery Branch, GA, 30542, USA

For Additional Information Contact

Email: support@bonsaii.com

www.bonsaii.com