

COMMERCIAL

FREEWEIGHTS

BROCHURE



COMMERCIAL FREEWIGHTS

FEATURES

With the sleek lines of European styling and durable American engineering, the CF Commercial Free weight line blends beauty with brawn. From adjustable benches to a Dual Action Smith Machine, each piece of CF equipment is geared towards optimal user performance and outstanding results. Features like effortless equipment adjustments, the option to perform multiple exercises on one machine and durable framework are sure to attract new members and keep current members coming back for more.

CONVENIENCE

- ◆ Ratcheting Adjuster System allows for quick and easy seat adjustments to accommodate varying user sizes
- ◆ Easy Step Through Design speeds up workout and allows for user to quickly enter/exit the machine
- ◆ Integrated Scuff Guards & Rubber Foot Protectors protect the machine's frame finish and facility floor
- ◆ Polyurethane Covers For Bar Rack-Outs provide protection for the Olympic Bar and reduce noise
- ◆ Permanently Anchor All CF Products in Place to maximize user safety.

COMFORT & DURABILITY

- ◆ Head Support & Oversized Handles provide a more comfortable and secure workout
- ◆ Large Radius Sweeps (Bands) add beauty as well as frame rigidity.
- ◆ Customizable Upholstery and frame color allows you to personalize your equipment to better fit the look of your facility

3-WAY OLYMPIC FLAT/INCLINE/DECLINE BENCH

CF-2179-B



SPECS

PRODUCT DIMENSIONS (L X W X H)

95.24" X 64.75" X 56.00" (242 cm X 164 cm X 142 cm)

PRODUCT WEIGHT

384 lbs (174 kg)

MAX EXERCISE WEIGHT

870 lbs (395 kg)

MAX STORAGE CAPACITY

1000 lbs (454 kg)

FEATURES

- ◆ 10 adjustable back pad positions from -15° to 30° in 5° increments to accommodate incline, flat and decline bench exercises
- ◆ Integrated dual position foot rests to allow proper exercise positions
- ◆ 16 linear adjustments to accommodate varying user heights
- ◆ Spotter stand provides more leverage and better positioning
- ◆ Generous built in weight storage

FLAT/INCLINE BENCH

CF-3160



SPECS

PRODUCT DIMENSIONS (L X W X H)

53.00" X 33.00" X 20.00" (135 cm X 84 cm X 51 cm)

PRODUCT WEIGHT

104 lbs (47 kg)

MAX WEIGHT CAPACITY

1,000 lbs (454 kg)

FEATURES

- ◆ Six adjustable back pad positions from 0°, 15°, 30°, 45°, 60° and 80° for incline and flat bench exercises
- ◆ Five adjustable ratcheting seat positions accommodate varying user heights
- ◆ Thermoplastic polyurethane covers for back pad adjusters to reduce wear
- ◆ Integrated hand grip and wheels provide tilt 'n roll capability for easy storage

SUPER ADJUSTABLE FLAT/DECLINE BENCH

CF-3162



SPECS

PRODUCT DIMENSIONS (L X W X H)

61.75" X 30.75" X 27.75" (157 cm X 78 cm X 70 cm)

PRODUCT WEIGHT

97 lbs (44 kg)

MAX WEIGHT CAPACITY

1,000 lbs (454 kg)

FEATURES

- ◆ Five angled positions adjust in 5° increments from 0° to -20° for flat and decline bench exercises
- ◆ Multi-purpose design also allows for abdominal bench exercises
- ◆ Self-aligning roller pads accommodate varying leg lengths

FLAT BENCH

CF-3163



SPECS

PRODUCT DIMENSIONS (L X W X H)

51.25" X 32.75" X 16.95" (130 cm X 83 cm X 43 cm)

PRODUCT WEIGHT

53 lbs (24 kg)

MAX EXERCISE WEIGHT

1000 lbs (454 kg)

FEATURES

- ◆ Tripod frame design provides greater stability
- ◆ Removable non-skid foot pads

SUPER FLAT/INCLINE/DECLINE BENCH

CF-3165



SPECS

PRODUCT DIMENSIONS (L X W X H)

57.00" X 33.00" X 20.00" (145 cm X 84 cm X 51 cm)

PRODUCT WEIGHT

121 lbs (55 kg)

MAX WEIGHT CAPACITY

1,000 lbs (454 kg)

FEATURES

- ◆ Seven back pad positions adjust from -15°, 0°, 15°, 30°, 45°, 60° and 80° to accommodate flat, incline and decline bench exercises
- ◆ Gas-shock assisted seat easily adjusts into five seat positions for varying user heights
- ◆ Thermoplastic polyurethane covers for back pad adjusters to reduce wear
- ◆ Self-aligning roller pads provide leg support during exercises
- ◆ Integrated hand grip and wheels provide tilt 'n roll capability for easy storage

FLAT OLYMPIC BENCH

CF-3170-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

72.00" X 67.50" X 53.00" (183 cm X 171 cm X 135 cm)

PRODUCT WEIGHT

203 lbs (92 kg)

MAX EXERCISE WEIGHT

1000 lbs (454 kg)

MAX STORAGE CAPACITY

900 lbs (408 kg)

FEATURES

- ◆ Angled frame uprights match the natural arc of the exercise movement
- ◆ Two start / finish rack points for varying user heights
- ◆ Polyurethane covered bar rack-outs and weight racks to protect the Olympic Bar and frame
- ◆ Generous built in weight storage

INCLINE OLYMPIC BENCH

CF-3172-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

73.50" X 67.50" X 57.00" (187 cm X 171 cm X 145 cm)

PRODUCT WEIGHT

254 lbs (115 kg)

MAX EXERCISE WEIGHT

1000 lbs (454 kg)

MAX STORAGE CAPACITY

900 lbs (408 kg)

FEATURES

- ◆ Angled frame uprights match the natural arc of the exercise movement
- ◆ 30° angle on back pad for incline bench exercises
- ◆ Eight adjustable ratcheting seat positions to accommodate varying user heights
- ◆ Two start / finish rack points for varying user heights
- ◆ Polyurethane covered bar rack-outs and weight racks to protect the Olympic Bar and frame
- ◆ Integrated foot rests provide proper exercise alignment
- ◆ Generous built in weight storage

OLYMPIC DECLINE BENCH

CF-3177-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

84.00" X 67.50" X 53.00" (187 cm X 171 cm X 135 cm)

PRODUCT WEIGHT

240 lbs (109 kg)

MAX EXERCISE WEIGHT

1000 lbs (454 kg)

MAX STORAGE CAPACITY

900 lbs (408 kg)

FEATURES

- ◆ Angled frame uprights match the natural arc of the exercise movement
- ◆ -15° angle on back pad for decline bench exercises
- ◆ Adjustable and self-aligning leg roller pads to accommodate varying leg lengths
- ◆ Two start / finish rack points for varying user heights
- ◆ Polyurethane covered bar rack-outs and weight racks to protect the Olympic Bar and frame
- ◆ Generous built in weight storage

VERTICAL KNEE RAISE/DIP

CF-3252



SPECS

PRODUCT DIMENSIONS (L X W X H)

54.25" X 34.25" X 67.50" (138 cm X 87 cm X 171 cm)

PRODUCT WEIGHT

178 lbs (81 kg)

MAX EXERCISE WEIGHT

400 lbs (181 kg)

FEATURES

- ◆ Two sets of hand grips for dip and vertical knee raise exercises
- ◆ Angled arm rests offer stable positioning for vertical knee raise exercises
- ◆ Angled dip handles accommodate varying user widths
- ◆ Optional Fitness Tree CF-3962-A attachment provides additional exercises (sold separately)

AB BENCH

CF-3264



SPECS

PRODUCT DIMENSIONS (L X W X H)

63.00" X 30.00" X 46.75" (160 cm X 76 cm X 119 cm)

PRODUCT WEIGHT

132 lbs (60 kg)

MAX EXERCISE WEIGHT

800 lbs (363 kg)

FEATURES

- ◆ Seven adjustable angle positions ranging from 10° to -20° in 5° increments
- ◆ Easy to use, gas-shock assisted angle adjustments for flat, incline and decline exercise positions
- ◆ Self-aligning leg roller pads accommodate varying leg lengths

ANGLED LINEAR LEG PRESS

CF-3355

SPECS

PRODUCT DIMENSIONS (L X W X H)

93.00" X 60.50" X 71.00" (237 cm X 154 cm X 181 cm)

PRODUCT WEIGHT

634 lbs (288 kg)

MAX WEIGHT STORAGE

720 lbs (327 kg)

MAX EXERCISE WEIGHT

1000 lbs (454 kg)

FEATURES

- ◆ Back pad adjusts to five different positions
- ◆ Assist bar positioned on foot plate for easy entry/exit
- ◆ Dual 1/4 turn lock-outs for user safety
- ◆ Fully enclosed linear bearing allows for a smooth and quiet motion
- ◆ Polyurethane covered weight racks to protect frame and reduce noise
- ◆ Can accommodate up to 26 weight plates on integrated exercise weight horns
- ◆ Generous built in weight storage

HACK SQUAT

CF-3356



SPECS

PRODUCT DIMENSIONS (L X W X H)

84.75" x 60.50" x 52.00" (216 cm x 155 cm x 140 cm)

PRODUCT WEIGHT

494 lbs (224 kg)

MAX WEIGHT STORAGE

720 lbs (327 kg)

MAX EXERCISE WEIGHT

630 lbs (286 kg)

STARTING WEIGHT (UNLOADED)

88 lbs (40 kg)

FEATURES

- ◆ Space saving 42 degree design for a minimum footprint
- ◆ Pegs for adding resistance bands on both sides of the machine
- ◆ Fully enclosed linear bearings for smooth, quiet motion
- ◆ High Impact Polypropylene covered weight racks to protect frame and reduce noise
- ◆ Generous Integrated weight storage

POWER SQUAT

CF-3359



SPECS

PRODUCT DIMENSIONS (L X W X H)

65.25" x 64.50" x 63.25" (166 cm x 164 cm x 161 cm)

PRODUCT WEIGHT

340 lbs (154 kg)

MAX WEIGHT STORAGE

720 lbs (327 kg)

MAX EXERCISE WEIGHT

630 lbs (286 kg)

STARTING WEIGHT (UNLOADED)

67 lbs (30 kg)

FEATURES

- ◆ Ergonomically correct pad and footplate positions accommodate a wide range of users
- ◆ Space saving upright design for a minimum footprint
- ◆ Pegs for adding resistance bands on both sides
- ◆ Intuitive, easy-to-use lockout system for safety
- ◆ Sealed ball-bearing pivot for smooth and quiet motion
- ◆ High Impact Polypropylene covered weight horns to protect frame and reduce noise
- ◆ Generous Integrated weight storage

POWER CAGE

CF-3364-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

71.00" X 65.50" X 91.00" (180 cm X 167 cm X 231 cm)

PRODUCT WEIGHT

495 lbs (225 kg)

MAX WEIGHT STORAGE

940 lbs (426 kg)

MAX EXERCISE WEIGHT

540 lbs (245 kg)

FEATURES

- ◆ Adjustable safety tiers with 20 height positions spaced 2.5 inches apart
- ◆ Adjustable locking bar rack-outs
- ◆ Integrated pull-up station with rock climbing holds
- ◆ Polyurethane covered weight racks to protect frame and reduce noise
- ◆ Generous built in weight storage

HALF RACK

CF-3365



OPTIONAL ADD ONS:

- 4' SOUND DAMPENING WOOD PLATFORM (SOLD SEPARATELY)
- 6' SOUND DAMPENING WOOD PLATFORM (SOLD SEPARATELY)
- 6' SOUND DAMPENING RUBBER PLATFORM (SOLD SEPARATELY)

SPECS

PRODUCT DIMENSIONS (L X W X H)

66.50" X 67.88" X 97.81" (170 cm X 173 cm X 249 cm)

CF3365-PLATW-4:

116.33" X 96.10" X 98" (295 cm X 244 cm X 249 cm)

CF3365-PLATW-6:

140.33" X 96.10" X 3.00" (356 cm X 244 cm X 8 cm)

CF3365-PLATR-6:

131.90" X 96.00" X 0.7" (335 cm X 244 cm X 2 cm)

PRODUCT WEIGHT

611 lbs (277 kg)

MAX EXERCISE WEIGHT

875 lbs (397 kg)

MAX WEIGHT STORAGE

1260 lbs (572 kg)

FEATURES

- ◆ Non-Removable Counterbalanced Safety Arms * Patent Pending
- ◆ Non-Removable Easily Adjustable J-Hooks* Patent Pending
- ◆ Five pull-up/chin-up grip options including patented Flip 'N Grip® handles and rock-climbing grips
- ◆ Pegs for adding resistance bands on both sides
- ◆ TPU covered J-Hooks
- ◆ UHMW Shielding on safety tiers
- ◆ 20 available adjustment points at 3.5" increments with Non-Removable Counterbalanced Safety Arms for varying user heights

HALF RACK

CF-3365



OPTIONAL ADD ONS:

6' SOUND DAMPENING RUBBER PLATFORM (SOLD SEPARATELY)

SPECS

PRODUCT DIMENSIONS (L X W X H)

66.50" X 67.88" X 97.81" (170 cm X 173 cm X 249 cm)

(DIMENSIONS BELOW REPRESENT RUBBER PLATFORM COMBINED WITH MACHINE)

CF3365-PLATR-6*:

139.00" X 96.00" X 98.00" (353 cm X 244 cm X 249 cm)

PRODUCT WEIGHT

611 lbs (277 kg)

MAX EXERCISE WEIGHT

875 lbs (397 kg)

MAX WEIGHT STORAGE

1260 lbs (572 kg)

FEATURES

- ◆ Non-Removable Counterbalanced Safety Arms * Patent Pending
- ◆ Non-Removable Easily Adjustable J-Hooks* Patent Pending
- ◆ Five pull-up/chin-up grip options including patented Flip 'N Grip® handles and rock-climbing grips
- ◆ Pegs for adding resistance bands on both sides
- ◆ TPU covered J-Hooks
- ◆ UHMW Shielding on safety tiers
- ◆ 20 available adjustment points at 3.5" increments with Non-Removable Counterbalanced Safety Arms for varying user heights

6' SOUND DAMPENING RUBBER PLATFORM

CF-3365-PLATR-6



SPECS

PRODUCT DIMENSIONS (L X W X H)

131.90" X 96.00" X 0.7" (335 cm X 244 cm X 2 cm)

PRODUCT WEIGHT

213 lbs (97 kg)

FEATURES

- ◆ 18mm Waffle Bottom
- ◆ Rubber

4 FT WOODEN PLATFORM

CF-3359-PLATW-4



SPECS

PRODUCT DIMENSIONS (L X W X H)

116.33" X 96.10" X 3.00" (295 cm X 244 cm X 8 cm)

PRODUCT WEIGHT


PENDING

FEATURES

- ◆ Sound dampening
- ◆ Wood

6 FT WOODEN PLATFORM

CF-3359-PLATW-6



SPECS

PRODUCT DIMENSIONS (L X W X H)

140.33" X 96.10" X 3.00" (356 cm X 244 cm X 8 cm)

PRODUCT WEIGHT

PENDING

FEATURES

- ◆ Sound dampening
- ◆ Wood

SQUAT RACK

CF-3367-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

69.00" X 66.00" X 77.00" (175 cm X 168 cm X 196 cm)

PRODUCT WEIGHT

336 lbs (152 kg)

MAX WEIGHT STORAGE

900 lbs (408 kg)

MAX EXERCISE WEIGHT

1,000 lbs (454 kg)

FEATURES

- ◆ Five start / finish rack points for varying user heights
- ◆ Permanent safety tiers
- ◆ Front rack-outs for shoulder shrug and dead lift exercises
- ◆ Polyurethane covered bar rack-outs and weight-racks to protect the Olympic Bar and frame
- ◆ Generous built in weight storage

KNEELING LEG CURL

CF-3411



SPECS

PRODUCT DIMENSIONS (L X W X H)

47.00" X 53.00" X 52.75" (120 cm X 135 cm X 134 cm)

PRODUCT WEIGHT

244 lbs (111 kg)

MAX WEIGHT STORAGE

450 lbs (204 kg)

MAX EXERCISE WEIGHT

175 lbs (79 kg) - per horn (350 lb/159 kg total)

STARTING WEIGHT

11 lbs (5 kg) - per horn (22 lb/10 kg total)

FEATURES

- ◆ Kneeling configuration allows for easy alignment with the pivot point and focuses the resistance on the hamstrings throughout the movement
- ◆ Padded knee rest pivots from side to side and holds its position automatically
- ◆ Textured ergonomic grips and informational exercise placard
- ◆ Contoured pads for maximum comfort and support
- ◆ Sturdy commercial grade steel frame construction with a durable powder-coated finish
- ◆ High Impact Polypropylene covered weight horns to protect frame and reduce noise
- ◆ Generous built in weight storage

GLUTE THRUST

CF-3416



SPECS

PRODUCT DIMENSIONS (L X W X H)

66.50" X 55.50" X 37.75" (169 cm X 141 cm X 96 cm)

PRODUCT WEIGHT

308 lbs (140 kg)

MAX WEIGHT STORAGE

275 lbs (125 kg)

MAX EXERCISE WEIGHT

225 lbs (102 kg)
equal to 340 lbs at bar pad (154 kg)

STARTING WEIGHT (UNLOADED)

45 lbs (20 kg)

FEATURES

- ◆ The patented, 4-Bar support system keeps the knees bent, limiting the engagement of the quadriceps to focus on the glutes
- ◆ Oversized, adjustable pad ensures a comfortable and secure user experience
- ◆ Sealed ball-bearing pivots for a smooth and quiet motion
- ◆ High Impact Polypropylene covered weight horns to protect frame and reduce noise
- ◆ Generous built in weight storage

OLYMPIC PLATE TREE

CF-3443



SPECS

PRODUCT DIMENSIONS (L X W X H)

30.00" X 33.25" X 53.25" (76 cm X 84 cm X 135 cm)

PRODUCT WEIGHT

84 lbs (38 kg)

MAX WEIGHT STORAGE

1,500 lbs (680 kg)

FEATURES

- ◆ 8 impact-resistant plastic covered weight horns for easy storage
- ◆ Optional Olympic Bar Holders CF-OPT-02 (*Maximum 2 per unit - sold separately*)

4-SIDED OLYMPIC PLATE TREE

CF-3444



SPECS

PRODUCT DIMENSIONS (L X W X H)

45.00" X 45.00" X 51.25" (114 cm X 114 cm X 130 cm)

PRODUCT WEIGHT

123 lbs (56 kg)

MAX WEIGHT STORAGE

1,500 lbs (680 kg)

FEATURES

- ◆ 12 impact-resistant plastic covered weight horns for easy storage
- ◆ Optional Olympic Bar Holders CF-OPT-02 available (*Maximum two per unit - sold separately*)

1-TIER DUMBBELL RACK

CF-3461-1-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

98.27" X 27.00" X 29.00" (250 cm X 69 cm X 74 cm)

PRODUCT WEIGHT

170 lbs (77 kg)

MAX WEIGHT PER TIER

1,400 lbs (635 kg)

MAX WEIGHT STORAGE

1,400 lbs (635 kg)

FEATURES

- ◆ Stores up to 5 pairs of dumbbells on each tier
- ◆ Polypropylene covered weight saddles

2-TIER DUMBBELL RACK

CF-3461-2



SPECS

PRODUCT DIMENSIONS (L X W X H)

98.27" X 27.00" X 29.00" (250 cm X 69 cm X 74 cm)

PRODUCT WEIGHT

170 lbs (77 kg)

MAX WEIGHT PER TIER

1,400 lbs (635 kg)

MAX WEIGHT STORAGE

2,800 lbs (1,270 kg)

FEATURES

- ◆ Foot clearance under bottom tier for easy access and added safety
- ◆ Polypropylene covered weight saddles
- ◆ Stores up to 5 pairs of dumbbells on each tier (10 pairs total)

3-TIER DUMBBELL RACK

CF-3461-3



SPECS

PRODUCT DIMENSIONS (L X W X H)

98.20" X 27.25" X 38.63" (249 cm X 69 cm X 98 cm)

PRODUCT WEIGHT

268 lbs (122 kg)

MAX WEIGHT PER TIER

1,400 lbs (635 kg)

MAX WEIGHT STORAGE

4,200 lbs (1,905 kg)

FEATURES

- ◆ Foot clearance under bottom tier for easy access and added safety
- ◆ Polypropylene covered weight saddles
- ◆ Stores up to 5 pairs of dumbbells on each tier (15 pairs total)

2-TIER BEAUTY BELL RACK

CF-3462-2



SPECS

PRODUCT DIMENSIONS (L X W X H)

26.00" X 55.00" X 37.50" (66 cm X 140 cm X 95 cm)

PRODUCT WEIGHT

135 lbs (61 kg)

MAX WEIGHT PER TIER

400 lbs (181 kg)

MAX WEIGHT STORAGE

800 lbs (363 kg)

FEATURES

- ◆ Polypropylene covered weight saddles
- ◆ Designed to hold beauty bells up to 50 lbs (23 kg)
- ◆ Stores up to eight beauty bells on each tier (8 pairs total)

3-TIER BEAUTY BELL RACK

CF-3462-3



SPECS

PRODUCT DIMENSIONS (L X W X H)

26.00" X 55.00" X 37.50" (66 cm X 140 cm X 95 cm)

PRODUCT WEIGHT

157 lbs (71 kg)

MAX WEIGHT PER TIER

400 lbs (181 kg)

MAX WEIGHT STORAGE

1,200 lbs (544 kg)

FEATURES

- ◆ Foot clearance under bottom tier for easy access and added safety
- ◆ Polypropylene covered weight saddles
- ◆ Designed to hold beauty bells up to 50 lbs (23 kg)
- ◆ Stores up to eight beauty bells on each tier (12 pairs total)

BARBELL RACK

CF-3465-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

34.98" X 33.56" X 54.75" (89 cm X 85 cm X 139 cm)

PRODUCT WEIGHT

150 lbs (68 kg)

MAX WEIGHT STORAGE

1,500 lbs (680 kg)

FEATURES

- ◆ Upright frame design for easy access to barbells
- ◆ Polyurethane covers for bar rack-outs to protect the barbell and frame
- ◆ Ten barbell holders to organize all your bars

ACCESSORY RACK

CF-3466



SPECS

PRODUCT DIMENSIONS (L X W X H)

23.81" X 42.86" X 49.27" (60 cm X 109 cm X 125 cm)

PRODUCT WEIGHT

215 lbs (98 kg)

MAX WEIGHT STORAGE

1,000 lbs (454 kg)

FEATURES

- ◆ Ten bar rack outs for varying sized bars
- ◆ Two padded trays for loose accessories
- ◆ Polyurethane covers for bar rack-outs to protect the barbell and frame

PREACHER CURL

CF-3550



SPECS

PRODUCT DIMENSIONS (L X W X H)

46.70" X 33.69" X 36.52" (119 cm X 86 cm X 93 cm)

PRODUCT WEIGHT

87 lbs (39 kg)

MAX STORAGE

600 lbs (272 kg)

FEATURES

- ◆ 60° pad angle increases resistance while decreasing elbow strain
- ◆ Seven adjustable ratcheting seat positions to accommodate varying user heights
- ◆ Two bar rack-out positions
- ◆ Polyurethane covered bar rack-outs to protect the barbell and frame

STANDING PREACHER CURL

CF-3555

SPECS

PRODUCT DIMENSIONS (L X W X H)

43.39" X 32.00" X 39.21" (110 cm X 81 cm X 100 cm)

PRODUCT WEIGHT

145 lbs (66 kg)

MAX STORAGE

400 lbs (181 kg)

FEATURES

- ◆ Ratcheting preacher pad adjusts easily and quickly to accommodate varying user sizes
- ◆ Two-sided pad to accommodate two different curl positions (angled / vertical)
- ◆ Walk-up design for easy entry and exit
- ◆ Polyurethane covered drop-rails to protect the barbell and frame

INCLINE LEVERAGE ROW

CF-3661-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

73.23" X 44.82" X 48.00" (186 cm X 114 cm X 122 cm)

PRODUCT WEIGHT

170 lbs (77 kg)

MAX WEIGHT CAPACITY

600 lbs (272 kg)

FEATURES

- ◆ No adjustment necessary
- ◆ Multiple grip positions (narrow / wide) for exercise variation
- ◆ PVC covered exercise bar
- ◆ Dual position foot plates for varying user heights

BACK HYPER

CF-3663



SPECS

PRODUCT DIMENSIONS (L X W X H)

49.45" X 30.75" X 34.23" (126 cm X 78 cm X 87 cm)

PRODUCT WEIGHT

120 lbs (54 kg)

MAX EXERCISE WEIGHT

600 lbs (272 kg)

MAX WEIGHT STORAGE

90 lbs (41 kg)

FEATURES

- ◆ Four adjustable ratcheting angle positions ranging from 35° to 50° in 5° increments
- ◆ 10 adjustable ratcheting thigh pad positions to accommodate varying user heights
- ◆ Contoured foot rests and leg roller pads provide lower body stabilization
- ◆ Integrated weight plate holders on base of frame

DUAL ACTION SMITH

CF-3754



SPECS

PRODUCT DIMENSIONS (L X W X H)

95.50" X 89.00" X 83.50" (243 cm X 226 cm X 212 cm)

PRODUCT WEIGHT

824 lbs (374 kg)

MAX WEIGHT STORAGE

1,350 lbs (612 kg)

MAX EXERCISE WEIGHT

1,000 lbs (454 kg)

OLYMPIC BAR WEIGHT

52 lbs (24 kg)

FEATURES

- ◆ Racking system provides nine positions for Smith exercises
- ◆ Dual Action technology produces simultaneous horizontal and vertical bar movement
- ◆ Adjustable safety tiers
- ◆ High Impact Polypropylene covered weight horns to protect frame and reduce noise
- ◆ Bar supported by heavy duty 25 and 30 mm linear bearings
- ◆ 30.25" (77 cm) of horizontal bar movement
- ◆ 63.50" of vertical bar movement
- ◆ Generous built-in weight storage

DUAL ANGLE SMITH

CF-3755

MULTIPLE ASSEMBLY
OPTIONS



SPECS

PRODUCT DIMENSIONS (L X W X H)

51.93" X 88.31" X 88.68" (132 cm X 223 cm X 226 cm)

PRODUCT WEIGHT

610 lbs (277 kg)

MAX WEIGHT STORAGE

1350 lbs (612 kg)

MAX EXERCISE WEIGHT

540 lbs (245kg)

OLYMPIC BAR WEIGHT

25 lbs (11kg)

FEATURES

- ◆ During the assembly process, the Dual Angle Smith can be configured either in a vertical orientation or with a 7-degree angle
- ◆ The CF-3755 employs TPU covered rack outs for silent racking and protection of bar
- ◆ During assembly, the columns of the CF-3755 can be flipped to position the rack-outs facing rearward, offering four setup options. This flexibility allows customers to choose their preferred orientation for bar engagement/disengagement with the rack-outs
- ◆ The safety stop mechanism has been streamlined for enhanced simplicity. Users can swivel it outward or inward, slide it vertically to the desired position, and then swivel it back into place on top of the rack-out

MILITARY PRESS

CF-3860



SPECS

PRODUCT DIMENSIONS (L X W X H)

60.00" X 69.00" X 70.00" (152 cm X 175 cm X 178 cm)

PRODUCT WEIGHT

310 lbs (141 kg)

MAX EXERCISE WEIGHT

1000 lbs (454 kg)

MAX STORAGE CAPACITY

740 lbs (336 kg)

FEATURES

- ◆ Five adjustable seat heights
- ◆ Six adjustable ratcheting back pad positions
- ◆ One rear facing start / finish rack point and two forward facing start / finish rack points for varying user heights
- ◆ Permanent safety tiers for user safety
- ◆ Polyurethane covered bar rack-outs and weight racks to protect the Olympic Bar and frame
- ◆ Integrated foot rests provide proper exercise alignment
- ◆ Integrated spotter stand
- ◆ Generous built in weight storage

UTILITY STOOL

CF-3950



SPECS

PRODUCT DIMENSIONS (L X W X H)

30.00" X 27.75" X 16.88" (76 cm X 70 cm X 43 cm)

PRODUCT WEIGHT

25 lbs (11 kg)

MAX EXERCISE WEIGHT

1000 lbs (454 kg)

FEATURES

- ◆ Tripod frame design provides greater stability
- ◆ Integrated carrying handle

UTILITY BENCH

CF-3960



SPECS

PRODUCT DIMENSIONS (L X W X H)

49.00" X 30.00" X 36.64" (124 cm X 76 cm X 93 cm)

PRODUCT WEIGHT

54 lbs (24 kg)

MAX EXERCISE WEIGHT

800 lbs (363 kg)

FEATURES

- ◆ Tripod frame design provides greater stability
- ◆ Integrated foot rests allow for proper exercise alignment

FITNESS TREE

CF-3962-A



SPECS

PRODUCT DIMENSIONS (L X W X H)

54.25" X 48.25" X 97.75" (138 cm X 123 cm X 248 cm)

PRODUCT WEIGHT

216 lbs (98 kg)

MAX EXERCISE WEIGHT

400 lbs (181 kg)

FEATURES

- ◆ Two sets of hand grips for dip and vertical knee raise exercises
- ◆ Upper hand grips for neutral and wide pull-up exercises
- ◆ Integrated rock climbing grips offer an exciting exercise variation
- ◆ Angled arm rests offer stable positioning for vertical knee raise exercises
- ◆ Angled dip handles accommodate varying user widths

STANDARD COLORS

*ROC-IT (RS, RPL)
COMMERCIAL FREEWEIGHTS (CF)
COMMERCIAL MULTI JUNGLE (CMJ)
CLUB LINE (CL)*

FRAME



UPHOLSTERY




CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES


HOIST DUAL SERIES (HD)

*MOTION CAGE (MC, MCS)
PERFORMANCE SERIES (PS)*

FRAME



UPHOLSTERY



FRAME



SUB FRAME




CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES

HOIST LIGHT COMMERCIAL/ HOME FREEWEIGHTS (HF) H4400 & H2200

FRAME



UPHOLSTERY



NO CUSTOM COLORS AVAILABLE



COMMERCIAL FREeweIGHTS

FULL SPECS

PRODUCT NAME	LENGTH	WIDTH	HEIGHT	WEIGHT	
CF-2179-B	3 WAY OLYMPIC BENCH FLAT / INCLINE / DECLINE	95.24" (242 CM)	64.75" (164 CM)	56.00" (142 CM)	384 LBS (174 KG)
CF-3160	FLAT/INCLINE BENCH	53.00" (135 CM)	33.00" (84 CM)	20.00" (51 CM)	104 LBS (47 KG)
CF-3162	SUPER ADJUSTABLE FLAT/DECLINE BENCH	61.75" (157 CM)	30.75" (78 CM)	27.75" (70 CM)	97 LBS (44 KG)
CF-3163	FLAT BENCH	51.25" (130 CM)	32.75" (83 CM)	16.95" (43 CM)	53 LBS (24 KG)
CF-3165	SUPER FLAT/INCLINE/DECLINE BENCH	57.00" (145 CM)	33.00" (84 CM)	20.00" (51 CM)	121 LBS (55 KG)
CF-3170-A	FLAT OLYMPIC BENCH WITH STORAGE	72.00" (183 CM)	67.50" (171 CM)	53.00" (135 CM)	203 LBS (92 KG)
CF-3172-A	INCLINE OLYMPIC BENCH WITH STORAGE	73.50" (187 CM)	67.50" (171 CM)	57.00" (145 CM)	254 LBS (115 KG)
CF-3177-A	DECLINE OLYMPIC BENCH WITH STORAGE	84.00" (187 CM)	67.50" (171 CM)	53.00" (135 CM)	240 LBS (109 KG)
CF-3252-A	VERTICAL KNEE RAISE/DIP	54.25" (138 CM)	34.25" (87 CM)	67.50" (171 CM)	178 LBS (81 KG)
CF-3264	ADJUSTABLE DECLINE AB BENCH	63.00" (160 CM)	30.00" (76 CM)	46.75" (119 CM)	132 LBS (60 KG)
CF-3355	LINEAR LEG PRESS	93.00" (237 CM)	60.50" (181 CM)	71.00" (181 CM)	634 LBS (288 KG)
CF-3356	HACK SQUAT	84.75" (216 CM)	60.50" (155 CM)	52.00" (140 CM)	494 LBS (224 KG)
CF-3359	POWER SQUAT	65.25" (166 CM)	64.50" (164 CM)	63.25" (161 CM)	340 LBS (154 KG)
CF-3364-A	POWER CAGE	71.00" (180 CM)	65.50" (167 CM)	91.00" (231 CM)	495 LBS (225 KG)
CF-3365-COLOR EXTENSION	HALF RACK	66.50" (170 CM)	67.88" (173 CM)	97.81" (249 CM)	611 LBS (277 KG)



COMMERCIAL FREeweIGHTS

FULL SPECS

PRODUCT NAME	LENGTH	WIDTH	HEIGHT	WEIGHT	
CF-3365-PLATR-6	6' SOUND DAMPENING RUBBER PLATFORM	131.90" (335 CM)	96.00" (244 CM)	0.7" (2 CM)	213 LBS (97 KG)
CF-3365-PLATW-4	4' SOUND DAMPENING WOOD PLATFORM	116.33" (295 CM)	96.10" (244 CM)	3.00" (8 CM)	PENDING
CF-3365-PLATW-6	6' SOUND DAMPENING WOOD PLATFORM	140.33" (356 CM)	96.10" (244 CM)	98.00" (249 CM)	PENDING
CF-3367-A	SQUAT RACK	69.00" (175 CM)	65.25" (166 CM)	77.00" (196 CM)	310 LBS (141 KG)
CF-3411	KNEELING LEG CURL	46.65" (118.49 CM)	52.93" (134.44 CM)	52.68" (133.8)	244 LBS (110.68KG)
CF-3416	GLUTE THRUST	66.50" (169 CM)	55.50" (141 CM)	37.75 (96 CM)	330 LBS (150 KG)
CF-3443	OLYMPIC PLATE TREE	30.00" (76 CM)	33.25" (84 CM)	53.25" (135 CM)	84 LBS (38 KG)
CF-3444	4 SIDED OLYMPIC PLATE TREE	45.00" (114 CM)	45.00" (114 CM)	51.25" (130 CM)	123 LBS (56 KG)
CF-3461-1-A	1-TIER HORIZONTAL DUMBBELL RACK (5 PAIRS)	98.27" (250 CM)	27.00" (69 CM)	29.00" (74 CM)	170 LBS (77 KG)
CF-3461-2	2-TIER HORIZONTAL DUMBBELL RACK (10 PAIRS)	98.27" (250 CM)	27.00" (69 CM)	29.00" (74 CM)	175 LBS (79 KG)
CF-3461-3	3-TIER HORIZONTAL DUMBBELL RACK (15 PAIRS)	98.20" (249 CM)	27.25" (69 CM)	38.63" (98 CM)	268 LBS (122 KG)
CF-3462-2	2-TIER HORIZONTAL BEAUTY BELL RACK (8 PAIRS)	26.00" (66 CM)	55.00" (140 CM)	37.50" (95 CM)	135 LBS (61 KG)
CF-3462-3	3-TIER HORIZONTAL BEAUTY BELL RACK (12 PAIRS)	26.00" (66 CM)	55.00" (140 CM)	37.50" (95 CM)	157 LBS (71 KG)
CF-3465-A	BARBELL RACK (10 PAIRS)	34.98" (89 CM)	33.56" (85 CM)	54.75" (139 CM)	150 LBS (68 KG)
CF-3466	ACCESSORY RACK	23.81" (60 CM)	42.86" (109 CM)	49.27" (125 CM)	215 LBS (98 KG)

COMMERCIAL FREeweIGHTS

FULL SPECS

PRODUCT NAME	LENGTH	WIDTH	HEIGHT	WEIGHT	
CF-3550	PREACHER CURL	46.70" (119 CM)	33.69" (86 CM)	36.52" (93 CM)	87 LBS (39 KG)
CF-3555	PREACHER CURL, STANDING	43.39" (110 CM)	32.00" (81 CM)	39.21" (100 CM)	145 LBS (66 KG)
CF-3661-A	INCLINE LEVERAGE ROW	73.23" (186 CM)	44.82" (114 CM)	48.00" (122 CM)	170 LBS (77 KG)
CF-3663	BACK HYPER	49.45" (126 CM)	30.75" (78 CM)	34.23" (87 CM)	120 LBS (54 KG)
CF-3753	7-DEGREE SMITH	42.00" (107 CM)	88.28" (224 CM)	88.28" (224 CM)	663 LBS (301 KG)
CF-3754	DUAL ACTION SMITH®	95.50" (243 CM)	89.00" (226 CM)	83.50" (212 CM)	824 LBS (374 KG)
CF-3860	MILITARY PRESS	60.00" (152 CM)	69.00" (175 CM)	70.00" (178 CM)	310 LBS (141 KG)
CF-3950	UTILITY STOOL	30.00" (76 CM)	27.75" (70 CM)	16.88" (43 CM)	25 LBS (11 KG)
CF-3960	UTILITY BENCH	49.00" (124 CM)	30.00" (76 CM)	36.64" (93 CM)	54 LBS (24 KG)
CF-3962-A	FITNESS TREE	54.25" (138 CM)	48.25" (123 CM)	97.75" (248 CM)	216 LBS (98 KG)



WARRANTY POLICY

HOIST® Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST® Fitness warranties this product to the original purchaser only. HOIST® Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. **FOR COMPLETE WARRANTY INFORMATION, VISIT HOISTFITNESS.COM AND CLICK ON THE “SUPPORT” LINK.** Warranty policy applies to defects from the manufacturer only.

HOIST® Fitness reserves the right to change product specifications, design, and function at any time.

TRADEMARKS AND PATENTS

HOIST® Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.†

- ◆ HOIST®
- ◆ ACT NOW®
- ◆ CABLE-DRIVEN™
- ◆ CLUB QUALITY GUARANTEED®
- ◆ COMPOSITE MOTION™
- ◆ DUAL ACTION SMITH®
- ◆ EASY GLIDE™
- ◆ EZ-LOC LATCHING MECHANISM™
- ◆ FEEL THE RIDE®
- ◆ GLUTEMASTER®
- ◆ HOIST CLASSIC®
- ◆ QUIK-CHANGE®
- ◆ RADIAL LOC®
- ◆ RIDE ORIENTED CIRCUIT-INTERVAL TRAINING™
- ◆ RIDE ORIENTED CONDITIONING®
- ◆ RIDE ORIENTED CONDITIONING SYSTEM®
- ◆ RIDE ORIENTED CONDITIONING-INTENSITY TRAINING™
- ◆ RIDE ORIENTED XERCISE®
- ◆ ROC®
- ◆ ROCS®
- ◆ ROX®
- ◆ ROC-IT®
- ◆ ROC-ABS®
- ◆ SILENT STEEL®
- ◆ SPLIT WEIGHT CABLING™
- ◆ ULTRA-LITE LIFTING SYSTEM™
- ◆ DUAL SERIES™
- ◆ FLIP-N-DIP®
- ◆ FLIP-N-GRIP®

D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439,822, D439,943, D440,610,
 D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580,
 D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046,
 D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459,
 D569,926, D574,448, D574,449, D577,234, D578,584, D579,989, D583,426, D590,032, D746,388, D797,757,
 D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,916,072, 5,951,444,
 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878,
 6,491,606, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,066,
 7,316,634, 7,322,906, 7,322,911, 7,331,911, 7,335,140, 7,361,125, 7,384,381, 7,393,309, 7,749,143, 7,468,024, 7,544,156,
 7,549,880, 7,549,949, 7,563,209, 7,563,214, 7,594,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940,
 7,670,269, 7,713,179, 7,717,832, 7,731,638, 7,749,371, 7,749,372, 7,766,802, 7,806,809, 7,815,555, 7,867,149, 7,878,953,
 7,901,335, 7,901,337, 7,909,743, 7,938,760, 7,963,890, 7,976,440, 7,981,010, 7,988,603, 7,993,251, 8,002,679,
 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,177,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698,
 8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298,
 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850,
 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 10,101,740, 11,135,475, 11,013,949, 10,780,310,
 10,737,131, 10,709,922, 10,646,739, 10,639,513, 10,532,244, 10,486,012, 10,426,990, 10,420,985, D857,812, 10,391,352,
 10,350,445, D852,291, 10,307,630, 10,220,240, WW, D836,733, 10,086,229

† Other Patents Pending