





SLIDE SELECT SYSTEM

FEATURES

Introducing the revolutionary Club Line, featuring the highly acclaimed Slide Select System. Unlike traditional selectorized machines, the Slide Select System eliminates guide rods and selector pins, reducing the need for maintenance and providing a smoother function for a more comfortable workout experience. And with built-in smaller weight adjustment in five-pound increments on the two hundred- and three-hundred-pound systems, the Club Line offers unrivaled versatility for your fitness needs.

But what truly sets the Club Line apart is its leverage weight system. Say goodbye to the clanging noise of weight plates with our innovative design that significantly reduces noise during your workout. In fact, tests conducted in our R&D lab using a decibel meter and vibration testing showed that the Club Line machines were 30% quieter on average when taking readings from the user's position during each repetition. This means you can enjoy a peaceful workout environment, free from the distractions of traditional weight stack systems.

Choose the Club Line for a unique and unparalleled fitness experience that's both effective and enjoyable.







The new CLUB LINE from HOIST[®] fitness offers a smaller, quieter option to owners looking for more space in their facility with the premium equipment that only HOIST[®] Fitness can offer.


Compared to six major competitors, the original 8 CLUB LINE units take up 8-25% less floor space per machine, leaving more room for facilities to utilize. Competitors also have machine profiles that are 8-27% taller, significantly obstructing and cluttering views.

Each unit has a convenient accessory tray for keys, a phone, and water bottle as well as easy weight selection from a seated position.

"The Club Line has a very naturally smooth and consistent feel across the line. And I like the dampening feeling after completing a rep with no crashing weight stacks. Also, the Slide Select System is completely unique and easy to use.

> - ANTHONY WALL WITH THE AMERICAN COUNCIL ON EXERCISE (ACE)

WHAT IS UNIQUE ABOUT THE CLUB LINE?



CL-3402 LEG CURL - 300LB

CL-3403 LEG PRESS - 300LB (400LB AVAILABLE)

- CL-3408 STANDING/PRONE LEG CURL - 200LB
- CL-3501 SHOULDER PRESS - 200LB
- CL-3502 LATERAL RAISE - 200LB
- CL-3601 ABDOMINALS - 300LB
- CL-3800 INNER/OUTER THIGH - 200LB



PREACHER CURL

CL-3102



SPECS

PRODUCT DIMENSIONS (L X W X H)

50" X 44" X 49" (126 cm X 110 cm X 123 cm)

PRODUCT WEIGHT

481 lbs (218 kg)

WEIGHT STACK 200 lbs (91 kg)

FEATURES

- Oversized, wrap around arm pad with ergonomically optimized 40 degree angle
- Independent exercise arms with rotating grips
- Gas-spring assisted seat adjuster with easy-to-reach handle



TRICEPS PRESS

CL-3103



SPECS

PRODUCT DIMENSIONS (L X W X H)

48" X 41" X 49" (121 cm X 104 cm X 123 cm)

PRODUCT WEIGHT

502 lbs (228 kg)

WEIGHT STACK 200 lbs (91 kg)

- Oversized, wrap around arm pad with ergonomically optimized 40 degree angle
- Easy to adjust counterbalanced arm
- Stabilizing bar to lock feet underneath while exercising
- Gas-spring assisted seat adjuster with large easy-to-reach handle



LAT PULL DOWN

CL-3201



SPECS

PRODUCT DIMENSIONS (L X W X H)

55" X 56" X 81" (138 cm X 141 cm X 206 cm)

PRODUCT WEIGHT

692 lbs (314 kg)

WEIGHT STACK 300 lbs (136 kg)

- Independent handles with multiple grips including rock climbing grips and HOIST®'s unique Flip 'N Grip® handles
- Oversized seat fits wide range of users
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle







PRODUCT DIMENSIONS (L X W X H)

56" X 49" X 49" (143 cm X 123 cm X 123 cm)

PRODUCT WEIGHT

625 lbs (283 kg)

WEIGHT STACK 300 lbs (136 kg)

- Select-A-Grip handles provide 3 grip options (0, 45, and 90)
- Oversized seat fits wide range of users
- Gas-spring assisted seat adjuster with large easy-to-reach handle



CHEST PRESS

CL-3301



SPECS

PRODUCT DIMENSIONS (L X W X H)

52" X 52" X 50" (131 cm X 131 cm X 127 cm)

PRODUCT WEIGHT

613 lbs (278 kg)

WEIGHT STACK 300 lbs (136 kg)

- Select-A-Grip handles provide 3 grip options (0, 45, and 90 degrees)
- Foot assist to help get into a starting position and complete those final reps
- Gas-spring assisted seat adjuster with large easy-to-reach handle



PEC FLY / REAR DELT

CL-3309



SPECS

PRODUCT DIMENSIONS (L X W X H)

45" X 66" X 48" (115 cm X 169 cm X 123 cm)

PRODUCT WEIGHT

425 lbs (192 kg)

WEIGHT STACK 200 lbs (91 kg)

- Multiple grip options
- First machine ever to offer both exercises facing the same direction
- Gas-spring assisted seat adjuster with large easy-to-reach handle
- Self-aligning, independent exercise arms



LEG EXTENSION CL-3401



SPECS

PRODUCT DIMENSIONS (L X W X H)

50" X 42" X 49" (126 cm X 105 cm X 123 cm)

PRODUCT WEIGHT

626 lbs (284 kg)

WEIGHT STACK 300 lbs (136 kg)

- Self-adjusting roller pad
- Large, easy to control range of motion lever for exercise arm
- Counterbalanced arm for easy adjustments
- Stabilizing handles
- Gas-spring assisted seat back adjustment with easy-to-reach lever





SPECS

PRODUCT DIMENSIONS (L X W X H)

59" X 42" X 49" (149 cm X 105 cm X 123 cm)

PRODUCT WEIGHT

629 lbs (285 kg)

WEIGHT STACK 300 lbs (136 kg)

- Self-adjusting roller pad
- Large, easy to control range of motion lever for exercise arm
- Counterbalanced arm with large range of motion lever for easy, controlled adjustments
- Stabilizing handles
- Gas-spring assisted seat back adjustment with easy-to-reach lever



LEG PRESS CL-3403 / CL-3403-HS



SPECS

PRODUCT DIMENSIONS (L X W X H)

63" X 44" X 49" (160 cm X 112 cm X 123 cm)

PRODUCT WEIGHT 782 lbs (355 kg)

WEIGHT STACK 300 lbs (136 kg) 400 lb Heavy Stack (HS) Option available

FEATURES

- Unique suspended 4-bar linkage creates one of the smallest leg press footprints and a strength curve with no drop off
- Oversized foot plate with anti-slip rubber surface
- Extra raised foot plates for calf presses
- Entry / exit assist handle



STANDING / PRONE LEG CURL



SPECS

PRODUCT DIMENSIONS (L X W X H)

53" X 43" X 49" (135 cm X 108 cm X 123 cm)

PRODUCT WEIGHT

550 lbs (249 kg)

WEIGHT STACK 200 lbs (91 kg)

FEATURES

 Adjustments allow for standing and prone leg curl variations with ability to do unilateral or bilateral in the laying position

CL-3408

- Self-adjusting roller pad
- Stabilizing grips for both standing and laying variations



SHOULDER PRESS

CL-3501



SPECS

PRODUCT DIMENSIONS (L X W X H)

51" X 55" X 50" (129 cm X 140 cm X 127 cm)

PRODUCT WEIGHT 568 lbs (258 kg)

. _.

WEIGHT STACK 200 lbs (91 kg)

- Select-A-Grip handles provide 3 grip options (0, 45, and 90 degrees)
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle



LATERAL RAISE

CL-3502



SPECS

PRODUCT DIMENSIONS (L X W X H)

43" X 48" X 49" (109 cm X 122 cm X 125 cm)

PRODUCT WEIGHT

550 lbs (249 kg)

WEIGHT STACK 200 lbs (91 kg)

- Independent exercise arms with rotating grips
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle



ABDOMINALS CL-3601



SPECS

PRODUCT DIMENSIONS (L X W X H)

41" X 49" X 61" (105 cm X 125 cm X 156 cm)

PRODUCT WEIGHT

650 lbs (294 kg)

WEIGHT STACK 300 lbs (136 kg)

- Foot stabilizing bar and elbow pads for proper leverage
- Counterbalanced arm
- Gas-spring assisted seat adjuster with large easy-to-reach handle



INNER / OUTER THIGH

CL-3800



SPECS

PRODUCT DIMENSIONS (L X W X H)

63" X 35" X 48" (159 cm X 89 cm X 123 cm)

PRODUCT WEIGHT

700 lbs (317 kg)

WEIGHT STACK 200 lbs (91 kg)

FEATURES

- Standing and sitting variation grip handles
- Independent swiveling thigh pads
- Gas-spring assisted seat adjuster with large easy-to-reach handle



STANDARD COLORS

ROC-IT (RS, RPL) COMMERCIAL FREEWEIGHTS (CF) COMMERCIAL MULTI JUNGLE (CMJ) CLUB LINE (CL)

FRAME






CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES

HOIST DUAL SERIES (HD)

MOTION CAGE (MC, MCS) PERFORMANCE SERIES (PS)



CUSTOM COLORS AVAILABLE UPON REQUEST CONTACT US FOR PRICING AND LEAD TIMES

HOIST LIGHT COMMERCIAL/ HOME FREEWEIGHTS (HF) H4400 & H2200





CLUB LINE FULL SPECS

PRODUCT NAME		LENGTH	WIDTH	HEIGHT	WEIGHT	WEIGHT STACK
CL-3102	PREACHER CURL	49.75″ (126 cm)	43.50" (110 cm)	48.50" (123 cm)	481 lbs (218 kg)	200 lbs (91 kg)
CL-3103	TRICEPS PRESS	47.50" (121 cm)	40.75" (104 cm)	48.50" (123 cm)	502 lbs (228 kg)	200 lbs (91 kg)
CL-3201	LAT PULLDOWN	54.50" (138 cm)	55.50" (141 cm)	81.00" (206 cm)	692 lbs (314 kg)	300 lbs (136 kg)
CL-3203	MID ROW	56.13" (143 cm)	48.38" (123 cm)	48.38" (123 cm)	625 lbs (283 kg)	300 lbs (136 kg)
CL-3301	CHEST PRESS	51.50" (131 cm)	51.75" (131 cm)	50.00" (127 cm)	613 lbs (278 kg)	300 lbs (136 kg)
CL-3309	PEC FLY / REAR DELT	45.25" (115 cm)	66.38" (169 cm)	48.38" (123 cm)	425 lbs (192 kg)	200 lbs (91 kg)
CL-3401	LEG EXTENSION	49.75" (126 cm)	41.50" (105 cm)	48.50" (123 cm)	626 lbs (284 kg)	300 lbs (136 kg)
CL-3402	LEG CURL	58.50" (149 cm)	41.50" (105 cm)	48.50" (123 cm)	629 lbs (285 kg)	300 lbs (136 kg)
CL-3403	LEG PRESS	63.00" (160 cm)	44.25" (112 cm)	48.50" (123 cm)	782 lbs (355 kg)	300 lbs (136 kg)
CL-3408	STANDING / PRONE LEG CURL	53.00" (135 cm)	42.50" (108 cm)	48.38" (123 cm)	550 lbs (249 kg)	200 lbs (91 kg)
CL-3501	SHOULDER PRESS	50.75" (129 cm)	55.00" (140 cm)	50.00" (127 cm)	568 lbs (258 kg)	200 lbs (91 kg)
CL-3502	LATERAL RAISE	42.75" (109 cm)	47.88" (122 cm)	49.13" (125 cm)	550 lbs (249 kg)	200 lbs (91 kg)
CL-3601	ABDOMINALS	41.25" (105 cm)	49.38" (125 cm)	61.38" (156 cm)	650 lbs (294 kg)	300 lbs (136kg)
CL-3800	INNER / OUTER THIGH	62.63" (159 cm)	35.00" (89 cm)	48.38" (123 cm)	700 lbs (317 kg)	200 lbs (91 kg)



WARRANTY POLICY

HOIST^{*} Fitness offers one of the best warranty policies in the industry, reaffirming our commitment to quality and customer satisfaction. HOIST^{*} Fitness warranties this product to the original purchaser only. HOIST^{*} Fitness guarantees this product to be free from defects in workmanship and/or materials under normal use or service. **FOR COMPLETE WARRANTY INFORMATION, VISIT HOISTFITNESS.COM AND CLICK ON THE "SUPPORT" LINK.** Warranty policy applies to defects from the manufacturer only.

HOIST^{*} Fitness reserves the right to change product specifications, design, and function at any time.

TRADEMARKS AND PATENTS

HOIST^{*} Fitness products are covered by U.S. Patents, Patents Pending and Trademarks. HOIST is a registered trademark. All Rights Reserved.⁺

- ♦ HOIST[®]
- ◆ ACT NOW[®]
- CABLE-DRIVEN[™]
- CLUB QUALITY
 GUARANTEED^{*}
- COMPOSITE MOTION[™]
- DUAL ACTION SMITH[®]
- EASY GLIDE[™]
- EZ-LOC LATCHING MECHANISM[™]
- FEEL THE RIDE[®]
- GLUTEMASTER[®]
- HOIST CLASSIC*

- QUIK-CHANGE^{*}
- RADIAL LOC^{*}
- RIDE ORIENTED CIRCUIT-INTERVAL TRAINING[™]
- RIDE ORIENTED CONDITIONING*
- RIDE ORIENTED CONDITIONING SYSTEM[®]
- RIDE ORIENTED CONDITIONING-INTENSITY TRAINING[™]
- RIDE ORIENTED XERCISE*
- ROC^{*}

- ROCS^{*}
- ROX[®]
- ♦ ROC-IT^{*}
- ROC-ABS^{*}
- SILENT STEEL[®]
- SPLIT WEIGHT CABLING[™]
- ULTRA-LITE LIFTING SYSTEM[™]
- ◆ DUAL SERIES[™]
- FLIP-N-DIP^{*}
- ◆ FLIP-N-GRIP[®]

D427,652, D431,059, D431,615, D437,370, D437,371, D438,267, D439,292, D439822, D439,943, D440,610, D444,190, D444,518, D446,440, D446,831, D454,604, D455,184, D455,310, D455,803, D456,862, D457,580, D511,726, D513,598, D518,861, D519,585, D519,864, D526,370, D528,023, D528,172, D533,608, D536,046, D539,857, D541,357, D541,358, D541,893, D542,868, D544,050, D545,383, D556,842, D561,276, D569,459, D569,926, D574,448, D574,449, D577,234, D578,584, D579,989, D583,426, D590,032, D746,388, D777,757, D807,446, D807,447, D808,475, D818,547, 5,683,334, 5,733,233, 5,800,321, 5,807,219, 5,916,072, 5,951,444, 5,961,428, 5,980,434, 6,004,247, 6,193,635, 6,264,586, 6,319,178, 6,338,701, 6,347,777, 6,409,637, 6,443,878, 6,491,600, 6,491,609, 6,497,639, 6,551,226, 6,561,960, 6,579,213, 6,605,022, 6,988,977, 7,052,444, 7,166,066, 7,316,634, 7,322,906, 7,322,911, 7,335,140, 7,361,125, 7,384, 381, 7,393,309, 7,749,143, 7,468,024, 7,544,456, 0,549,880, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,561,960, 0,579,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,561,960, 0,561,960, 0,579,655, 7,601,187, 7,644,600, 7,654,938, 7,654,940, 0,561,960, 0,579,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,561,960, 0,579,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,561,960, 0,579,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,561,960, 0,579,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,561,960, 0,561,960, 0,565, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,561,960, 0,561,960, 0,565, 0,561,960, 0,579,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,564,940, 0,564,940, 0,564,956, 7,597,655, 7,601,187, 7,641,600, 7,654,938, 7,654,940, 0,564,9
7,670,269, 7,713,179, 7,717,832, 7,731,638, 7,749,371, 7,749,372, 7,766,802, 7,806,809, 7,815,555, 7,867,149, 7,878,953, 7,901,335, 7,901,337, 7,909,743, 7,938,760, 7,963,890, 7,976,440, 7,981,010, 7,988,603, 7,993,251, 8,002,679, 8,007,411, 8,021,070, 8,057,368, 8,162,807, 8,172,732, 8,177,693, 8,257,231, 8,308,620, 8,317,665, 8,328,698,
8,562,496, 8,702,573, 8,734,304, 8,852,060, 8,870,720, 8,915,667, 8,926,480, 9,017,238, 9,126,081, 9,205,298, 9,302,136, 9,440,106, 9,517,379, 9,522,297, 9,604,086, 9,682,276, 9,707,448, 9,808,699, 9,833,656, 9,861,850, 9,868,016, 9,925,448, 9,943,721, 9,950,210, 9,968,819, 9,999,797, 10,010,740, 11,135,475, 11,013,949, 10,780,310
10,737,131,10,709,922,10,646,739,10,639,513,10,532,244,10,486,012,10,426,990,10,420,985,D857,812,10,391,352, 10,350,445,D852,291,10,307,630,10,220,240,WW,D836,733,10,086,229

⁺ Other Patents Pending