CMX32 productbooklet / generalinformation

Edition: 7 February 17

| Available documents |
|----------------------------------|
| User manual |
| User keychart |
| Service Manual |
| CE-Certification |
| Communicationprotocoldescription |
| Spare parts list and drawings |

| Logistics information | |
|-------------------------|-------------------------|
| Units per box | 1 |
| Dimensions (L/W/H) | 780x440x600mm |
| Grossweight | 42 kg |
| Available pallets: | Version 1: 3 units |
| | 1320x780x740mm; 140 kg |
| | Version 2: 6 units |
| | 1320x780x1340mm; 270 kg |
| | |
| Shipping recommendation | Always ship on pallet |

Product Versions and accessories:



(22400) CMX32 coin sorter

9 pockets, 1 of it with electronic sorting + reject

Includes:

Hopper, Coin boxes, Cleaning set, Power cable, English User manual and key chart.

Accessories:



(22306) External printer



(22402) Bagging unit for CMX32



(22201)
Machine stand
(available approx 09/2016)



(22309) External display L (requires 22310)



RS232 communication cable



(22313) Coin bag



(22307) Paper rolls for printer



(22310) ECB statistic module (available approx 10/2016)



Externaldisplay S (requires 22310)





CMX32 product booklet / technical datasheet

Edition: 7 February 17

| Physical and electrical speci | fications |
|-------------------------------|----------------------------------|
| Mains inputvoltage | 230 VAC (+5% / -15%) |
| | 50 Hz |
| Power consumption | 50 W Peak |
| | 35 W Operation |
| | 11 W Standby |
| Acousticnoiselevel | LpA < 79dB(A) (uncertainty: 2) |
| | LpA Standby < 1 dB(A) |
| Operating temperature | 10° C to 35° C (50F – 95F) |
| Operating humidity | 20% to 80% RH (non-condensing) |
| Dimensions | mm |
| Height | 470 (withhopper: 565) |
| Depth | 300 |
| Width | 660 |
| Weight | 34,7 Kg |
| Coinsizerange | Diameter: 14 - 34 mm |
| | Thickness: 0.8 – 3.5 mm |

| Process specifications and features | | |
|-------------------------------------|--------------------------------------|--|
| Coindetectionsensor | Complieswith EU regulation 1210/2010 | |
| Count modes | Mix counting | |
| Speed | Up to 650 coins per minute | |
| Hopper capacity | 3.000 coins (Standard Euro-Mix) | |
| | 5.500 coins max. (cents/dimes) | |
| No. of sorting channels | 9 (1x Dynamic and 8x mechanical) | |
| Bag stops | 2 levels | |
| | 1 - 9999 coins per bag | |
| Memory | Count, Total and Bag contents | |
| | Individual for 8 cashiers | |
| Communication | RS232, printer, display | |
| | | |

Approvals

CE

RoHS

Complies with EU regulation 1210/2010





CMX32 product booklet / FAQs

Edition: 7 February 17

Usageof electronic sorting

- Sorting of currencies where 2 coins have the same diameter and can not be separated mechanically
- Sorting of token together with a currency, where the token has the same diameter than a coin of the currency





