




# PORTA SCORREVOLE VETRO MIRR MIRR SLIDING GLASS DOOR

## ANTA MIRR1 SINGOLA PER ESSENTIAL SCORREVOLE SINGLE MIRR1 DOOR FOR ESSENTIAL SLIDING DOOR


CONTROTELAIO  
"INTONACO"

"PLASTER"  
FRAME




CONTROTELAIO  
"CARTONGESSO"

"PLASTERBOARD"  
FRAME




ANTA UNICA  
LUCE DI PASSAGGIO REALE = LUCE NOMINALE - 10 mm  
SINGLE DOOR  
ACTUAL OPENING WIDTH = NOMINAL OPENING WIDTH - 10 mm

ANTA UNICA "INTONACO"  
"PLASTER" SINGLE DOOR



ANTA UNICA "CARTONGESSO"  
"PLASTERBOARD" SINGLE DOOR





ALLUMINIO  
ALUMINIUM



VETRO TEMPERATO  
O STRATIFICATO  
TEMPERED OR  
LAMINATED GLASS

LUCE DI PASSAGGIO CLEAR OPENING SIZE		LUCE REALE EFFECTIVE OPENING DIMENSIONS		MISURA ANTA DOOR MEASUREMENT		SPESSORE PARETE FINISHED WALL
L	H	LR	HR	L4	H4	Sp
600 ÷ 1200	1800 ÷ 2700	590 ÷ 1190	1800 ÷ 2700	610 ÷ 1210	1792 ÷ 2692	<i>Intonaco Plaster</i> <b>105 - 125 - 145</b> <i>Cartongesso Plasterboard</i> <b>100 - 125 - 125 L2 - 150L2</b>

# ANTA MIRR1 DOPPIA PER ESSENTIAL SCORREVOLE DOUBLE MIRR1 DOOR FOR ESSENTIAL SLIDING DOOR




-  ALLUMINIO  
ALUMINIUM
-  VETRO TEMPERATO  
O STRATIFICATO  
TEMPERED OR  
LAMINATED GLASS

LUCE DI PASSAGGIO CLEAR OPENING SIZE		LUCE REALE EFFECTIVE OPENING DIMENSIONS		MISURA ANTA DOOR MEASUREMENT		SPESORE PARETE FINISHED WALL
L	H	LR	HR	L4	H4	Sp
1200 ÷ 2400	1800 ÷ 2700	1200 ÷ 2400	1800 ÷ 2700	613 ÷ 1213	1792 ÷ 2692	<b>Intonaco Plaster</b> <b>105 - 125 - 145</b> <b>Cartongesso Plasterboard</b> <b>100 - 125 - 125 L2 - 150L2</b>





# PORTA SCORREVOLE VETRO MIRR MIRR SLIDING GLASS DOOR

## ANTA MIRR2 SINGOLA PER ESSENTIAL SCORREVOLE SINGLE MIRR2 DOOR FOR ESSENTIAL SLIDING DOOR



ANTA UNICA  
LUCE DI PASSAGGIO REALE = LUCE NOMINALE - 10 mm  
SINGLE DOOR  
ACTUAL OPENING WIDTH = NOMINAL OPENING WIDTH - 10 mm




- ALLUMINIO  
ALUMINIUM
- VETRO TEMPERATO  
O STRATIFICATO  
TEMPERED OR  
LAMINATED GLASS


LUCE DI PASSAGGIO CLEAR OPENING SIZE		LUCE REALE EFFECTIVE OPENING DIMENSIONS		MISURA ANTA DOOR MEASUREMENT		SPESSORE PARETE FINISHED WALL
L	H	LR	HR	L4	H4	Sp
600 ÷ 1200	1800 ÷ 2700	590 ÷ 1190	1800 ÷ 2700	610 ÷ 1210	1792 ÷ 2692	<b>Intonaco Plaster</b> <b>105 - 125 - 145</b> <b>Cartongesso Plasterboard</b> <b>100 - 125 - 125 L2 - 150L2</b>

# ANTA MIRR2 DOPPIA PER ESSENTIAL SCORREVOLE DOUBLE MIRR2 DOOR FOR ESSENTIAL SLIDING DOOR


CONTROTELAIO  
"INTONACO"  
"PLASTER"  
FRAME




CONTROTELAIO  
"CARTONGESSO"  
"PLASTERBOARD"  
FRAME



ANTA DOPPIA "INTONACO"  
"PLASTER" DOUBLE DOOR



ANTA DOPPIA "CARTONGESSO"  
"PLASTERBOARD" DOUBLE DOOR



-  ALLUMINIO  
ALUMINIUM
-  VETRO TEMPERATO  
O STRATIFICATO  
TEMPERED OR  
LAMINATED GLASS

LUCE DI PASSAGGIO CLEAR OPENING SIZE		LUCE REALE EFFECTIVE OPENING DIMENSIONS		MISURA ANTA DOOR MEASUREMENT		SPESORE PARETE FINISHED WALL
L	H	LR	HR	L4	H4	Sp
1200 ÷ 2400	1800 ÷ 2700	1200 ÷ 2400	1800 ÷ 2700	613 ÷ 1213	1792 ÷ 2692	<i>Intonaco Plaster</i> 105 - 125 - 145 <i>Cartongesso Plasterboard</i> 100 - 125 - 125 L2 - 150L2