



## 0900-7-WBCB/H - Corner Workbench with 100mm Splashback, 900x900x900mm

### Quick Overview

Stainless Steel Corner Workbench with Splashback and Solid Undershelf - WBCB7-0900

- 100mm Splashback
- 900mm Wide x 900 mm deep x 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- Locking drawers available\*

### Description

Stainless Steel Corner Workbench with Splashback and Solid Undershelf - 0900-7-WBCB/H

- 100mm Splashback
- 900mm Wide x 900 mm deep x 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- Locking drawers available\*

### Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

## Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

## Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added
- 1.2 mm S/S
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick

## Splashbacks

- Stainless steel backing
- All S/S lined & bevelled
- 180 mm high; 30 mm thick
- Fully enclosed & folded under top (not gal. or open)

## 2 Years Parts only Warranty

Your Shipping Specifications

---

|                     |                    |
|---------------------|--------------------|
| Net Weight (Kg)     | 0                  |
| Width (mm)          | 900                |
| Depth (mm)          | 900                |
| Height (mm)         | 900                |
| Packing Width (mm)  | 980                |
| Packing Depth (mm)  | 980                |
| Packing Height (mm) | 110                |
| Power               | 0                  |
| Warranty            | 2 Years Parts Only |