





FED-X Three Door Salad Prep Fridge with Curve Glass Top - XTHP3100SALGC

Quick Overview

- Stainless steel interior and exterior with rounded corners for easy cleaning
- Open top suitable for multiple pan configurations (Pans and lids are not included)
- Replaceable magnetic door seals
- User friendly Digital controls
- Integrated cutting board made from high-density polyethylene
- · Heavy duty castors with front wheel brakes
- Pan and pan cover must be used to ensure correct operating temperature
- Weight loading per shelf: 40kg
- Dikensions (internal): 1234mm W x 580mm D x 564mm H

Description

FED-X Three Door Salad Prep Fridge with Curve Glass Top - XTHP3100SALGC

- Net Capacity: 465L
- Cooling System: Fan forced cooling
- Temperature range: +2~+8 ° C
- Compressor: CubigelController: DixellRefrigerant: R290
- Ambient Temperature: 32 ° C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Open top suitable for multiple pan configurations (Pans and lids are not included)
- Replaceable magnetic door seals
- User friendly Digital controls
- Integrated cutting board made from high-density polyethylene
- Heavy duty castors with front wheel brakes
- Pan and pan cover must be used to ensure correct operating temperature
- Weight loading per shelf: 40kg
- Dikensions (internal): 1234mm W x 580mm D x 564mm H

1

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice	
	2

Your Shipping Specifications

Net Weight (Kg)	118
Width (mm)	1795
Depth (mm)	700
Height (mm)	1320
Packing Width (mm)	1825
Packing Depth (mm)	730
Packing Height (mm)	910
Power	240V; 50V; 10A; 230W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice