



GG-24 Two burner NG Griddle Top

Quick Overview

- Stainless Steel Construction
- Natural Gas
- Two Heavy Duty Burners
- Steel u-shape burner, each 30mj/hr for better heat distribution
- Flame failure system for safety
- Adjustable heavy duty legs
- Grease through channel at the front
- Stainless steel oil collector at the bottom
- Durable brass control valve
- Easy gas conversion in field
- 3/4-inch rear gas connection
- Stainless Steel Splashback
- Stainless steel splash guard at 3 sides
- 22mm heavy duty mild steel plate

Description

GG-24 Two burner NG Griddle Top

- Stainless Steel Construction
- Natural Gas
- Two Heavy Duty Burners
- Steel u-shape burner, each 30mj/hr for better heat distribution
- Flame failure system for safety
- Adjustable heavy duty legs
- Grease through channel at the front
- Stainless steel oil collector at the bottom
- Durable brass control valve
- Easy gas conversion in field
- 3/4-inch rear gas connection
- Stainless Steel Splashback
- Stainless steel splash guard at 3 sides
- 22mm heavy duty mild steel plate

* LPG Model Or Option Kit Not Available In New Zealand

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	80
Width (mm)	610
Depth (mm)	761
Height (mm)	412
Packing Width (mm)	750
Packing Depth (mm)	890
Packing Height (mm)	520
Power	60MJ/h
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice