



## HOOD750A Bench Top Filtered Hood - 750mm

---

### Quick Overview

---

- ALL STAINLESS STEEL WITH TRIPLE FILTER SYSTEM
- No ducting required
- 3-stage filter system
- powerful 4-speed German motors
- fluorescent light over work area
- the hood mounts easily to benchtop 3-STAGE FILTER SYSTEM

### Description

---

750 mm wide BENCHTOP FILTERED HOOD - HOOD750A

- Single high speed motor
- ALL STAINLESS STEEL WITH TRIPLE FILTER SYSTEM
- No ducting required
- 3-stage filter system
- powerful 4-speed German motors
- fluorescent light over work area
- the hood mounts easily to benchtop 3-STAGE FILTER SYSTEM
- Stainless Steel vertical filter baffles collect most of the grease and drains to easily removable, easy to clean gutter.
- Easy clean washable polyester filter collects the rest of the grease

Activated carbon filter removes odour Generally suitable for electric equipment up to 8.0kW and gas equipment up to 29MJ. Check for local council requirements.

\* Generally suitable for countertop electric equipment up to 8kW where AS1668.2 does not stipulate exhaust. This includes electric fryers with prior consultation with the local council.

1 Year Parts and Labour Warranty



## Your Shipping Specifications

---

Net Weight (Kg)	55
Width (mm)	750
Depth (mm)	700
Height (mm)	1150
Packing Width (mm)	1020
Packing Depth (mm)	1520
Packing Height (mm)	570
Power	240V; 400W
Warranty	1 Year Parts and Labour