





# SCB/15 two door Deluxe Sandwich Bar

#### **Quick Overview**

Two Door
7x 1/3 pans
Stainless Steel interior & exterior

- "blown well"
- · cross-flow pan cooling
- New modern style square S/S front
- fridge has one level of shelving plus floor
- enclosed pan area with easy-slide covers\*\*
- Secop compressors
- German EBM-Pabst fans
- digital temp. control & read-out
- Ambient 33 ° C & 75% RH
- · rounded internal corners for hygiene & easy cleaning
- working area 230 mm deep
- PE cutting board included
- bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- fan-forced evaporator cooling
- · auto defrost
- self evaporating drainage
- castors
- Net Capacity: 550L

Completely removable refrigeration unit

- \*\* pans not included
- $\ensuremath{^{\star\star\star}}$  sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5  $^{\circ}$  C before filling

### Description

Two Door

 $7 \times 1/3$  pans

Stainless Steel interior & exterior

- "blown well"
- cross-flow pan cooling
- New modern style square S/S front
- fridge has one level of shelving plus floor
- enclosed pan area with easy-slide covers\*\*
- Aspera compressors
- German ËBM-Pabst fans
- digital temp. control & read-out

1

- Ambient 33°C & 75% RH
- rounded internal corners for hygiene & easy cleaning
- working area 230 mm deep
- PE cutting board included
- bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- castors
- Net Capacity: 550L

### Completely removable refrigeration unit

- \*\* pans not included
- \*\*\* sliding pan covers must be used to ensure correct operating temperature

  Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

Net Weight (Kg)	140
Width (mm)	1480
Depth (mm)	700
Height (mm)	1255
Packing Width (mm)	770
Packing Depth (mm)	1550
Packing Height (mm)	1420
Power	240V; 440W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice