





### Model: CS102-A/CS103-A

### EN

### Safety Instructions

Please take a few moments to carefully read through this manual. Correct maintenance and operation of this machine will provide the best possible performance from your POLAR product.

- Position on a flat, stable surface.
- A service agent/qualified technician should carry out installation and any repairs if required. Do not remove any components or service panels on this product.

- In Queensland the service agent/qualified technician MUST hold a Gas Work Authorisation or License for hydrocarbon refrigerants if the appliance gas system is being opened or charged.

- Consult Local and National Standards to comply with the following:
  - Health and Safety at Work Legislation
  - Fire Precautions
  - IEE Wiring Regulations
  - Building Regulations
- DO NOT immerse in water, or use steam/jet washers for cleaning.
- DO NOT cover the appliance when it is operating.
- DO NOT store food in the appliance.
- Always carry, store and handle the appliance in a vertical position.
- Never tilt the appliance more than 45° from the vertical.
- Not suitable for outdoor use.
- Keep all packaging away from children. Dispose of the packaging in accordance with the regulations of local authorities.
- If the power cord is damaged, it must be replaced by a POLAR agent or a recommended qualified technician in order to avoid a hazard.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety.

- Children should be supervised to ensure that they do not play with the appliance.
- Polar recommend that this appliance should be periodically tested (at least annually) by a Competent Person. Testing should include, but not be limited to: Visual Inspection, Polarity Test, Earth Continuity, Insulation Continuity and Functional Testing.

# Caution: Risk of Fire

• Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.



Warning: Keep all ventilation openings clear of obstruction. Unit should not be boxed in without adequate ventilation.

- To comply with AS/NZS 60079.10.1:2009: Ensure there are not sources of ignition in any area where refrigerant could gather in the event of a leak.
- Electrical equipment should not be placed under the vent or where refrigerant could gather in the event of a leak.
- **Warning:** Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Warning: Do not damage the refrigerant circuit.
- **Warning:** Do not use electrical appliances inside the food storage compartments of the appliance.

# **Product Description**

CS102-A - Back bar display Cooler 2 doors

CS103-A - Back bar display Cooler 4 doors

# Pack Contents

The following is included:

- POLAR Back Bar Cooler
- Keys
- Instruction manual

- CS102-A: 4 adjustable shelves
- CS103-A: 8 adjustable shelves

POLAR prides itself on quality and service, ensuring that at the time of unpacking the contents are supplied fully functional and free of damage.

Should you find any damage as a result of transit, please contact your POLAR dealer immediately.

### EN

### Installation

Note: Not for use in vans or trailers, food trucks or similar vehicles.

Note: If the unit has not been stored or moved in an upright position, let it stand upright for approximately 12 hours before operation. If in doubt allow to stand.

- 1. Remove the appliance from the packaging and protective film from all surfaces.
- 2. Avoid positioning the appliance in direct sunlight or damp areas.
- To optimize performance and longevity, ensure a minimum clearance of 2.5cm is maintained between the unit and walls and other objects, with a minimum 20cm clearance on the top.
  NEVER LOCATE NEXT TO A HEAT SOURCE.
- 4. Insert the slide-out shelf/shelves at the desired levels and place the smaller shelf/shelves on the floor of the appliance.
- 5. If necessary, adjust the screw feet of the appliance to make it level.

Note: Before using the appliance for the first time, clean the shelves and interior with soapy water then dry well.

## Operation

#### **Control Panel**



#### Turn On

- 1. Close the door of the appliance.
- 2. Connect the appliance to a mains power supply.
- Turn the light switches On [I] or Off [O] as desired.



Note: The Cooling Light is illuminated when the appliance is chilling the interior cabinet.

#### Set the Operating Temperature

- 1. Press the **SET** button for 3 seconds. The display will flash.
- 2. Press the or buttons to display the required temperature.
- 3. Press the **SET** button to store the temperature.

#### **Manual Defrost**

- POLAR Back Bar Chillers feature an automatic defrost. However, should the appliance require an additional defrost period press and hold the "aux" button for 6 seconds.
- Automatic defrost cycles are every 6 hours and last 20 minutes (factory defaults).
- To stop the Defrost press and hold the "**aux**" button for 6 seconds.



Note: If a manual defrost is started this resets the automatic defrost timer. During defrost periods the Defrost light is illuminated.

### Cleaning, Care & Maintenance



Switch off and disconnect from the power supply before cleaning

- Clean the interior of the appliance as often as possible.
- Do not use abrasive cleaning agents. These can leave harmful residues.
- Always wipe dry after cleaning.

#### **Cleaning the Condenser**

- Periodically cleaning the condenser can extend the life of the appliance.
- Note: Use a soft brush or vacuum cleaner to clean the fins of the condenser, taking care not to damage the fins.

Condensation and ice will form with frequent and prolonged opening of the doors. Operating outside of the recommend temperature range and placing next to a heat source will also increase the amount of ice and internal/external condensation. If external condensation occurs wipe the surface down with a cloth.

Excessive ice will result in longer running times that will increase energy consumption and increase the deterioration of components.

### Troubleshooting

A qualified technician must carry out repairs if required.

Fault	Probable Cause	Solution	
The appliance is not working	The unit is not switched on	Check the unit is plugged in correctly and switched on	
	Plug or lead is damaged	Replace plug or lead	
	Mains power supply fault	Check mains power supply	
The appliance turns on,	Condenser blocked with dust	Clean Condenser	
but the temperature is too high/low	Doors/ drawers are not shut properly	Check doors / drawers are shut and seals are not damaged	
	Appliance is located near a heat source or air flow to the condenser is being interrupted	Move the appliance to a more suitable location	
	Ambient temperature is too high	Increase ventilation or move appliance to a cooler position	
	Insufficient airflow to the fans	Remove any blockages to the fans	
	Appliance is overloaded	Reduce the amount stored in the appliance	
	Factory default parameters adjusted	Consult a qualified Technician	
The appliance is unusually loud	The appliance is touching a neighbouring object	Check installation position and change if necessary	
	The appliance has not been installed in a level or stable position	Check installation position and change if necessary	

### **Technical Specifications**

Note: Due to our continuing program of research and development, the specifications herein may be subject to change without notice.

Model	Voltage	Power	Current	Temperature Range	Net usable Capacity	Refrigerant	Dimensions H x W x D mm	Weight (kg)
CS102-A	220-240V~	320W	1.6A	2 - 8°C	227L	R600a	870 X 1462 X 513	100
CS103-A	<b>03-A</b> 50Hz	320W	1.6A	2 - 8°C	485L	R600a	870 X 2542 X 513	150

Note: For optimal product performance and efficiency, please ensure to mind the net usable capacity (load limit) when filling.

(EN

CS102-A CS103-A A5 v2 20230726.indb 6

6

# **Electrical Wiring**

The plug is to be connected to a suitable mains socket.

This appliance is wired as follows:

- Live wire (coloured brown) to terminal marked L
- Neutral wire (coloured blue) to terminal marked N
- Earth wire (coloured green/yellow) to terminal marked E

The appliances must be earthed.

If in doubt consult a qualified electrician.

Electrical isolation points must be kept clear of any obstructions. In the event of any emergency disconnection being required they must be readily accessible.

## Compliance

The product must not be disposed of as household waste. To help prevent possible harm to human health and/or the environment, the product must be disposed of in an approved and environmentally safe recycling process. For further information on how to dispose of this product correctly, contact the product supplier, or the local authority responsible for waste disposal in your area.

POLAR parts have undergone strict product testing in order to comply with regulatory standards and specifications set by international, independent, and federal authorities.

POLAR products have been approved to carry the following symbol:

All rights reserved. No part of these instructions may be produced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of POLAR. Every effort is made to ensure all details are correct at the time of going to press, however, POLAR reserve the right to change specifications without notice.







### DECLARATION OF CONFORMITY

• Conformiteitsverklaring • Déclaration de conformité • Konformitätserklärung • Dichiarazione di conformità •

• Declaración de conformidad

Equipment Type • Uitrustingstype • Type d'équipement • Gerätetyp		Model • Modèle • Modell •	
• Tipo di apparecchiatura • Tipo de equipo		Modello • Modelo	
U-Series Back Bar Counter:	Six drawers		GL187-E
* Two Door display	Three doors plus two drawers	*CS102-E (&-A)	GL188-E
* Four Door display	Two doors plus four drawers	*CS103-E (&-A)	GL456-E
One door plus two drawers	Four Drawer doors & Wine bottle cooler	GL186-E	GL457-E
Application of Territory Legislation	Machinery Directive 2006/42/EC	Electrical Safety	
& Council Directives(s)	EN 60335-1:2012 +A11:2014 +A13:2017 +A1:2019	IEC 60335-1:2010 +A1:2013	
Toepassing van Europese	+A14:2019 +A2:2019	+A2:2016	
Richtlijn(en) • Application de la/des	EN 60335-2-89:2010 +A1:2016 +A2:2017	IEC 60335-2-89:2010 +A1:2012	
directive(s) du Conseil • Anwendbare	EN 62233:2008	+A2:2015	
EU-Richtlinie(n) • Applicazione delle			
Direttive • Aplicación de la(s)	Electro-Magnetic Compatibility (EMC) Directive	Electromagnetic	Compatibility
directiva(s) del consejo	2014/30/EU - recast of 2004/108/EC	EN IEC 55014-1: 2	
	EN IEC 55014-1: 2021	EN IEC 55014-2: 2	2021
	EN IEC 55014-2: 2021	EN IEC 61000-3-2	:2019 +A1:2021
	EN IEC 61000-3-2:2019 +A1:2021	EN 6100-3-3:2013	3 +A1:2019
	EN 6100-3-3:2013 +A1:2019 +A2:2021	+A2:2021	
	Eco-design energy-related products Directive		
	2009/125/EC; Regulation (EU)		
	*2019/2024 - Ecodesign direct sales refrigerators		
	ISO 23953-1:2015		
	ISO 23953-2:2015		
	2015/1095 -Ecodesign professional refrigerated		
	storage cabinets		
	EN 16825-2016		
	Restriction of Hazardous Substances Directive		
	(RoHS) 2015/863 amending Annex II to Directive 2011/65/EU		
	om du producteur • Name des Herstellers	Polar	
Nome del produttore  Nombre del	fabricante		

I, the undersigned, hereby declare that the equipment specified above conforms to the above Territory Legislation, Directive(s) and Standard(s).

Ik, de ondergetekende, verklaar hierbij dat de hierboven gespecificeerde uitrusting goedgekeurd is volgens de bovenstaande Richtlijn(en) en Standaard(en).

Je soussigné, confirme la conformité de l'équipement cité dans la présente à la / aux Directive(s) et Norme(s) ci-dessus

Ich, der/die Unterzeichnende, erkläre hiermit, dass das oben angegebene Gerät der/den oben angeführten Richtlinie(n) und Norm(en) entspricht. Il sottoscritto dichiara che l'apparecchiatura di sopra specificata è conforme alle Direttive e agli Standard sopra riportati.

El abajo firmante declara por la presente que el equipo arriba específicado está en conformidad con la(s) directiva(s) y estándar(es) arriba mencionadas.

Date • Data • Date • Datum • Data • Fecha	10 <sup>th</sup> July 2023			
<b>Signature</b> • Handtekening • Signature • Unterschrift Firma • Firma	DocuSigned by: Ashieve Hooper B39382C9FD9C478	DocuSigned by: Coghan Donnellan D352874F7FAB460	Docusigned by: Brendan Denmeade Do5205837EB7465	
Full Name • Volledige naam • Nom et prénom • Vollständiger Name • Nome completo • Nombre completo	Ashley Hooper	Eoghan Donnellan	Brendan Denmeade	
Position • Functie • Fonction • Position • Qualifica • Posición	Technical & Quality Manager	Commercial Manager/ Importer	Commercial Manager/ Responsible Supplier	
Producer Address • Adress fabrikant • Adresse du producteur • Anschrift des Herstellers • Indirizzo del produttore • Dirección del fabricante	Fourth Way, Avonmouth, Bristol, BS11 8TB United Kingdom	Unit 9003, Blarney Business Park, Blarney, Co. Cork Ireland	15 Badgally Road, Campbelltown NSW 2560	







CS102-A\_CS103-A\_A5\_v2\_2023/07/26

