

SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

Safety Data Sheets

Identification

Product Name : UV ink LF-140 Magenta Order No. : SPC-0727M / SPC-0728M General Use : Ink for ink jet printer

Product Description : UV Inkjet Ink SDS Number : 037-U060427

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.

Telephone No. : +1-678-730-0100 Emergency Telephone No. : +81-268-64-2281

2. Hazards Identification

[GHS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Acute Toxicity - Oral : Category 4 (~50% unknown) Acute Toxicity – Inhalation : Category 4 (~95% unknown)

Skin Corrosion / Irritation : Category 2 Eye Damage / Irritation : Category 2A Sensitization - Skin : Category 1 Toxic to Reproduction : Category 2

Specific Target Organ Toxicity : Category 1 (central nervous system, blood,

(Repeated Exposure) respiratory system, and thyroid gland)

Category 2 (nose)



SDS No. 037-U060427 First issue: 2011/08/29 Revised: 2016/07/13

Safety Data Sheets

Environmental Hazards

Hazardous to the Aquatic : Category 2

Environment - Acute Hazard

Hazardous to the Aquatic : Category 2

Environment - Long Term Hazard

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements]

Symbol







Signal Word Danger

Hazard Statements

H302 Harmful if swallowed

H332 Harmful if inhaled

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Cause serious eye irritation

H361 Suspected of damaging fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure(central nervous system, blood, respiratory system, and thyroid gland)

H373 May cause damage to organs through prolonged or repeated exposure (nose)

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's operation manual before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe gas/mist.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.



SDS No. 037-U060427 First issue: 2011/08/29 Revised: 2016/07/13

Safety Data Sheets

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

(P301+)P330 IF SWALLOWED: Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

[Storage]

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

NFPA Rating (scale 0-4)

Health = 2

Flammability = 1

Instability = 0

Special = None



CANADIAN WHMIS SYMBOLS



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Acryl acid ester	55-65	Trade Secret
2	1,6-Hexanediol diacrylate	21.47	13048-33-4
3	Initiator	10-15	Trade Secret
4	Quinacridone series pigment	3.6	Trade Secret
5	Additive	0.1-5	Trade Secret

4. First Aid Measures

Inhalation : Remove person to fresh air and keep comfortable for breathing. Call

a POISON CENTER or doctor/physician.

Eye Contact : Flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical attention.



SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

Safety Data Sheets

Skin Contact : Wash with plenty of soap and water. Take off contaminated clothing

> and wash before re-use. If skin irritation or rash occurs: Get medical advice/attention. Contaminated clothing should be removed and

laundered before reuse.

Ingestion : If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute : skin irritation, eye irritation, allergic skin reaction

Delayed : allergic skin reaction, reproductive effects, central nervous system

: Treat symptomatically and supportively.

damage, blood damage, respiratory system damage, thyroid effects

Indication of Immediate

Medical Attention and **Special Treatment**

Needed, If Needed

Fire Fighting Measures

Flammable Properties : Flash point >93°C

Extinguishing Media : carbon dioxide, regular dry chemical, water spray, alcohol resistant

Unsuitable Extinguishing : Do not scatter spilled material with high-pressure water streams.

Special Hazards Arising

from the Chemical

Hazardous Combustion

Products

Media

Fire Fighting Measures

Special Protective Equipment and

Precautions for

foam

: Negligible fire hazard.

: oxides of carbon, oxides of nitrogen, oxides of sulfur

: Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or

combustion by-products.

: Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible

exposure.

Firefighters



SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

6. Accidental Release Measures

Personal Precautions,

Protective Equipment

and Emergency

Procedures

Methods and Materials

for Containment and

Cleaning Up

: Wear personal protective clothing and equipment, see Section 8.

Avoid release to the environment.

Eliminate all ignition sources if safe to do so. Stop leak if possible

without personal risk. Reduce vapors with water spray.

Small spills: Absorb with sand or other non-combustible material.

Collect spilled material in appropriate container for disposal.

Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low

areas.

7. Handling and Storage

Precautions for Safe Handling : Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe vapor or mist. Use only outdoors or in a well-ventilated area. Avoid contact

with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye/face protection.

Wash thoroughly after handling. Contaminated work clothing should

not be allowed out of the workplace. Avoid

release to the environment.

Conditions for Safe

Storage, including any

Incompatibilities

: Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Keep container tightly

closed. Keep cool. Store locked up. Keep separated from incompatible

substances.

8. Exposure Controls / Personal Protection

Exposure Limit Values : ACGIH, OSHA, and NIOSH have not developed exposure limits for

any of this product's components.

Component Biological

Limit Values

: There are no biological limit values for the component(s) of this

product.



Safety Data Sheets

Product Name: UV ink LF-140 Magenta

SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

Exposure Controls

Occupational Exposure Controls

: Ventilation equipment should be explosion-resistant if explosive Appropriate

Engineering Controls concentrations of material are present. Provide local exhaust or

process enclosure ventilation system. Ensure compliance with

applicable exposure limits.

Personal Protection

Respiratory : Consult with a health and safety professional for specific respirators

Protection appropriate for your use.

Hand Protection

: Wear appropriate chemical resistant gloves.



Eve Protection



Skin Protection

: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

: Wear appropriate chemical resistant clothing.



Physical and Chemical Properties

- Physical State : Liquid Appearance

> - Color : Magenta

Odor : Characteristic odor

pН : Not available Boiling Point / Boiling Range : Not available : Not available Melting Point / Melting Range **Decomposition Temperature** : Not available

Flash Point :>93℃



SDS No. 037-U060427 First issue: 2011/08/29 Revised: 2016/07/13

Safety Data Sheets

Auto ignition temperature : Not available
Flammability (Solid, Gas) : Not available
Explosive Properties : Not available
Oxidizing Properties : Not available
Upper / Lower Flammability or : Not available

Explosive Limits

Vapor Pressure

Specific Gravity $: 1.07 (25^{\circ}\text{C})$ Solubility : Not availableWater Solubility : Not availablePartition Coefficient (n-octanol / Water) : Not available

Viscosity $\vdots 23 \pm 3 \text{ mPa} \cdot \text{s} (25^{\circ}\text{C})$

Vapor Density : Not available
Evaporation Rate : Not available
VOC : Not available

10. Stability and Reactivity

Reactivity : No reactivity hazard is expected.

Chemical Stability : Stable under normal conditions of use.

Possibility of Hazardous : Will not polymerize.

Reactions

Conditions to Avoid : Avoid flames, sparks, and other sources of ignition. Containers may

rupture or explode if exposed to heat. Avoid contact with incompatible

materials.

Incompatible Materials : acids, bases, oxidizing materials, peroxides,

Hazardous : Combustion: oxides of carbon, oxides of nitrogen, oxides of sulfur

Decomposition



Safety Data Sheets

Product Name: UV ink LF-140 Magenta

SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

11. Toxicological Information

Acute Toxicity : The component(s) of this material have been reviewed in various

sources and no selected endpoints have been identified. Component Analysis -

LD50/LC50

Information on Likely Routes of Exposure

Inhalation : irritation, nausea, headache, drowsiness, dizziness, loss of

coordination, difficulty breathing, reproductive effects, blood damage,

respiratory system damage, thyroid effects

Ingestion : irritation, nausea, headache, drowsiness, dizziness, loss of

coordination, unconsciousness, blood damage, thyroid effects

Skin Contact : allergic reactions, irritation, nausea, headache, drowsiness, dizziness

Eye Contact : irritation

Immediate Effects : allergic skin reaction, skin irritation, eye irritation

Delayed Effects : allergic skin reaction, reproductive effects, central nervous system

damage, blood damage, respiratory system damage, thyroid effects

Medical Conditions : No information available for the product.

Aggravated by Exposure

Irritation/Corrosivity : skin irritation, eye irritation

Data

: No information available for the product. Respiratory

Sensitization

Dermal Sensitization : Available data characterizes components of this product as dermal

sensitization hazards.

: No information available for the product. Germ Cell Mutagenicity

: No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for Carcinogenicity

the component(s) of this product.

Reproductive Toxicity : Available data characterizes components of this product as

reproductive hazards.

Specific Target Organ : No target organs identified.

Toxicity - Single

Exposure

Specific Target Organ : central nervous system, blood, respiratory system, thyroid, nose

Toxicity - Repeated

Exposure



SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

Safety Data Sheets

Aspiration Hazard : Not expected to be an aspiration hazard.

12. Ecological Information

Handling is noted because it might influence the environment when

leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the

river, and the drain ditch.

Ecotoxicity : Toxic to aquatic life with long lasting effects.

: No LOLI ecotoxicity data are available for the component(s) of this Component Analysis -

Aquatic Toxicity product.

: Not available Persistence and

Degradability

Bioaccumulation : Not available : Not available Mobility Other Toxicity : Not available

13. Disposal Considerations

: Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

Disposal Methods : Dispose in accordance with all applicable regulations.

Component Waste : The U.S. EPA has not published waste numbers for this product's

Numbers components.

Disposal of : Empty containers may contain product residue. Dispose in

Contaminated accordance with all applicable regulations.

Packaging



Product Name: UV ink LF-140 Magenta SDS No. 037-U060427

SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

Safety Data Sheets

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

US DOT Information

Shipping : Environmentally hazardous substance, liquid, n.o.s.

Name (Contains: 1,6-Hexanediol diacrylate, Acryl acid ester)

UN Number : UN3082

Hazardous Class or : 9

Division

Packing Group (PG) : III Label(s) Required : 9

TDG Information

Shipping : Environmentally hazardous substance, liquid, n.o.s.

Name (Contains: 1,6-Hexanediol diacrylate, Acryl acid ester)

UN Number : UN3082

Hazardous Class or : 9

Division

Packing Group (PG) : III Label(s) Required : 9

Marine Pollutant : No component(s) of this material is specifically listed in the IMDG

Code as an identified marine pollutant.

Remarks : Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is

excepted from Dangerous Goods regulations.

Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

15. Regulatory Information

U.S. Federal : None of this products components are listed under SARA Sections

Regulations 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR

370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR

302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Title III : Acute Health: Yes

Section 311/312 Chronic Health: Yes

Fire: No



SDS No. 037-U060427 First issue: 2011/08/29 Revised: 2016/07/13

Safety Data Sheets

Pressure: No Reactive: No

U.S. State Regulations : The following components appear on one or more of the following

state hazardous substances lists:

Component	CA	MA	MN	NJ	PA	
1,6-Hexanediol diacrylate	NT-	No	Yes	No	NT.	
(CAS No. 13048-33-4)	No				No	

: Not regulated under California Proposition 65

Canada : WHMIS CLASSIFICATION: D2A,D2B.

Canadian WHMIS : None of the product component(s) are listed on the Ingredients

Ingredient Disclosure Disclosure List (IDL).

List (IDL)

Chemical Inventory : Component Analysis - Inventory

Listings

Component	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
1,6-Hexanediol diacrylate (CAS No. 13048-33-4)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Quinacridone series pigment	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

16. Other Information

Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code - International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LEL - Lower Explosive Limit; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit



SDS No. 037-U060427 First issue: 2011/08/29

Revised: 2016/07/13

Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.